

兰蒂加德（佛山市）音频科技有限公司
Lundegaard (Foshan) Audio Technology Co., Limited

Add: Building 1, No.3 of 7 South Street , Qinggong Road, Chancheng , Foshan, Guangdong, China.

Attn: Amy Lee Mob/Wechat: 0086 18824897798 E-mail: amylee@landijade.cn

Website: <https://landijade.en.alibaba.com> <https://www.caraudio-hifi.com>

Products Catalog

Brand	Model No.	Product Name	Specifications	Picture	Unit	Package & Remark
Component Speaker						
2 way						
VE-AUDIO	VA65.2	6.5" pressed paper cone,iron basket, 2 way component car speaker	Woofer:6.5" Tweeter:25mm Impedance:4ohms Nominal power:60W x 2 Peak power:200W x 2 Frequency response:45Hz-23KHz Sensitivity:90dB		set	Color box :36x20x12cm N.W.:2.3kg G.W.:2.5kg Ctn box :9sets/ctn Size :65x35x58cm N.W.:20.7Kg G.W.:22.5Kg
VE-AUDIO	SC762	6.5" pressed paper cone,iron basket, 2 way component car speaker	Woofer:6.5" Tweeter:25mm Impedance:4ohms Nominal power:60W x 2 Peak power:200W x 2 Frequency response:45Hz-23KHz Sensitivity:90dB		set	Color box :36x20x12cm N.W.:2.3kg G.W.:2.5kg Ctn box :9sets/ctn Size :65x35x58cm N.W.:20.7kg G.W.:22.5kg
VE-AUDIO	ES65PT	6.5" pressed paper cone,iron basket, 2 way component car speaker	Woofer:6.5" Tweeter:25mm Impedance:4ohms Nominal power:60W x 2 Peak power:200W x 2 Frequency response:45Hz-23KHz Sensitivity:90dB		set	Color box :36x20x12cm N.W.:2.3kg G.W.:2.5kg Ctn box :6sets/ctn Size :42x38x39cm N.W.:13.8kg G.W.:15kg
VE-AUDIO	V4.2	6.5" pressed wool paper cone, aluminum basket, 2 way component car speaker	Woofer:6.5" Tweeter:25mm Impedance:4ohms Nominal power:70W x 2 Peak power:200W x 2 Frequency response:45Hz-25kHz Sensitivity:90dB		set	Color box :40x15x22cm N.W.:3.2kg G.W.:3.5kg Ctn box :4sets/ctn Size :44.5x42x32cm N.W.:12.8kg G.W.:14kg
VE-AUDIO	A6.20th	6.5" non-pressed wool fiber cone, aluminum basket, 2 way component car speaker	Woofer:6.5" Aluminum Tweeter:25mm Impedance:4ohms Nominal power:70W x 2 Peak power:250W x 2 Frequency response:45Hz-25KHz Sensitivity:91dB		set	Color box :40x15x22cm N.W.:3.3kg G.W.:3.5kg Ctn box :4sets/ctn Size :45x42x32cm N.W.:13.2kg G.W.:14kg
VEAUDIO	A7.2	6.5" kevlar fiber cone, aluminum basket, 2 way component car speaker	Woofer:6.5" Aluminum Tweeter:1.8" Impedance:4ohms Nominal power:80W x 2 Peak power:300W x 2 Frequency response:45Hz-25KHz Sensitivity:92dB		set	Wooden box :63x33x14cm N.W.:6.8kg G.W.:7kg Ctn box :2sets/ctn Size :65x35x30cm N.W.:13.6kg G.W.:14kg
VE-AUDIO	A8.2	6.5" carbon fiber cone, aluminum basket, 2 way component car speaker	Woofer:6.5" Aluminum Tweeter:1.8" Impedance:4ohms Nominal power:80w*2 Peak power:300w*2 Frequency response:45HZ-28KHZ Sensitivity:92dB		set	Aluminum box :63x33x18cm N.W.:7.3kg G.W.:7.5kg Ctn box :2sets/ctn Size :65x35x38cm N.W.:14.6kg G.W.:15kg

兰蒂加德（佛山市）音频科技有限公司
Lundegaard (Foshan) Audio Technology Co., Limited

Add: Building 1, No.3 of 7 South Street , Qinggong Road, Chancheng , Foshan, Guangdong, China.

Attn: Amy Lee Mob/Wechat: 0086 18824897798 E-mail: amylee@landijade.cn

Website: <https://landijade.en.alibaba.com> <https://www.caraudio-hifi.com>

Products Catalog

Brand	Model No.	Product Name	Specifications	Picture	Unit	Package & Remark
3 way						
VE-AUDIO	V5.3	6.5" pressed wool paper cone, iron basket, 3 way component car speaker	Woofers:6.5"		set	Wooden box :40x15x22cm
			Midrange & Tweeter:3"+1"			N.W.:3.8kg G.W.:4kg
			Frequency response:45HZ-28KHZ			Ctn box :4sets/ctn Size :44.5x42x32cm
			Impedance:4ohms			N.W.:15.2kg G.W.:16kg
			Nominal power:90w*2			
			Peak power:350w*2			
			Sensitivity:90dB			
VE-AUDIO	A7.3	6.5" kevlar fiber cone, aluminum basket, 3 way component car speaker	Woofers:6.5"		set	Wooden box :63x33x14cm
			Midrange:3"			N.W.:7.3kg G.W.:7.5kg
			Aluminum Tweeter:1.8"			Ctn box :2sets/ctn Size :65x35x30cm
			Impedance:4ohms			N.W.:14.6kg G.W.:15kg
			Nominal power:95w*2			
			Peak power:400w*2			
			Frequency response:45HZ-28KHZ			
Sensitivity:92dB						
VE-AUDIO	A8.3	6.5" carbon fiber cone, aluminum basket, 3 way component car speaker	Woofers:6.5"		set	Aluminum box :63x33x18cm
			Midrange:3"			N.W.:7.8kg G.W.:8kg
			Tweeter:1.8"			Ctn box :2sets/ctn Size :65x35x38cm
			Impedance:4ohms			N.W.:15.6kg G.W.:16kg
			Nominal power:95w*2			
			Peak power:400w*2			
			Frequency response:45HZ-28KHZ			
Sensitivity:92dB						
Coaxial Speaker						
VE-AUDIO	VA65.0	6.5" composite cone coaxial car speaker	Woofers:6.5"		pair	Color box :36x20x12cm
			ABS Tweeter:25mm			N.W.: 1.8kg G.W.:2kg
			Impedance:4ohms			Ctn box :9sets/ctn Size :65x35x58cm
			Nominal power:60W x 2			N.W.:16.2kg G.W.:18kg
			Peak power:200W x 2			
			Frequency response:45Hz-23KHz			
			Sensitivity:90dB			
VE-AUDIO	EC65PT	6.5" composite cone coaxial car speaker	Woofers:6.5"		pair	Color box :36x20x12cm
			ABS Tweeter:25mm			N.W.: 1.8kg G.W.:2kg
			Impedance:4ohms			Ctn box:6sets/ctn Size:42x38x39cm
			Nominal power:60W x 2			N.W.:10.8kg G.W.:12kg
			Peak power:200W x 2			
			Frequency response:45Hz-23KHz			
			Sensitivity:90dB			
VE-AUDIO	A6.0	6.5" composite wool cone coaxial car speaker	Woofers:6.5"		pair	Color box :36x20x12cm
			Aluminum Tweeter:25mm			N.W.: 1.8kg G.W.:2kg
			Impedance:4ohms			Ctn box:6sets/ctn Size:42x38x39cm
			Nominal power:70W x 2			N.W.:10.8kg G.W.:12kg
			Peak power:250W x 2			
			Frequency response:45Hz-28KHz			
			Sensitivity:91dB			
VE-AUDIO	VR69pm	6x9" composite cone coaxial car speaker	Woofers:6x9"		pair	Color box :38x27x15cm
			Tweeter:25mm			N.W.: 3.8kg G.W.:4kg
			Impedance:4ohms			Ctn box:4sets/ctn Size:56x38x31cm
			Nominal power:70W x 2			N.W.:15.2kg G.W.:16kg
			Peak power:250W x 2			
			Frequency response:45Hz-28KHz			
			Sensitivity:91dB			

兰蒂加德（佛山市）音频科技有限公司
Lundegaard (Foshan) Audio Technology Co., Limited

Add: Building 1, No.3 of 7 South Street , Qinggong Road, Chancheng , Foshan, Guangdong, China.

Attn: Amy Lee Mob/Wechat: 0086 18824897798 E-mail: amylee@landijade.cn

Website: <https://landijade.en.alibaba.com> <https://www.caraudio-hifi.com>

Products Catalog

Brand	Model No.	Product Name	Specifications	Picture	Unit	Package & Remark
Midrange Speaker						
VEAUDIO	V4M	Non-press cone Midrange	Nominal Power: 50W*2		pair	Color box :25x15x9cm N.W.:0.7kg G.W.:0.8kg Ctn box:10sets/ctn Size:65x35x58cm N.W.: 7kg G.W.:8kg
			Peak power: 100W*2			
			Frequency response: 100-10KHz			
			Sensitivity: 91dB			
			Impedance: 4Ohms			
			Material: Al basket, Non-pressed Paper Cone			
VEAUDIO	A7M	Kevlar Cone Midrange	Nominal Power: 60W*2		pair	Color box :25x15x9cm N.W.:0.7kg G.W.:0.8kg Ctn box:10sets/ctn Size:65x35x58cm N.W.: 7kg G.W.:8kg
			Peak power: 150W*2			
			Frequency response: 130-10KHz			
			Sensitivity: 92dB			
			Impedance: 4Ohms			
			Material: Al. basket, Kevlar Fiber Cone			
VEAUDIO	A8M	Carbon Fiber Midrange	Nominal Power: 60W*2		pair	Color box :25x15x9cm N.W.:0.7kg G.W.:0.8kg Ctn box:10sets/ctn Size:65x35x58cm N.W.: 7kg G.W.:8kg
			Peak power: 150W*2			
			Frequency response: 130-10KHz			
			Sensitivity: 92dB			
			Impedance: 4Ohms			
			Material: Al. basket, Carbon Fiber Cone			
VEAUDIO	V5-atmos	ABS Tweeter & Midrange	Nominal Power: 50W*2		pair	Color box :33x18x12cm N.W.:0.9kg G.W.:1kg Ctn box:10sets/ctn Size:65x50x58cm N.W.: 9kg G.W.:10kg
			Peak power: 100W*2			
			Frequency response: 230-10KHz			
			Sensitivity: 90dB			
			Impedance: 4Ohms			
			Material: ABS basket, German Silk diaphragm			
Dome Tweeter						
VEAUDIO	V4T	ABS Car Tweeter	Nominal Power: 50W*2		pair	Color box :19x13x6cm N.W.:0.25kg G.W.:0.3kg Ctn box:50sets/ctn Size:60x50x50cm N.W.: 12.5kg G.W.:15kg
			Peak power: 100W*2			
			Frequency response: 1.2KHz-23KHz			
			Sensitivity: 90dB			
			Impedance: 4Ohms			
			Material: ABS housing, Silk diaphragm			
VEAUDIO	A6TB	360° Car Tweeter	Nominal Power: 50W*2		pair	Color box :19x13x6cm N.W.:0.25kg G.W.:0.3kg Ctn box:50sets/ctn Size:60x50x50cm N.W.: 12.5kg G.W.:15kg
			Peak power: 100W*2			
			Frequency response: 1080-23KHz			
			Sensitivity: 90dB			
			Impedance: 4Ohms			
			Material: ABS housing, Silk diaphragm			
VEAUDIO	A6T	Al. Car Tweeter	Nominal Power: 60W*2		pair	Color box :19x13x6cm N.W.:0.3kg G.W.:0.35kg Ctn box:50sets/ctn Size:60x50x50cm N.W.: 15kg G.W.:17.5kg
			Peak power: 150W*2			
			Frequency response: 1000Hz-28KHz			
			Sensitivity: 92dB			
			Impedance: 4Ohms			
			Material: Al housing, Silk diaphragm			
VEAUDIO	A7T	Al. Car Tweeter	Nominal Power: 60W*2		pair	Color box :19x13x6cm N.W.:0.35kg G.W.:0.4kg Ctn box:50sets/ctn Size:60x50x50cm N.W.: 17.5kg G.W.:20kg
			Peak power: 150W*2			
			Frequency response: 1000Hz-28KHz			
			Sensitivity: 92dB			
			Impedance: 4Ohms			
			Material: Al housing, Silk diaphragm			
VEAUDIO	A8T	Al. Car Tweeter	Nominal Power: 60W*2		pair	Color box :19x13x6cm N.W.:0.45kg G.W.:0.5kg Ctn box:50sets/ctn Size:60x50x50cm N.W.: 22.5kg G.W.:25kg
			Peak power: 150W*2			
			Frequency response: 1000Hz-28KHz			
			Sensitivity: 92dB			
			Impedance: 4Ohms			
			Material: Al housing, Silk diaphragm			

兰蒂加德（佛山市）音频科技有限公司
Lundegaard (Foshan) Audio Technology Co., Limited

Add: Building 1, No.3 of 7 South Street , Qinggong Road, Chancheng , Foshan, Guangdong, China.

Attn: Amy Lee Mob/Wechat: 0086 18824897798 E-mail: amylee@landijade.cn

Website: <https://landijade.en.alibaba.com> <https://www.caraudio-hifi.com>

Products Catalog

Brand	Model No.	Product Name	Specifications	Picture	Unit	Package & Remark
Passive Subwoofer						
VE-AUDIO	A6.10	10"car subwoofer Single voice Coil	Woofer diameter:10 inch		pcs	Color box :28x30x16cm N.W.:3.8kg G.W.:4kg Ctn box:4pcs/ctn Size:36x62x31cm N.W.: 15.2kg G.W.:16kg
			Impedance: 4 Ohms			
			Output power: 150Watts (R.M.S.) 300Watts (P.M.P.O.)			
			Voice coil: 50mm, BASV			
			Frequency response:25Hz-500Hz			
			Sensitivity:90dB			
			Material: PP cone,strong iron basket			
VE-AUDIO	A6.12	12"car subwoofer Single voice Coil	Woofer diameter:12 inch		pcs	Color box :28x30x16cm N.W.:4.3kg G.W.:4.5kg Ctn box:2pcs/ctn Size:36x62x31cm N.W.: 8.6kg G.W.:9kg
			Impedance: 4 Ohms			
			Output power: 200Watts (R.M.S.) 400Watts (P.M.P.O.)			
			Voice coil: 50mm, BASV			
			Frequency response:25Hz-500Hz			
			Sensitivity:90dB			
			Material: PP cone,strong iron basket			
VE-AUDIO	A8.10S	10"car subwoofer Dual voice Coil	Woofer diameter:10 inch		pcs	Color box :28x30x16cm N.W.:7kg G.W.:7.2kg Ctn box:4pcs/ctn Size:36x62x31cm N.W.: 28kg G.W.:28.8kg
			Impedance:4+4ohms			
			Output power: 250Watts (R.M.S.) 500Watts (P.M.P.O.)			
			Voice coil: 50mm, BASV			
			Frequency response:25Hz-1000Hz			
			Sensitivity:90dB			
			Material: carbon fiber cone, aluminum basket			
VE-AUDIO	A8.12S	12"car subwoofer Dual voice Coil	Woofer diameter:12 inch		pcs	Color box :35x35x22cm N.W.:8kg G.W.:8.2kg Ctn box:2pcs/ctn Size:36x36x45cm N.W.: 16kg G.W.:16.4kg
			Impedance:4+4ohms			
			Output power: 300Watts (R.M.S.) 600Watts (P.M.P.O.)			
			Voice coil: 50mm, BASV			
			Frequency response:25Hz-1000Hz			
			Sensitivity:90dB			
			Material: carbon fiber cone, aluminum basket			
Under-seat Slim Bass & Subwoofer Box						
Active						
VE-AUDIO	A6.69SU	Active underseat subwoofer box	Woofer diameter:6"9 inch		pcs	Color box :33x28x12cm N.W.:3.8kg G.W.:4kg Ctn box:4pcs/ctn Size:41x24x30cm N.W.: 15.2kg G.W.:16kg
			Output power: 150Watts (R.M.S.) 300Watts (P.M.P.O.)			
			Impedance:4ohms			
			Sensitivity:90dB			
			Frequency response:35Hz-150Hz			
			Size:29*21*7cm			
VE-AUDIO	A6.10SU	Active underseat subwoofer box	Woofer diameter:10 inch		pcs	Color box :41x30x12cm N.W.:5.3kg G.W.:5.5kg Ctn box:4pcs/ctn Size:41x30x48cm N.W.: 21.2kg G.W.:22kg
			Output power: 200Watts (R.M.S.) 400Watts (P.M.P.O.)			
			Impedance:4ohms			
			Sensitivity:90dB			
			Frequency response:25Hz-150Hz			
			Size:35*25*7cm			

兰蒂加德（佛山市）音频科技有限公司
Lundegaard (Foshan) Audio Technology Co., Limited

Add: Building 1, No.3 of 7 South Street , Qinggong Road, Chancheng , Foshan, Guangdong, China.

Attn: Amy Lee Mob/Wechat: 0086 18824897798 E-mail: amylee@landijade.cn

Website: <https://landijade.en.alibaba.com> <https://www.caraudio-hifi.com>

Products Catalog

Brand	Model No.	Product Name	Specifications	Picture	Unit	Package & Remark
VE-AUDIO	A6-10AB	Active subwoofer box	Woofer diameter:10 inch		pcs	Color box :48x34x37cm
			Output power: 300Watts (R.M.S.) 600Watts (P.M.P.O.)			N.W.:15.5kg G.W.:16kg
			Impedance:4ohms			Ctn box:1pcs/ctn Size:48x34x37cm
			Sensitivity:90dB			N.W.: 15.5kg G.W.:16kg
			Frequency response:25Hz-200Hz			
			Size:44*30*29cm			
VE-AUDIO	A6-12AB	Active subwoofer box	Woofer diameter:12 inch		pcs	Color box :55x36x41cm
			Output power: 350Watts (R.M.S.) 700Watts (P.M.P.O.)			N.W.:16.5kg G.W.:17kg
			Impedance:4ohms			Ctn box:1pcs/ctn Size:55x36x41cm
			Sensitivity:90dB			N.W.: 16.5kg G.W.:17kg
			Frequency response:25Hz-200Hz			
			Size:49*34*31cm			
Passive						
VE-AUDIO	A8-8	Passive subwoofer box	Woofer diameter:8 inch		pcs	Color box :48x36x30cm
			Output power: 450Watts (R.M.S.) 950Watts (P.M.P.O.)			N.W.:13.5kg G.W.:14kg
			Impedance:4ohms			Ctn box:1pcs/ctn Size:48x36x30cm
			Sensitivity:90dB			N.W.: 13.5kg G.W.:14kg
			Frequency response:25Hz-200Hz			
			Size:42*23*28cm			
DSP Processor Amplifier & Class D Amplifier						
VE-AUDIO	V6	4 Channels DSP Amplifier	RMS: 4*60W		pcs	Color box :36x22x8cm
			Frequency response:20hz-20khz			N.W.:1.3kg G.W.:1.5kg
			S/N :>105dB(reference 1w output)			Ctn box:6pcs/ctn Size:44x38x27cm
			Voltage: 9.5~16V			N.W.: 7.8kg G.W.:9kg
			Current: 3.8A~20A			
			Size: 8*6*5cm			
VE-AUDIO	A6-6P	6 Channels DSP Amplifier	RMS: 6*60W		pcs	Color box :36x22x8cm
			Frequency response:20hz-20khz			N.W.:1.3kg G.W.:1.5kg
			S/N :>105dB(reference 1w output)			Ctn box:6pcs/ctn Size:44x38x27cm
			Voltage: 9.5~16V			N.W.: 7.8kg G.W.:9kg
			Current: 3.8A~20A			
			Size: 19*13*5cm			
VE-AUDIO	A8PRO	4 Channels DSP Amplifier	RMS: 4*80W		pcs	Color box :36x22x8cm
			Frequency response:20hz-20khz			N.W.:2.3kg G.W.:2.5kg
			S/N :>105dB(reference 1w output)			Ctn box:6pcs/ctn Size:44x38x27cm
			Voltage: 9.5~16V			N.W.: 13.8kg G.W.:15kg
			Current: 3.8A~20A			
			Size: 24*14*5cm			





兰蒂加德（佛山市）音频科技有限公司
Lundegaard (Foshan) Audio Technology Co., Limited

Add: Building 1, No.3 of 7 South Street , Qinggong Road, Chancheng , Foshan, Guangdong, China.

Attn: Amy Lee Mob/Wechat: 0086 18824897798 E-mail: amylee@landijade.cn

Website: <https://landijade.en.alibaba.com> <https://www.caraudio-hifi.com>

Products Catalog

Brand	Model No.	Product Name	Specifications	Picture	Unit	Package & Remark
VE-AUDIO	A8-5004	Class D 4 Channels Amplifier	RMS: 70W*4 (4 Ohms) / 140W*4 (2 Ohms) / 280W*2 (4 Ohms bridged)		pcs	Color box :36x22x8cm
			Frequency response:25hz-30khz			N.W.:2.8kg G.W.:3kg
			S/N :>105dB(reference 1w output)			Ctn box:6pcs/ctn Size:44x38x27cm
			Voltage: 9.5~16V			N.W.: 16.8kg G.W.:18kg
			Current: 3.8A~20A			
			Size: 20*15*5cm			
VE-AUDIO	A8-6001	Class D mono 1 Channel Amplifier	RMS: 600W*1 (4 Ohms) / 1200W*1 (2 Ohms)		pcs	Color box :43x22x8cm
			Frequency response:25hz-30khz			N.W.:3.8kg G.W.:4kg
			S/N :>105dB(reference 1w output)			Ctn box:4pcs/ctn Size:44x38x27cm
			Voltage: 9.5~16V			N.W.: 15.2kg G.W.:16kg
			Current: 3.8A~20A			
			Size: 35*15*5cm			
Accessory						
VE-AUDIO	/	Sound Damping	Material: Aluminum, butyl rubber Size: 820 x 520 x 2.7mm Weight:1.7kg		sheet	Ctn:20sheets/ctn Size:82x52x7cm N.W.:33.5kg G.W.:34kg
VE-AUDIO	/	Sound Absorbing	Material: Windsor cotton Size: 800 x 500 x 19mm Weight:0.25kg		sheet	Ctn:20sheets/ctn Size:82*52*18cm N.W.:4.5kg G.W.:5kg
Remarks:						
1. Packaging: 1 pc/set in a gift box, normally 4 or 6 pcs/sets per carton.						
2. Warranty: 1 years, If any quality problem occurred in one years, will replace the good or send the repair parts in the next order.						