














NINGBO YOTO ELECTRONIC CO.,LTD











LONGXING VILLAGE WUXIANG TOWN YINZHOU NINGBO ZHEJIANG











CELL PHONE:+8618368281228

EMAIL:mike@nbyoto.com

MODELS	SIZE	PIC1	PIC2	SEPC.	PRICE
RA31	3"			1. NOMINAL DIAMETER:3" (78MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:82 dB 4. RATED POWER:25W 5. PEAK POWER:50W 6. FREQUENCY RANGE:90Hz-20KHz 7. VOICE COIL DIAMETER:1"/25MM 8. MAGNET TYPE:FERRITE 9. MAGNET:65x12MM 60x12MM 10oz 10. NET WEIGHT:0. 54KG	\$5. 70
RA4C	4" Car			1. NOMINAL DIAMETER:4" (135MM) 2. IMPEDANCE:4 OHM 3. SENSITIVITY:89 dB 4. RATED POWER:25W 5. PEAK POWER:50W 6. FREQUENCY RANGE:80Hz-20KHz 7. VOICE COIL DIAMETER:1"/25MM 8. MAGNET TYPE:FERRITE 9. ANTIMAGNETIC:70x8MM 5oz 10. NET WEIGHT:0. 4KG	\$6. 50
RA41	4"			1. NOMINAL DIAMETER:4" (105MM) 2. IMPEDANCE:4 OHM 3. SENSITIVITY:88 dB 4. RATED POWER:25W 5. PEAK POWER:50W 6. FREQUENCY RANGE:35Hz-16KHz 7. VOICE COIL DIAMTER:1"/25MM 8. MAGNET TYPE:FERRITE 9. ANTIMAGNETIC:68x30MM 5oz 10. NET WEIGHT:0. 54KG	\$3. 00
RA5C1	5" Car			1. NOMINAL DIAMETER:5" (154MM) 2. IMPEDANCE:4 OHM 3. SENSITIVITY:89 dB 4. RATED POWER:30W 5. PEAK POWER:60W 6. FREQUENCY RANGE:90Hz-20KHz 7. VOICE COIL DIAMETER:0. 8"/20MM 8. MAGNET TYPE:FERRITE 9. ANTIMAGNETIC:70x10MM 6oz 10. NET WEIGHT:0. 41KG	\$6. 50

RA5C2	5" Car			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:5" (155MM) 2. IMPEDANCE:4 OHM 3. SENSITIVITY:89 dB 4. RATED POWER:40W 5. PEAK POWER:80W 6. FREQUENCY RANGE:80Hz-20KHz 7. VOICE COIL DIAMETER:1"/25MM 8. MAGNET TYPE:FERRITE 9. ANTIMAGNETIC:70x10MM 6oz 10. NET WEIGHT:0.5KG 	\$7.50
RA525	5.25"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:5.25" (148MM) 2. IMPEDANCE:6 OHM 3. SENSITIVITY:88 dB 4. RATED POWER:40W 5. PEAK POWER:80W 6. FREQUENCY RANGE:0Hz-8KHz 7. VOICE COIL DIAMETER:1"/25MM 8. MAGNET TYPE:FERRITE 9. MAGNET:80x15MM 60x13MM 13oz 10. NET WEIGHT:0.8KG 	\$7.50
RA651	6.5"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:6.5" (165MM) 2. IMPEDANCE:4 OHM 3. SENSITIVITY:94 dB 4. RATED POWER:50W 5. PEAK POWER:100W 6. FREQUENCY RANGE:0Hz-20KHz 7. VOICE COIL DIAMETER:0.8"/19.5MM 8. MAGNET TYPE:FERRITE 9. MAGNET:80x15MM 9oz 10. NET WEIGHT:0.62KG 	\$9.50
RA65C	6.5" Car			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:6.5" (175MM) 2. IMPEDANCE:4 OHM 3. SENSITIVITY:89 dB 4. RATED POWER:50W 5. PEAK POWER:100W 6. FREQUENCY RANGE:80Hz-20KHz 7. VOICE COIL DIAMETER:1.2"/30MM 8. MAGNET TYPE:FERRITE 9. MAGNET:80x12MM 8oz 10. NET WEIGHT:0.8KG 	\$8.50
RA652	6.5"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:6.5" (165MM) 2. IMPEDANCE:4 OHM 3. SENSITIVITY:87 dB 4. RATED POWER:70W 5. PEAK POWER:140W 6. FREQUENCY RANGE:72Hz-12KHz 7. VOICE COIL DIAMETER:1.2"/30MM 8. MAGNET TYPE:FERRITE 9. MAGNET:90x15MM 13oz 10. NET WEIGHT:1.15KG 	\$16.80

RA653	6.5"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:6.5"(163MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:90 dB 4. RATED POWER:50W 5. PEAK POWER:100W 6. FREQUENCY RANGE:58Hz-14KHz 7. VOICE COIL DIAMTER:1"/25.4MM 8. MAGNET TYPE:FERRITE 9. MAGNET:85x15MM 13oz 10. NET WEIGHT:0.85KG 	\$9.00
RA654	6.5"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:6.5"(163MM) 2. IMPEDANCE:4-8 OHM 3. SENSITIVITY:92 dB 4. RATED POWER:50W 5. PEAK POWER:100W 6. FREQUENCY RANGE:58Hz-14KHz 7. VOICE COIL DIAMTER:1"/25.4MM 8. MAGNET TYPE:FERRITE 9. MAGNET:85x15MM 13oz 10. NET WEIGHT:0.89KG 	\$10.00
RA71	7"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:7"(179MM) 2. IMPEDANCE:4-8 OHM 3. SENSITIVITY:92 dB 4. RATED POWER:80W 5. PEAK POWER:160W 6. FREQUENCY RANGE:56-8KHz 7. VOICE COIL DIAMETER:1.38"/35MM 8. MAGNET TYPE:FERRITE 9. MAGNET:100x15MM 17oz 10. NET WEIGHT:1.53KG 	\$20.00
RA81	8"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:8"(202MM) 2. IMPEDANCE:4-8 OHM 3. SENSITIVITY:91 dB 4. RATED POWER:80W 5. PEAK POWER:160W 6. FREQUENCY RANGE:0-20KHz 7. VOICE COIL DIAMETER:1"/25MM 8. MAGNET TYPE:FERRITE 9. MAGNET:80x15MM 9oz 10. NET WEIGHT:0.77KG 	\$12.00
RA82	8" Sub			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:8"(208MM) 2. IMPEDANCE:4-8 OHM 3. SENSITIVITY:87 dB 4. RATED POWER:150W 5. PEAK POWER:300W 6. FREQUENCY RANGE:50Hz-1KHz 7. VOICE COIL DIAMTER:1.5"/38MM 8. MAGNET TYPE:FERRITE 9. MAGNET:120x20MM 30oz 10. NET WEIGHT:2.54KG 	\$25.00

RA83	8" Car			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:8" (208MM) 2. IMPEDANCE:2 OHM 3. SENSITIVITY:80 dB 4. RATED POWER:100W 5. PEAK POWER:200W 6. FREQUENCY RANGE:55Hz-1KHz 7. VOICE COIL DIAMETER:1.38"/35MM 8. MAGNET TYPE:FERRITE 9. MAGNET:100x15MM 17oz 10. NET WEIGHT:1.58KG 	\$20.00
RA69	6"x9"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:6"x9" (262MM) 2. IMPEDANCE:4 OHM 3. SENSITIVITY:93dB 4. RATED POWER:200W 5. PEAK POWER:400W 6. FREQUENCY RANGE:45Hz-24KHz 7. VOICE COIL DIAMETER:1"/25.4MM 8. MAGNET TYPE:FERRITE 9. MAGNET:126x20 50x8 30x5 36oz 10. NET WEIGHT:2.15KG 	\$18.00
RA10C	10" Car			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:10" (265MM) 2. IMPEDANCE:4 OHM 3. SENSITIVITY:85 dB 4. RATED POWER:300W 5. PEAK POWER:600W 6. FREQUENCY RANGE:40Hz-4KHz 7. VOICE COIL DIAMETER:2" (50MM) 8. MAGNET TYPE:FERRITE 9. MAGNET:126x20MM 33oz 10. NET WEIGHT:3.4KG 	\$68.00
RA101	10"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:10" (260MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:94 dB 4. RATED POWER:300W 5. PEAK POWER:600W 6. FREQUENCY RANGE:63Hz-2.3KHz 7. VOICE COIL DIAMETER:2.6" (65MM) 8. MAGNET TYPE:FERRITE 9. MAGNET:156x20MM 56oz 10. NET WEIGHT:4KG 	\$25.00
RA12C	12" Car			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:12" (315MM) 2. IMPEDANCE:4 OHM 3. SENSITIVITY:85 dB 4. RATED POWER:400W 5. PEAK POWER:800W 6. FREQUENCY RANGE:40Hz-4KHz 7. VOICE COIL DIAMETER:2" (50MM) 8. MAGNET TYPE:FERRITE 9. MAGNET:126x20MM 33oz 10. NET WEIGHT:3.85KG 	\$77.00

RA120	12"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:12" (304MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:95 dB 4. RATED POWER:400W 5. PEAK POWER:800W 6. FREQUENCY RANGE:46Hz-3KHz 7. VOICE COIL DIAMETER:3" (75MM) 8. MAGNET TYPE:FERRITE 9. MAGNET:190x20MM 88oz 10. NET WEIGHT:6.5KG 	\$36.00
RA122	12"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:12" (317MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:96 dB 4. RATED POWER:500W 5. PEAK POWER:1000W 6. FREQUENCY RANGE:68Hz-3.7KHz 7. VOICE COIL DIAMETER:3" (75MM) 8. MAGNET TYPE:FERRITE 9. MAGNET:180x20MM 80oz 10. NET WEIGHT:7KG 	\$58.00
RA123	12"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:12" (310MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:98 dB 4. RATED POWER:500W 5. PEAK POWER:1000W 6. FREQUENCY RANGE:45Hz-3.5KHz 7. VOICE COIL DIAMETER:3" (75MM) 8. MAGNET TYPE:NEODYMIUM 9. MAGNET:70x8MM 5oz 10. NET WEIGHT:3.8KG 	\$51.00
RA124	12"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:12" (314MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:98 dB 4. RATED POWER:500W 5. PEAK POWER:1000W 6. FREQUENCY RANGE:45Hz-3.5KHz 7. VOICE COIL DIAMETER:3" (75MM) 8. MAGNET TYPE:NEODYMIUM 9. MAGNET:74x12MM 7oz 10. NET WEIGHT:4KG 	\$60.00
RA151	15"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:15" (394MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:97 dB 4. RATED POWER:600W 5. PEAK POWER:1200W 6. FREQUENCY RANGE:44Hz-3.6KHz 7. VOICE COIL DIAMETER:3" (75MM) 8. MAGNET TYPE:FERRITE 9. MAGNET:190x20MM 88oz 10. NET WEIGHT:6.9KG 	\$40.00

RA152	15"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:15" (390MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:98 dB 4. RATED POWER:700W 5. PEAK POWER:1400W 6. FREQUENCY RANGE:43Hz-2KHz 7. VOICE COIL DIAMETER:4" (100MM) 8. MAGNET TYPE:FERRITE 9. MAGNET:220x25MM 123oz 10. NET WEIGHT:10KG 	\$65.00
RA153	15"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:15" (386MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:97 dB 4. RATED POWER:750W 5. PEAK POWER:1500W 6. FREQUENCY RANGE:55Hz-2.7KHz 7. VOICE COIL DIAMETER:4" (100MM) 8. MAGNET TYPE:FERRITE 9. MAGNET:220x25MM 123oz 10. NET WEIGHT:10.2KG 	\$68.00
RA154	15"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:15" (391MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:98 dB 4. RATED POWER:750W 5. PEAK POWER:1500W 6. FREQUENCY RANGE:45Hz-4KHz 7. VOICE COIL DIAMETER:3" (75MM) 8. MAGNET TYPE:NEODYMIUM 9. MAGNET:74x12MM 7oz 10. NET WEIGHT:4.7KG 	\$70.00
RA181	18"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:18" (460MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:96 dB 4. RATED POWER:800W 5. PEAK POWER:1600W 6. FREQUENCY RANGE:39Hz-2.8KHz 7. VOICE COIL DIAMETER:4" (100MM) 8. MAGNET TYPE:FERRITE 9. MAGNET:220x25MM 123oz 10. NET WEIGHT:10.6KG 	\$75.00
RA182	18"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:18" (460MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:96 dB 4. RATED POWER:1000W 5. PEAK POWER:2000W 6. FREQUENCY RANGE:36Hz-2.5KHz 7. VOICE COIL DIAMETER:4" (100MM) 8. MAGNET TYPE:FERRITE 9. MAGNET:220x25MM 123oz 10. NET WEIGHT:11KG 	\$80.00

RA18X451	18"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:18" (465MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:92 dB 4. RATED POWER:1800W 5. PEAK POWER:3600W 6. FREQUENCY RANGE:40Hz-1.3KHz 7. VOICE COIL DIAMETER:4.5"/115mm 8. MAGNET TYPE:FERRITE 9. MAGNET:250x25MM 170oz 10. NET WEIGHT:12.7KG 	\$125.00
RA21X6	21"			<ol style="list-style-type: none"> 1. NOMINAL DIAMETER:21" (545MM) 2. IMPEDANCE:8 OHM 3. SENSITIVITY:96 dB 4. RATED POWER:2500W 5. PEAK POWER:5000W 6. FREQUENCY RANGE:35Hz-2KHz 7. VOICE COIL DIAMETER:6"/150mm 8. MAGNET TYPE:FERRITE 9. MAGNET:280x20MM (2PCS) 303oz 10. NET WEIGHT:20KG 	\$227.00