

CATALOG 2019 MMP1

www.sunwayi.com



amfori @ BSCI
Trade with purpose

ISO/TS16949 Audited Manufacturer

Shenzhen Sunway Industry Co., LTD

17 Building, Guanlida Industry Zone, Luozu, Shiyao, Baoan District, Shenzhen, Guangdong Province, China 518108

Tel: +86 755 2905 8679

Fax: +86 755 2763 3890

Web: www.sunwayi.com



2-Din Andriod Car Multimedia Player (7" / 9" / 10")



An7B-16S1 size: 178 × 102 mm



An7B-161 size: 178 × 102 mm



An9B-16S1 size: (230+220) × 130 mm



An10B-161 size: (250+241) × 146 mm

An7B-16S1

- 7 inch HD touch screen(Capacitive)
- 1024 × 600 resolution
- **Built-in Wifi, FM/AM**
- **Built-in Navigation for GPS**
- **Steering Wheel Control**
- Rear view camera input, USB camera support
- 4×45W power amplifier, Voltage: DC12V
- Remote control, USB / SD slot, Aux input
- **Built-in bluetooth with hand-free / phone book**
- **Support Mirror Link for Android & ios (via USB connection)**
- Support audio: MP3/WMA/AAC/APE/FLAC/AC3/DTS
- Support video: MP4/MOV/AVI/VOB/MKV/RMVB/MEPG/ASF/WMV/FLV
- **Andriod 8.1 (os), 1.6GHz CPU, 1G DDR3 Rom + 16G Ram**
- Temp: -10°C ~ +60°C(working), -20°C ~ +70°C(Storage)



An7B-161

- All function and Technical Specifications as An7B-16S1 (Almost)
- Different Interface

An9B-161

- All function and Technical Specifications as An7B-16S1 (Almost)
- 9 inch HD Touch Screen (Capacitive), 1024 × 600 resolution

An10B-161

- All function and Technical Specifications as An7B-16S1 (Almost)
- 10.1 inch HD Touch Screen (Capacitive), 1024 × 600 resolution

2-Din 7 inch SP Car Multimedia Player



SP7B size: 178 × 102 mm

SP7B

- 7 inch HD touch screen
- 800 × 480 resolution
- **FM function**
- Rear view camera input
- 4×45W power amplifier, Voltage: DC12V
- Remote control, USB / SD slot, Aux input
- **Built-in bluetooth with hand-free / phone book**
- **Support Mirror Link for Android & ios (via USB connection)**
- Support audio: MP3/WMA/AAC/APE/FLAC/AC3/DTS
- Support video: MP4/MOV/AVI/VOB/MKV/RMVB/MEPG/ASF/WMV/FLV
- **SunPlus 6800 Controller**



2-Din 7" Car Multimedia Player



AW7110B size: 178 × 100mm

AW7110B

- 7 inch HD touch screen
- 800 × 480 resolution
- **FM function**, Aux input
- Rear view camera input
- 4×45W power amplifier
- Remote control, USB / SD slot
- **Built-in bluetooth with hand-free / phone book**
- **Support Mirror Link for Android & ios (via USB connection)**
- Support audio: MP3/WMA/AAC/APE/FLAC/AC3/DTS
- Support video: MP4/MOV/AVI/VOB/MKV/RMVB/MEPG/ASF/WMV/FLV
- Voltage: DC12V, Sleep Circuit: < 5mA
- Temp: -10°C ~ +60°C(working), -20°C ~ +70°C(Storage)



AW7880S size: 178 × 100mm

AW7110G

- All function and Technical Specifications as AW7110B (see above)
- **Steering Wheel Control**



AW7110G size: 178 × 100mm

AW7110G

- All function and Technical Specifications as AW7110B (see above)
- **GPS Navigation**



AW7M1

- Function and Technical Specifications as AW7110B (almost)
- **One button toggle brightness**
- **PAL/NTSC auto switch**



1- Din 9" Car Multimedia Player



AW1D9B size: (230+220) × 130 mm

AW7110B

- 9 inch HD touch screen
- 800 × 480 resolution
- FM function, Aux input
- Rear view camera input
- 4×45W power amplifier
- Remote control, USB / SD slot
- Built-in bluetooth with hand-free / phone book
- **Support Mirror Link for Android & ios (via USB connection)**
- Support audio: MP3/WMA/AAC/APE/FLAC/AC3/DTS
- Support video: MP4/MOV/AVI/VOB/MKV/RMVB/MEPG/ASF/WMV/FLV
- Voltage: DC12V, Sleep Circuit: < 5mA



1-Din Car Mp5 Player (Stretchable Panel)



AW7A-1

size: 178×50 mm

AW7A-1

- 1-DIN deckless car MP5 player with C200S solution
- 7" TFT touch screen (capacitive & stretchable panel)
- Remote control, Support USB / SD slot / AUX-IN
- **Built-in bluetooth with hand-free / phone book**
- **Support Mirror Link for Android & ios (via USB connection)**
- Support audio: MP3/WMA/AAC/APE/FLAC/AC3/DTS
- Support video: MP4/MOV/AVI/VOB/MKV/RMVB/MEPG/ASF/WMV/FLV
- Temp: -10°C ~ +60°C(working), -20°C ~ +70°C (Storage)
- Voltage: DC12V
- FM/AM function
- Rear view camera input
- 4×45W power amplifier

1-Din Car MP5 Player



AW4-1

size: 178×50 mm

- 4 inch HD digital screen
- USB / SD slot / Aux input
- Remote Control
- FM function
- Rear view camera input
- 4×45W power amplifier
- Support audio: MP3/WMA/AAC/APE/FLAC/AC3/DTS
- Support video: MP4/MOV/AVI/VOB/MKV/RMVB/MEPG/ASF/WMV/FLV
- Temp: -10°C ~ +60°C (working), -20°C ~ +70°C (Storage)
- Voltage: DC12V
- Optional Functions: Bluetooth / AM / RDS



AW4-2A

size: 178×50 mm



AW4-2B

size: 178×50 mm



AW4-2C


size: 178×50 mm



AW4-2D

size: 178×50 mm

1-Din Car MP3 Player (LCD / LED)



MP3C-1 TWO USB PORTS VA LCD DISPLAY
size: 178×50 mm 4 COLOR BACKUP 4 RCA OUTPUT
SUPPORT 2USB/TF 3.1A USB CHARGE

MP3C-2 SERIES (A/B/C/D/E/F/G/H)

- Color LCD Display
- Support MP3/WMA, AUX input
- Auto Memory Play Function
- 4×45W power amplifier
- EQ Function, Bluetooth Function
- Id3 / Clock Function / Mute function
- BASS/TREBLE/BALANCE/FADER
- FM Electronic Function, Resume Function
- Audio output: MPEG 1/2/layer3
- Preset Scan and Auto Scan
- Remote control & panel key control
- FM function with preset 18 stations
- Support USB/SD
- Voltage: DC12V
- Optional Functions: AM / RDS
- Temp: -10°C ~ +60°C(working), -20°C ~ +70°C(Storage)



MP3C-2A size: 178×50 mm



MP3C-2B size: 178×50 mm



MP3C-2C size: 178×50 mm



MP3C-2D size: 178×50 mm



MP3C-2E size: 178×50 mm



MP3C-2F size: 178×50 mm



MP3C-2G size: 178×50 mm



MP3C-2H size: 178×50 mm



MP3E-1 LED display size: 178×50 mm

MP3E-1

- Function and Technical Specifications as MP3C-2 series(almost)
- LED Display

HEADREST

HD999T

HD1080P 9.0" HEADREST DVD PLAYER

- Video 1080P (MKV, MOV, VOB, H.264 Mp4), With DVD Player.
- Multi-point Capacitive Touch Screen.
- HD Screen, Display Mode: 16:9 Wide View Screen.
Display Resolution: 800(W)X3(RGB)X480(H).
- Built-in IR and FM Transmitter.
- Built-in USB/SD/Dual Speakers.
- Built-in 32-bit Wireless Game Function.
- Along With Game Pad and Game Disc.
- Video/Audio Input & Output.
- Multi-language OSD: English, Spanish, Portugese, etc.
- With USB Port, TF Card Slot.
- With Pillow and Zipper, Black/Beige/Grey for Choice.
- Power supply: DC 12V.



HA1001T

HD 1080P 10.1" CLIP-ON HEADREST DVD PLAYER


- Android System.
- Slot-in Disc Loading.
- Video 1080P (MKV, MOV, VOB, H.264 Mp4), With DVD Player.
- Multi-point Capacitive Touch Screen.
- HD Screen, Display Mode: 16:9 Wide View Screen.
Display Resolution: 1024*600.
- Bluetooth Function.
- Built-in IR and FM Transmitter.
- Built-in USB/SD/Dual Speakers.
- Video/Audio Input & Output.
- Multi-language OSD: English, Spanish, Portugese, etc.
- With USB Port, TF Card Slot.
- Multi-color Shell for Choice.
- Power supply: DC 12V.



SW-228HD

7.0" TFT LCD HEADREST DVD PLAYER

- DVD Player.
- Support MPEG4/DVD/DVCD/DVD+RW/DVD-RW...
- Display Mode: 16:9 Wide View Screen.
- Display Resolution: 800(W)X3(RGB)X480(H).
- Built-in IR and FM Transmitter.
- Built-in USB/SD/Dual Speakers.
- Built-in 32-bit Wireless Game Function.
- Along With Game Pad and Game Disc.
- Video/Audio Input & Output.
- Multi-language OSD: English, Portuguese, Spanish, etc.
- With/Without Zipper(Optional).
- Power supply: DC 12V.



7.0 INCH HEADREST MONITOR



207A



207K



207F

7"/9"/10.1"LCD DIGITAL PANEL



- Resolution: 800*RGB*480(7"/9") 1024*RGB*600(10.1").
- Power: DC 12V.
- Display mode: 16:9 or 4:3.
- Compatible with DVD/DVD-R/DVD+R/VCD/CD/CD-R/JPEG, etc.
- Two way AV inputs and One way AV output.

- Built-in USB/SDIR/FM transmitter, speakers.
- Wrapped with leather design.
- English OSD menu, multi-language available.
- Color: Beige, Black, Grey and Brown.




The diameter of the tube hole can be made as 10mm/11mm/12mm/13mm/14mm to fit different vehicles.

DIGITAL TV SIGNAL RECEIVING BOX

One seg ISDB-T

- Digital TV(ISDB-T).
- Support 720P video format.
- Support USB and PVR.
- Video output: CVBS.
- ONE Antenna connector.
- Full remote control.



ATSC ■ ISDB-T ■ DTMB ■ DVB-T DVB-T2 ■

Full seg ISDB-T

- Digital TV(ISDB-T).
- Support 1080P video format.
- Support USB and PVR.
- Support High Speed: 90-120Km/h.
- Can with Wifi Transmitting for Wireless Connection.
- Video output: CVBS and HDMI.
- Two Antenna connector.
- Full remote control.



DVB-T DVB-T MOBILE RECEIVER BOX

- Support Standard: DVB-T(EN300744)
- Video: MPEG4/AVC/H.264/MP4/MPEG/AVI/ Divx
- Output: HDMI RF INx2,RCAx2 Multi-function Harness
- Frequency range: 170Mhz-860Mhz
- Power supply: DC12V-32V
- Size: 28.5Hx104.5Lx70.0Wmm
- Speed: 150km@64QAM



ATSC FOR USA & NORTH AMERICA

- AUTO, 16:9 Pillar Box, 16:9 Pan G Scan, 4:3 Letter Box, 4:3 Pan G Scan, 4:3 Full, 16:9 Wide Screen.
- Video resolution: 480i/576i/480P/576P/720P/1080i/1080P.
- Support teletext/subtitle/multi-language.
- Powerful and highly effective 7-day EPG function.
- Program parameters memorization when power off.
- Can store up to 1000 TV/radio stations.
- Can with Wifi Transmitting for Wireless Connection.



DVB-T2 DVB-T2 MOBILE RECEIVER BOX

- Support Standard: EN302755/DVB-TEN300744
- Speed: 120km-150km
- Output: HDMI RF INx2,RCAx2 Multi-function Harness
- Frequency range: 42Mhz-860Mhz
- Power supply: DC12V-32V
- Size: 28.5Hx104.5Lx70.0Wmm
- Video: MPEG4/AVC/H.264/MP4/MPEG/AVI/ Divx/MPG/Xvid/TS/ MOV/3GP/VOB
- Can with Wifi Transmitting for Wireless Connection.

