

2018 FACTOLED
CATALOGUE
LED LIGHTING

WWW.FACTOLED.COM

[HTTP://FACTOLED.EN.ALIBABA.COM](http://FACTOLED.EN.ALIBABA.COM)

CABINET LIGHT




MODEL LD3001
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø45xH25mm
Cut size: ø35mm
Light source: COB
CRI: 70



MODEL LD3002
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø48xH33mm
Cut size: ø35mm
Light source: COB
CRI: 70



MODEL LD2517
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø52mm
Cut size: ø45
Light source: COB
CRI: 70



MODEL LD2518
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: 45x45xH30mm
Cut size: ø40mm
Light source: COB
CRI: 70



CABINET LIGHT



MODEL LD3003
Power: 3W
Luminous: 240lm
Input Voltage: 100-240V
PF: 0.5
Material: Aluminum
Lamp size: 40x40xH35mm
Cut size: 36x36mm
Light source: COB
CRI: 70



MODEL LD3004
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø50xH30mm
Cut size: ø30mm
Light source: COB
CRI: 70



MODEL LD3005
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø45xH25mm
Cut size: ø35
Light source: COB
CRI: 70



MODEL LD3006
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø50xH35mm
Cut size: ø40mm
Light source: COB
CRI: 70



ZHONGSHAN

FACTOLED LIGHTING

TECHNOLOGY CO., LTD

TEL:0086-760-87556547

www.factoled.com [02]

CABINET LIGHT



MODEL LD3007
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø40xH38mm
Cut size: ø35mm
Light source: COB
CRI: 70



MODEL LD3008
Power: 2W
Luminous: 160lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø40xH25mm
Cut size: ø35mm
Light source: COB
CRI: 70



MODEL LD3009
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø48xH20mm
Cut size: ø35
Light source: COB
CRI: 70



MODEL LD3010
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø50xH35mm
Cut size: ø40mm
Light source: COB
CRI: 70



CABINET LIGHT



MODEL LD3011
Power: 3W
Luminous: 210lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø40xH38mm
Cut size: ø35mm
Light source: COB
CRI: 70



MODEL LD3012
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø52xH35mm
Cut size: ø40mm
Light source: COB
CRI: 70



MODEL LD3013
Power: 3W
Luminous: 210lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø50xH30mm
Cut size: ø35
Light source: COB
CRI: 70



MODEL LD3014
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø49xH25mm
Cut size: ø34mm
Light source: COB
CRI: 70



CABINET LIGHT



MODEL LD3015
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø60xH30mm
Cut size: ø45mm
Light source: COB
CRI: 70



MODEL LD3016
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø50xH30mm
Cut size: ø30mm
Light source: COB
CRI: 70



MODEL LD3017
Power: 1W
Luminous: 80lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø30xH28mm
Cut size: ø28
Light source: COB
CRI: 70



MODEL LD3018
Power: 1W
Luminous: 80lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø30xH35mm
Cut size: ø25mm
Light source: COB
CRI: 70



CABINET LIGHT



MODEL LD3019
Power: 1W
Luminous: 80lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø35xH29mm
Cut size: ø26mm
Light source: COB
CRI: 70



MODEL LD3020
Power: 1W
Luminous: 80lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø30xH20mm
Cut size: ø25mm
Light source: COB
CRI: 70



MODEL LD3021
Power: 1W
Luminous: 80lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø30xH25mm
Cut size: ø25mm
Light source: COB
CRI: 70



MODEL LD3022
Power: 1W
Luminous: 80lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø29H35mm
Cut size: ø30mm
Light source: COB
CRI: 70



ZHONGSHAN


FACTOLED LIGHTING

TECHNOLOGY CO., LTD

TEL:0086-760-87556547

www.factoled.com [06]

CABINET LIGHT



MODEL LD3023
Power: 1W
Luminous: 80lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: 35x35xH24mm
Cut size: ø28mm
Light source: COB
CRI: 70



MODEL LD3024
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø32xH20mm
Cut size: ø25mm
Light source: COB
CRI: 70



MODEL LD3025
Power: 1W
Luminous: 80lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø30xH28mm
Cut size: ø28
Light source: COB
CRI: 70



MODEL LD3026
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø45xH45mm
Cut size: ø35mm
Light source: COB
CRI: 70



CABINET LIGHT



MODEL LD3027
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø47xH32mm
Cut size: ø33mm
Light source: COB
CRI: 70



MODEL LD3032
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø37xH30mm
Cut size: ø25mm
Light source: COB
CRI: 70



MODEL LD3029
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø48xH29mm
Cut size: ø38
Light source: COB
CRI: 70



MODEL LD3033
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø50xH30mm
Cut size: ø35
Light source: COB
CRI: 70



ZHONGSHAN

FACTOLED LIGHTING

TECHNOLOGY CO., LTD

TEL:0086-760-87556547

www.factoled.com [08]

CABINET LIGHT



MODEL LD3035
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø60xH30mm
Cut size: ø45mm
Light source: COB
CRI: 70



MODEL LD3036
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø50x50xH30mm
Cut size: ø30mm
Light source: COB
CRI: 70



MODEL LD3037
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø40xH28mm
Cut size: ø33
Light source: COB
CRI: 70



MODEL LD3038
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø40x40xH28mm
Cut size: ø38mm
Light source: COB
CRI: 70



CABINET LIGHT



MODEL LD3039
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø37xH25mm
Cut size: ø25mm
Light source: COB
CRI: 70



MODEL LD3040
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø52xH47mm
Cut size: ø35mm
Light source: COB
CRI: 70



MODEL LD3041
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø45xH25mm
Cut size: ø35mm
Light source: COB
CRI: 70



MODEL LD3042
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø50xH35mm
Cut size: ø30mm
Light source: COB
CRI: 70



CABINET LIGHT



MODEL LD3043
Power: 1W
Luminous: 80lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø45xH40mm
Cut size: ø35mm
Light source: COB
CRI: 70



MODEL LD3049
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø52xH22mm
Cut size: ø45mm
Light source: COB
CRI: 70



MODEL LD3045
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø45xH30mm
Cut size: ø35mm
Light source: COB
CRI: 70



MODEL LD3046
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø38xH30mm
Cut size: ø30mm
Light source: COB
CRI: 70




CABINET LIGHT



MODEL LD3047
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø50xH32mm
Cut size: ø35mm
Light source: COB
CRI: 70




MODEL LD3048
Power: 3W
Luminous: 240lm
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø45xH43mm
Cut size: ø35mm
Light source: COB
CRI: 70



MODEL DJ3051S
Power: 3W
Lumen: 110lm/w
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: 45x45x40mm
Cut size: ø40mm
Light source: Epistar
CRI: 70



MODEL DJ3051R
Power: 3W
Lumen: 110lm/w
Input Voltage: 85-265V
PF: 0.5
Material: Aluminum
Lamp size: ø45xH40mm
Cut size: ø40mm
Light source: Epistar
CRI: 70





Zhongshan Factoled Lighting Technology Co.,Ltd.

No.5 QingJong Road, Sansha, Henglan Town,
ZhongShan City, Guangdong Province, China

Tel: 0086-760-23757036

E-mail: info@factoled.com

website: www.factoled.com

Alibaba: www.factoled.en.alibaba.com