































# Guangzhou Kuer Auto Accessories Co., Ltd

Add: GB038-GB039 G/F, Yiyou (International) Auto Parts Commodities Trading Center, No.155 HengFu Road, Yuexiu District, Guangzhou  
<http://kuerl.en.alibaba.com>


To:							Contact:	Sunny		
Tel:							Wechat/Whatsapp:	+86 18320198620		
E-mail:							E-mail:	2837089541@qq.com		
Picture	Model No.	Exw(USD/PCS)	Item Size (cm)	Package Size (L)cm	Package Size (W)cm	Package Size (H)cm	GW (KG)	Spesification	Accessories	
	K-801APR	\$29.37	35.2*25.5*7.5	40	30	13	6	1. Max. power: 600W 2. Frequency Response: 20Hz~20KHz 3. Sensitivity: >90db 4. Voltage: DC 12V 5. Drive unit: 8" 6. Impedance: 2Ω 7. Packing: 1 pcs/gift box, 4 pcs/ctn		
	K-805APR	\$27.78	34.5*24*6.8	40	30	13	5	1. Max. power: 600W 2. Frequency Response: 20Hz~20KHz 3. Sensitivity: ≥90db 4. Voltage: DC 12V 5. Drive unit: 8" 6. Impedance: 4Ω 7. Packing: 1 pcs/gift box, 4 pcs/ctn		
	K-806APR	\$26.98	35.2*25.5*7.5	40	30	13	6	1. Max. power: 600W 2. Frequency Response: 20Hz~20KHz 3. Sensitivity: >90db 4. Voltage: DC 12V 5. Drive unit: 8" 6. Impedance: 4Ω 7. Packing: 1 pcs/gift box, 4 pcs/ctn		

	K-8002APR	\$44.44	34.5*24*6.8	40	30	13	5.5	1. Max. power: 600W 2. Frequency Response: 20Hz~20KHz 3. Sensitivity: >90db 4. Voltage: DC 12V 5. Drive unit: 8" 6. Impedance: 2Ω 7. Packing: 1 pcs/gift box, 4 pcs/ctn	
	K-1002APR	\$47.62	37.5*27*6.8	43	33	13	6	1. Max. power: 600W 2. Frequency Response: 20Hz~20KHz 3. Sensitivity: >90db 4. Voltage: DC 12V 5. Drive unit: 8" 6. Impedance: 4Ω 7. Packing: 1 pcs/gift box, 4 pcs/ctn	
	K-8003APR	\$47.62	24*31.5*6.8	/	/	/	6	1. power: 150~600W 2. Frequency Response: 20Hz~500KHz 3. Sensitivity: >90db 4. Voltage: DC 12V 5. Drive unit: 8" 6. Impedance: 4Ω 7. Packing: 1 pcs/gift box, 4 pcs/ctn	
	K-1003APR	\$50.79	37.5*27*6.8	43	33	13	6	1. Max. power: 600W 2. Frequency Response: 20Hz~20KHz 3. Sensitivity: >90db 4. Voltage: DC 12V 5. Drive unit: 8" 6. Impedance: 4Ω 7. Packing: 1 pcs/gift box, 4 pcs/ctn	
	K-808APR	\$30.16	34.5*26*6.8	40	30	13.5	5	1. Max. power: 600W 2. Frequency Response: 20HZ~25KHZ 3. Sensitivity: >90db 4. Voltage: DC 12V 5. Drive unit: 8" 6. Impedance: 4Ω 7. Packing: 1 pcs/gift box, 4 pcs/ctn	
	K-108APR	\$36.51	37.5*29*6.9	44	34	14.5	6	1. Max. power: 600W 2. Frequency Response: 20HZ~25KHZ 3. Sensitivity: >90db 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1 pcs/gift box, 4pcs/ctn	

	K-808 APR (with bluetooth )	\$33.33	34.5*25.4*7 .6	40	20	13.5	5	<ul style="list-style-type: none"> <li>1. Max. power: 600W</li> <li>2. Frequency Response: 20Hz~20KHz</li> <li>3. Sensitivity: ≥90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 8"/10"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1 pcs/gift box, 4 pcs/ctn</li> </ul>	
	K-108 APR (with bluetooth )	\$36.51	38.4*28.4*7 .6	43	33	13.5	6	<ul style="list-style-type: none"> <li>1. Max. power: 600W</li> <li>2. Frequency Response: 20Hz~20KHz</li> <li>3. Sensitivity: ≥90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 10"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1 pcs/gift box, 4 pcs/ctn</li> </ul>	
	K-F808 APR	\$30.16	34.5*25.4*6 .8	40	30	13.5	5.5	<ul style="list-style-type: none"> <li>1. Max. power: 600W</li> <li>2. Frequency Response: 20Hz-25KHz</li> <li>3. Sensitivity: &gt;90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 8"</li> <li>6. Impedance: 2Ω</li> <li>7. Packing: 1 pcs/gift box, 4 pcs/ctn</li> </ul>	
	K-1008 APR	\$53.17	35.2*25.5*7 .6cm	40	30	13	5.5	<ul style="list-style-type: none"> <li>1. power: 150~600W</li> <li>2. Frequency Response: 20Hz-150Hz</li> <li>3. Sensitivity: &gt;90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 10"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1 pcs/gift box, 4 pcs/ctn</li> </ul>	
	K-8006 APR	\$39.37	31.5*24*6.8	40	30	13	5.5	<ul style="list-style-type: none"> <li>1. Max. power: 600W</li> <li>2. Frequency Response: 20Hz~20KHz</li> <li>3. Sensitivity: &gt;90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 8"</li> <li>6. Impedance: 2Ω</li> <li>7. Packing: 1 pcs/gift box, 4 pcs/ctn</li> </ul>	
	K-1004 APR	\$53.97	34.5*24*6.8	40	30	13	6	<ul style="list-style-type: none"> <li>1. Max. power: 600W</li> <li>2. Frequency Response: 20Hz-150Hz</li> <li>3. Sensitivity: &gt;90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 10"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1 pcs/gift box, 4 pcs/ctn</li> </ul>	

	K-1005APR	\$46.00	34.6*26.2*6.8	40	30	13	6	<p>1. Max. power: 600W</p> <p>2. Frequency Response: 20Hz~150Hz</p> <p>3. Sensitivity: &gt;91db</p> <p>4. Voltage: DC 12V</p> <p>5. Drive unit: 10"</p> <p>6. Impedance: 2Ω</p> <p>7. Packing: 1 pcs/gift box, 4 pcs/ctn</p>	
	K-1006APR	\$40.95	34.5*26*6.8	40	32	13	6.5	<p>1. Max. power: 600W</p> <p>2. Frequency Response: 20Hz~150KHz</p> <p>3. Sensitivity: &gt;90db</p> <p>4. Voltage: DC 12V</p> <p>5. Drive unit: 10"</p> <p>6. Impedance: 2Ω</p> <p>7. Packing: 1 pcs/gift box, 4 pcs/ctn</p>	
	K-T102APR	\$51.59	34.5*26*6.8	39.5	32	13	6	<p>1. Power: 120~600W</p> <p>2. Frequency Response: 20Hz~150Hz</p> <p>3. Sensitivity: &gt;90db</p> <p>4. Voltage: DC 12V</p> <p>5. Drive unit: 10"</p> <p>6. Impedance: 4Ω</p> <p>7. Packing: 1 pcs/gift box, 4 pcs/ctn</p>	
	K-58APR	\$45.71	29*21.7*7.2	35	28	11	5	<p>1. Power: 150~600W</p> <p>2. Frequency Response: 20Hz~150Hz</p> <p>3. Sensitivity: &gt;90db</p> <p>4. Voltage: DC 12V</p> <p>5. Drive unit: 10"</p> <p>6. Impedance: 4Ω</p> <p>7. Packing: 1 pcs/gift box, 4 pcs/ctn</p>	
	K-68APR	US\$50.79/52.38/49.2/50.79/53.97/5.56/71.43	31*23.5*8	40	30	15	5	<p>1. Power: 150~600W</p> <p>2. Frequency Response: 20Hz~150Hz</p> <p>3. Sensitivity: &gt;90db</p> <p>4. Voltage: DC 12V with tweeter, 24V with tweeter, 12V pure sound, 24V pure sound, 12V With tweeter and bluetooth, 24V with tweeter and bluetooth, 24V with bluetooth and DSP</p> <p>5. Drive unit: 10"</p> <p>6. Impedance: 4Ω</p> <p>7. Packing: 1 pcs/gift box, 4 pcs/ctn</p>	

	K-69APR	\$50.79	29*21*6.5	34	28	12	6	<ul style="list-style-type: none"> <li>1. Max. power: 600W</li> <li>2. Frequency Response: 20Hz~150Hz</li> <li>3. Sensitivity: &gt;90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 6*9"</li> <li>6. Impedance: 3Ω</li> <li>7. Packing: 1 pcs/gift box, 4 pcs/ctn</li> </ul>	
	K-8009APR	\$36.51	32*24*6.8	38	30	10	4.5	<ul style="list-style-type: none"> <li>1. Power: 150~600W</li> <li>2. Frequency Response: 50Hz~150Hz</li> <li>3. Sensitivity: &gt;90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 8"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1 pcs/gift box, 4 pcs/ctn</li> </ul>	
	K-1009APR	\$38.10	34.5*26*6.8	40	30	10	5	<ul style="list-style-type: none"> <li>1. Power: 150~600W</li> <li>2. Frequency Response: 50Hz~150Hz</li> <li>3. Sensitivity: &gt;90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 10"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1 pcs/gift box, 4 pcs/ctn</li> </ul>	
	K-C6APR	\$23.81	34*24*11.5	39	28	15	6	<ul style="list-style-type: none"> <li>1. Power: 70~400W</li> <li>2. Frequency Response: 20hz-20Khz</li> <li>3. Sensitivity: &gt;90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 6"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1pcs/box, 6 pcs/ctn</li> </ul>	
	K-C8APR	\$25.40	39*26*14	43	30	19	8	<ul style="list-style-type: none"> <li>1. Power: 70~480W</li> <li>2. Frequency Response: 20hz-20Khz</li> <li>3. Sensitivity: &gt;90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 8"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1pcs/box, 6 pcs/ctn</li> </ul>	

	K-633APR (with bluetooth )	\$14.29	33*24*12	/	/	/	4.5	1. Power : 70~480W 2. Frequency Response: 20hz-20Khz 3. Sensitivity: >90db 4. Voltage: DC 12V/24V /220V three use 5. Drive unit: 6" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 6 pcs/ctn	
	K-833APR (with bluetooth )	\$15.87	37.5*17*12	/	/	/	4.5	1. Power : 70~480W 2. Frequency Response: 20hz-20Khz 3. Sensitivity: >90db 4. Voltage: DC 12V/24V /220V three use 5. Drive unit: 8" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 6 pcs/ctn	
	K-CT6 APR	\$23.81	32*17*24*10	37	22	29	5.5	1. Power : 120~600W 2. Frequency Response: 20Hz~150Hz 3. Sensitivity: >90db 4. Voltage: DC 12V 5. Drive unit: 6" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 6 pcs/ctn	
	K-CT8APR	\$26.19	38*19*27*14	42	24	32	7	1. Power : 120~600W 2. Frequency Response: 20Hz~150Hz 3. Sensitivity: >90db 4. Voltage: DC 12V 5. Drive unit: 8" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 4 pcs/ctn	
	K-CT10APR	\$28.57	43*20*30*15	48	25	35	8	1. Power : 120~600W 2. Frequency Response: 20Hz~150Hz 3. Sensitivity: >90db 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 4 pcs/ctn	





	K-SD6	\$17.46	45*25*26	40	20	21	5.5	<ul style="list-style-type: none"> <li>1. Power: 70~400W</li> <li>2. Frequency Response: 22Hz~20KHz</li> <li>3. Sensitivity: &gt;80db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 6"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1pcs/box, 6 pcs/ctn</li> </ul>	
	K-SD8	\$19.00	50*28*30	45	23	25	6	<ul style="list-style-type: none"> <li>1. Power: 70~480W</li> <li>2. Frequency Response: 22Hz~20KHz</li> <li>3. Sensitivity: &gt;80db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 8"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1pcs/box, 4 pcs/ctn</li> </ul>	
	K-SD10	\$20.63	55*32*35	50	28	30	7	<ul style="list-style-type: none"> <li>1. Power: 75~600W</li> <li>2. Frequency Response: 22Hz~20KHz</li> <li>3. Sensitivity: &gt;91db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 10"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1pcs/box, 4 pcs/ctn</li> </ul>	
	K-T8APR	\$27.78	38*21*31	40	24	33	8.5	<ul style="list-style-type: none"> <li>1. Power: 75~600W</li> <li>2. Frequency Response: 20Hz~20KHz</li> <li>3. Sensitivity: &gt;90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 8"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1pcs/box, 2 pcs/ctn</li> </ul>	
	K-T10APR	\$36.51	38.5*33*32	41	35	34	12.5	<ul style="list-style-type: none"> <li>1. Power: 75~600W</li> <li>2. Frequency Response: 20Hz~20KHz</li> <li>3. Sensitivity: &gt;90db</li> <li>4. Voltage: DC 12V</li> <li>5. Drive unit: 10"</li> <li>6. Impedance: 4Ω</li> <li>7. Packing: 1pcs/box, 2 pcs/ctn</li> </ul>	

	T-10	\$41.27	43*35*17	38	30	30	12	1. Power : 120~1200W 2. Frequency Response: 20hz-250hz 3. Sensitivity: > 89db/m. v 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 2 pcs/ctn	
	K-1011APR	\$41.27	45.5*29.5*32.5	48	36	38	12	1. Power : 90~900W 2. Frequency Response: 50hz-20Khz 3. Sensitivity: > 89db/m. v 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 2 pcs/ctn	
	K-V10APR (Active And Passive can choice)	US\$55.56/41.27	43.5*24+30.5*32	49	36	38	15	1. Power : 150~1500W 2. Frequency Response: 20hz-250hz 3. Sensitivity: > 89db 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 2 pcs/ctn	
	K-V12APR (Active And Passive can choice)	US\$71.43/52.38	51*25.5+35*34	56	40	39	20	1. Power : 180~1800W 2. Frequency Response: 20hz-250hz 3. Sensitivity: > 89db 4. Voltage: DC 12V 5. Drive unit: 12" 6. Impedance: 4Ω 7. Packing: 1pcs/ctn	
	M-10 (Passive)	\$53.97	51.5*24+36*35	56	41	41	15	1. Power : 200~2000W 2. Frequency Response: 20hz-250hz 3. Sensitivity: > 91db 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 2 pcs/ctn	
	K-M101APR	\$53.85	/	/	/	/	/	1. Power : 150~1500W 2. Frequency Response: 20hz-250hz 3. Sensitivity: 91db 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1pcs/ctn, 2 pcs/ctn	



	1010	\$55.56	43.5*24+32.5*30.5	47.5	36	34	15	<p>1. Power : 150~1500W</p> <p>2. Frequency Response: 20hz-250hz</p> <p>3. Sensitivity: 91db</p> <p>4. Voltage: DC 12V</p> <p>5. Drive unit: 10"</p> <p>6. Impedance: 4Ω</p> <p>7. Packing: 1pcs/box, 2 pcs/ctn</p>	
	K-E10APR	\$53.97	43.5*24+32*30.5	48	36	34	15	<p>1. Power : 150~1500W</p> <p>2. Frequency Response: 20hz-250hz</p> <p>3. Sensitivity: 89db</p> <p>4. Voltage: DC 12V</p> <p>5. Drive unit: 10"</p> <p>6. Impedance: 4Ω</p> <p>7. Packing: 1pcs/box, 2 pcs/ctn</p>	
	K-E12APR (passive)	\$55.56	51*25.5+35*34	56	40	39	15	<p>1. Power : 180~1800W</p> <p>2. Frequency Response: 20hz-250hz</p> <p>3. Sensitivity: 89db</p> <p>4. Voltage: DC 12V</p> <p>5. Drive unit: 12"</p> <p>6. Impedance: 4Ω</p> <p>7. Packing: 1pcs/box, 1 pcs/ctn</p>	
	K-1280APR	\$76.19	49.5*25+37.5*36	55	44	41	20	<p>1. Power : 200~2000W</p> <p>2. Frequency Response: 20hz-250hz</p> <p>3. Sensitivity: &gt;98db</p> <p>4. Voltage: DC 12V</p> <p>5. Drive unit: 12"</p> <p>6. Impedance: 4Ω</p> <p>7. Packing: 1pcs/ctn</p>	
	K-1290APR	\$79.37	51*25+35*38	57	41	43	20	<p>1. Power : 200~2000W</p> <p>2. Frequency Response: 20hz-250hz</p> <p>3. Sensitivity: &gt;98db</p> <p>4. Voltage: DC 12V</p> <p>5. Drive unit: 12"</p> <p>6. Impedance: 4Ω</p> <p>7. Packing: 1pcs/ctn</p>	
	K-1030APR	\$50.79	43*24+32.5*30.5	49	38	36	15	<p>1. Power : 120~1200W</p> <p>2. Frequency Response: 20hz-250hz</p> <p>3. Sensitivity: &gt;89db</p> <p>4. Voltage: DC 12V</p> <p>5. Drive unit: 10"</p> <p>6. Impedance: 4Ω</p> <p>7. Packing: 1pcs/box, 2 pcs/ctn</p>	

	K-103APR	\$45.71	43*24+30*30	49	35	34	13	1. Power : 120~1200W 2. Frequency Response: 20hz-250hz 3. Sensitivity: >89db 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 2 pcs/ctn	
	K-107APR	\$44.44	37*33+18*29	40	35	38	11	1. Power : 120~1200W 2. Frequency Response: 20hz-250hz 3. Sensitivity: 89db 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 2 pcs/ctn	
	K-1050APR	\$47.30	43.5*24+31*33	47	30	43.5	13	1. Power : 120~1200W 2. Frequency Response: 20hz-250hz 3. Sensitivity: >89db 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 2 pcs/ctn	
	K-1060APR	\$49.21	43.5*24+31*33	49	37	38	14	1. Power : 120~1200W 2. Frequency Response: 20hz-250hz 3. Sensitivity: >89db/m.v 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 2 pcs/ctn	
	K-1080APR	\$55.56	43.5*30.5*32.5	48	35	37	15	1. Power : 150~1500W 2. Frequency Response: 20HZ-250HZ 3. Sensitivity: >89db 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 2 pcs/box	
	K-M10APR	\$87.30	46.5*25+35*34	/	/	/	20	1. Power : 200W 2. Frequency Response : 20HZ-500HZ 3. Sensitivity: 91db 4. Voltage: DC 12V 5. Drive unit: 10" 6. Impedance: 4Ω 7. Packing: 1pcs/box, 2 pcs/box	

	<p>K-T8APR (90W)</p>	<p>\$36.51</p>	<p>3*16+26*25</p>	<p>44</p>	<p>24</p>	<p>33</p>	<p>9</p>	<p>1. Power:90~900W  2. Frequency  Response:20hz-20Khz  3. Sensitivity:&gt;80db  4. Voltage:DC 12V  5. Drive unit:8"  6. Impedance:4Ω  7. Packing:1pcs/box, 2  pcs/ctn</p>	
---	--------------------------	----------------	-------------------	-----------	-----------	-----------	----------	--	---

























