



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666

Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com


Skype:shen.jianhong

Whatsapp: +8615857326075

Catalog

The following is a brief introduction for our GPS antenna, GSM antenna, WIFI antenna, LTE antenna, combination antenna,433MHz antenna, and interface cable.

We welcome customized antenna, please send us your specification.

| Item No | Picture | Specification |
|----------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GPS GlonassAntennas | | |
| JZ-P001 |  | GPS Glonass Antenna 1. Gps Frequency:1575.42MHz±3MHz Glonass Frequency: 1602-1610Mhz 2. Gain:28 dBi 3. V.S.W.R:1.5:1 4. Band Width: ±5MHz 5. Impedance:50ohm 6. Polarization Type:R.H.C.P 7. Size: 43x35x14mm 8. Mounting: Adhesive/Magnetic 9. Cable: RG174 3m. RG174 5m 10. Connector: SMA/SMB/MMCX etc. |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666




Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|-----------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>JZ-P003</p> |  | <p>GPS Active Antenna</p> <ol style="list-style-type: none"> 1. Gps Frequency:1575.42MHz±3MHz Glonass Frequency: 1602-1610MHz 2. Gain:28 dBi 3. V.S.W.R:1.5:1 4. Band Width: ±5MHz 5. Impedance:50ohm 6. Polarization Type:R.H.C.P 7. Size: 47x36x15mm 8. Mounting: Adhesive/Magnetic 9. Cable: RG174 3m. RG174 5m 10. Connector: SMA/SMB/MMCX etc. |
| <p>JZ-P005</p> |  | <p>GPS Antenna</p> <ol style="list-style-type: none"> 1. Frequency:1575.42MHz±3MHz 2. Gain:28 dBi 3. V.S.W.R:1.5:1 4. Band Width: ±5MHz 5. Impedance:50ohm 6. Polarization Type:R.H.C.P 7. Size:D46.5x16.5mm 8. Mounting: Screw 9. Cable: RG174 3m. RG174 5m 10. Connector: SMA/SMB/MMCX etc. |
| <p>JZ-P010</p> |  | <p>GPS marine antenna (GPS/Glonass/GSM/WIFI all available)</p> <ol style="list-style-type: none"> 1. Frequency:1575.42MHz±3MHz 2. Gain:28 dBi 3. V.S.W.R:1.5:1 4. Impedance:50ohm 5. Polarization Type:R.H.C.P 6. Mounting: Screw 7. Cable: RG58,5m 8. Connector: BNC/TNC |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666





Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|---------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JZ-P-N01 |  | GPS Active Antenna or GPS Glonass Antenna <ol style="list-style-type: none">1. Frequency:1575.42MHz±3MHz2. Gain:28 dBi3. V.S.W.R:1.5:14. Band Width: ±5MHz5. Impedance:50ohm6. Polarization Type:R.H.C.P7. Size: 27 x 27 x 9mm8. Cable: RG174 3m/rf1.13mm9. Connector: SMA/SMB/MMCX etc. |
| GSM Antennas | | |
| JZ-M101 |  | GSM Rubber Antenna <ol style="list-style-type: none">1.Frequency:824MHz-960MHz,1710-2170MHz2. Size: D9x92mm3. Connector: SMA/FME4. Gain: 2dbi |
| JZ-M101B |  | GSM Rubber Antenna <ol style="list-style-type: none">1.Frequency:824MHz-960MHz,1710-2170MHz2. Size: D9x65mm3. Connector: SMA/FME4. Gain: 2dbi |
| JZ-M102A |  | GSM Antenna with Magnetic Mounting <ol style="list-style-type: none">1.Frequency:824MHz-960MHz,1710-2170MHz2. Gain: 2dbi3. Size: D30 x 120mm4. Connector: SMA/FME/Fakra,etc5.Cable: RG174 |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666






Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|-----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JZ-M102B |  | GSM Antenna with Magnetic Mounting 1. Frequency:824MHz-960MHz,1710-2170MHz 2. Gain: 2dbi 3. Size: D30 x 120mm 4. Connector: SMA/FME/Fakra,etc 5. Cable: RG174 |
| JZ-M103A |  | GSM Antenna with Adhesive Mounting 1. Frequency:824MHz-960MHz,1710-2170MHz 2. Gain: 3dbi 3. Size: 115 x 24 x 5mm 4. Connector: SMA/FME/Fakra,etc 5. Cable: RG174 |
| JZ-M103B |  | GSM Antenna with Adhesive Mounting 1. Frequency:824MHz-960MHz,1710-2170MHz 2. Gain: 3dbi 3. Size: 115 x 24 x 5mm 4. Connector: SMA/FME/Fakra,etc 5. Cable: RG174 |
| JZ-M105 |  | GSM Antenna with adhesive mounting 1. Frequency:824MHz-960MHz,1710-2170MHz 2. Gain: 3dbi 3. Size: 57x 29 x 6mm 4. Connector: SMA/FME/Fakra,etc 5. Cable: RG174/RG178/RG316 |
| JZ-M106 |  | GSM Rubber Antenna 1. Frequency:824MHz-960MHz,1710-2170MHz 2. Size: D10x108mm 3. Connector: SMA 4. Gain: 2dbi |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666


Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|----------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JZ-M108 |  | GSM Rubber Antenna 1. Frequency: 824MHz-960MHz, 1710-1990MHz 2. Size: D9x48mm 3. Connector: SMA 4. Gain: 1.5dbi |
| JZ-M113 |  | GSM Rubber Antenna 1. Frequency: 824MHz-960MHz, 1710-2170MHz 2. Size: D10x50mm 3. Connector: SMA 4. Gain: 2dbi |
| WIFI Antennas | | |
| JZ-W301 |  | WIFI(2.4ghz) Rubber Antenna 1. Frequency: 2.4Ghz-2.5Ghz 1. Size: D9x55mm 2. Connector: SMA/FME 3. Gain: 3dbi |
| JZ-W302A |  | WIFI(2.4ghz) Antenna 1. Frequency: 2.4Ghz-2.5Ghz 2. Gain: 2 dbi 3. Band Width: 100MHz 4. Polarization: Linear 5. Size: D30x120mm 6. Cable: RG174 7. Connector: SMA/SMB/MMCX etc. 8. Mounting: Magnetic |
| JZ-W302B |  | WIFI(2.4ghz) Antenna 1. Frequency: 2.4Ghz-2.5Ghz 2. Gain: 2 dbi 3. Band Width: 100MHz 4. Polarization: Linear 5. Size: D30x120mm |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666





Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|----------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <p>6.Cable:RG174 7.Connector: SMA/SMB/MMCX etc. 8.Mounting: Magnetic</p> |
| JZ-W303A |  | <p>WIFI(2.4ghz) Antenna 1.Frequency:2.4Ghz-2.5Ghz 2.Gain:3dbi 3.Band Width:100MHz 4.Polarization:Linear 5.Size: D115x24x5mm 6.Cable:RG174 7.Connector: SMA/SMB/MMCX etc. 8.Mounting: Adhesive</p> |
| JZ-W303B |  | <p>WIFI(2.4ghz) Antenna 1.Frequency:2.4Ghz-2.5Ghz 2.Gain:3dbi 3.Band Width:100MHz 4.Polarization:Linear 5.Size: D115x24x5mm 6.Cable:RG174 7.Connector: SMA/SMB/MMCX etc. 8.Mounting: Adhesive</p> |
| JZ-W305 |  | <p>WIFI(2.4ghz) Antenna 1.Frequency:2.4Ghz-2.5Ghz 2.Gain:3dbi 3.Band Width:100MHz 4.Polarization:Linear 5.Size: 57*29*6mm 6.Cable:RG174 7.Connector: SMA/SMB/MMCX etc.</p> |
| JZ-W306 |  | <p>WIFI(2.4ghz) Antenna 1.Frequency:2.4Ghz-2.5Ghz 2. Size: D10x108mm 3. Connector: SMA/SMB/MMCX etc. 4. Gain: 3dbi 6.Color: black or white</p> |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666


Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JZ-W308 |  | WIFI(2.4ghz) Antenna 1.Frequency: 2.4Ghz-2.5Ghz 2. Size: D8x48mm 3. Connector: SMA 4. Gain: 2dbi |
| JZ-W304 |  | WIFI(2.4ghz) Antenna 1.Frequency: 2.4Ghz-2.5Ghz 2. Size: D13x196mm 3. Connector: SMA 4. Gain: 5dbi |
| JZ-W310 |  | WIFI(2.4ghz) Antenna 1.Frequency: 2.4Ghz/5.8Ghz 2. Size: D11.8x160mm 3. Connector: SMA 4. Gain: 5dbi 5.Connector: SMA |
| JZ-W305B |  | WIFI(2.4ghz) Antenna 1.Frequency: 2.4Ghz/ 2. Size: D46.5x16.5mm 3. Connector: SMA/FAKRA/MCX 4.Cable: RG174,RG178,ETC 5. Gain:3dbi |
| LTE/4G Antennas | | |
| JZ-L403 |  | 4G Antenna with Adhesive Mounting 1.Frequency: 698-960 MHz/1710-2700MHZ 2. Size: 115x24x4mm 3. Connector: SMA/SMB/MMCX etc. 4.Cable: RG174 5.Gain:3 dbi |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666

Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|--------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JZ-L402 |  | 4G Antenna 1. Frequency: 698-960 MHz/1710-2700MHZ 2. Size: D13x196mm 3. Connector: SMA male 4. Gain: 3dbi |
| JZ-410 |  | 4G Antenna 1. Frequency: 698-960 MHz/1710-2700MHZ 2. Size: D12.8x160mm 3. Connector: SMA male/RP SMA male 4. Gain: 5dbi |
| GPS/GSM Combination Antennas | | |
| JZ-X201-1 |  | GPS/GSM Combination Antenna 1. Gps frequency:1575.42±3MHz 2. GSM frequency:824-960MHz,1710-2170MHz 3. Size: D80x14mm 4. Cable:RG174 2. Connector: SMA/SMB/MMCX etc. 3. Mounting: Adhesive/Magnetic |
| JZ-X201-3 |  | GPS/GSM Combination Antenna 1. Gps frequency:1575.42±3MHz 2. GSM frequency:824-960MHz,1710-2170MHz 3. Size: D80x14mm 4. Cable:RG174 5. Connector: SMA/SMB/MMCX etc. 6. Mounting:Screw |
| GPS/WIFI Combination Antennas | | |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666

Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|---------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JZ-X201-4 |  | <p>GPS/WIFI Combination Antenna</p> <p>1.Gps frequency:1575.42±3MHz</p> <p>2.WIFI frequency:2.4-2.5GHz</p> <p>3.Size: D80x14mm</p> <p>4.Cable:RG174</p> <p>5.. Connector: SMA/SMB/MMCX etc.</p> <p>6. Mounting:Screw</p> |
| GPS/GLONASS Combination Antennas | | |
| JZ-X202 |  | <p>GPS/GLONASS Combination Antenna</p> <p>1.Gps frequency:1575.42±3MHz</p> <p>2.GLONASS frequency:1602-1610MHz</p> <p>3.Size: D80x14mm</p> <p>4.Cable:RG174</p> <p>5.. Connector: SMA/SMB/MMCX etc.</p> <p>6. Mounting:Magnetic or adhesive</p> |
| GPS/GLONASS/GSM Combination Antennas | | |
| JZ-X203 |  | <p>GPS/GLONASS/GSM Combination Antenna</p> <p>1.Gps frequency:1575.42±3MHz</p> <p>2.GLONASS frequency:1602-1610MHz</p> <p>3.GSM frequency:824-960MHz,1710-2170MHz</p> <p>4..Size: D80x14mm</p> <p>5.Cable:RG174</p> <p>6. Connector: SMA/SMB/MMCX etc.</p> <p>7. Mounting: screw</p> |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666

Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JZ-X203-1 |  | GPS/GLONASS/GSM Combination Antenna 1.Gps frequency:1575.42±3MHz 2.GLONASS frequency:1602-1610MHz 3.GSM frequency: 824-960MHz,1710-1990MHz,1920-2170MHz 4..Size: D80x14mm 5.Cable:RG174 6. Connector: SMA/SMB/MMCX etc. 7.Mounting: Adhesive/Magnet |
| JZ-X203-3 |  | GPS/GLONASS WIFI Combination Antenna 1.Gps frequency:1575.42±3MHz 2.GLONASS frequency:1602-1610MHz 3.WIFI antenna:2.4GHz-2.5GHz 4.Size: D80x14mm 5.Cable:RG174 6. Connector: SMA/SMB/MMCX etc. 7. Mounting: Screw ,Magnetic or adhesive |
| JZ-X204 |  | GPS/GSM Combination Antenna 1.Gps frequency:1575.42±3MHz 2.GSM frequency:824-960MHz,1710-2170MHz 3.Size: 98x36mm 4.Cable:RG174 5.. Connector: SMA/SMB/MMCX etc. 6. Mounting: Screw |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666

Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|-----------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JZ-X204-2 |  | GPS GLONASS GSM WIFI Combination Antenna 1. Gps frequency:1575.42±3MHz 2. Wifi Frequency: 2.4GHz-2.5GHz 3. GSM frequency:824-960MHz 1710-2170MHz 4. GLONASS frequency: 1602-1610MHz 5..Size: 98x36mm 6.Cable:RG174 7. Connector: SMA/SMB/MMCX etc. 8. Mounting: Screw |
| JZ-X205 |  | GPS/GSM Combination Antenna 1.Gps frequency:1575.42±3MHz 2.GSM frequency:824-960MHz,1710-2170MHz 3.Size: 60*52*16mm 4.Cable:RG174 5.. Connector: SMA/SMB/MMCX etc. 6. Mounting: magnetic or adhesive |
| JZ-X205-1 |  | GPS/WIFI Combination Antenna 1.Gps frequency:1575.42±3MHz 2.WIFI frequency:2.4ghz-2.5ghz 3.Size: 60*52*16mm 4.Cable:RG174 5.. Connector: SMA/SMB/MMCX etc. 6. Mounting: magnetic or adhesive |
| JZ-X205-2 |  | GPS/GSM/WIFI Combination Antenna 1.Gps frequency:1575.42±3MHz 2.WIFI frequency:2.4ghz-2.5ghz 3.GSM frequency:824-960MHz 1710-2170MHz 4..Size: 60*52*16mm 5.Cable:RG174 6. Connector: SMA/SMB/MMCX etc. 7.Mounting: magnetic or adhesive |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666







Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| PCB GSM Antennas | | |
|-------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JZ-MP103 |  | <p>GSM Internal Antenna</p> <p>1.Gsm Frequency:824-960MHz 1710-2170MHz</p> <p>2. Size: 105x15x1mm</p> <p>3. Connector:IPEX/ SMA/SMB/MMCX etc.</p> <p>4.Cable:rf1.13mm/RG174,etc</p> <p>5. Gain: 2dbi</p> |
| JZ-MP104 |  | <p>GSM Internal Antenna</p> <p>1.Gsm Frequency:824-960MHz 1710-2170MHz</p> <p>2. Size: 66x43x1mm</p> <p>3. Connector:IPEX/ SMA/SMB/MMCX etc.</p> <p>4.Cable:rf1.13mm/RG174,etc</p> <p>5. Gain: 2dbi</p> |
| JZ-MP105 |  | <p>GSM Internal Antenna</p> <p>1.Gsm Frequency:824-960MHz 1710-2170MHz</p> <p>2. Size: 36x13x0.8mm</p> <p>3. Connector:IPEX/ SMA/SMB/MMCX etc.</p> <p>4.Cable:rf1.13mm/RG174,etc</p> <p>5. Gain: 2dbi</p> |
| JZ-MP113 |  | <p>GSM Internal Antenna</p> <p>1.Gsm Frequency:824-960MHz 1710-1990MHz</p> <p>2. Size: 36x7x0.8mm</p> <p>3. Connector:IPEX/ SMA/SMB/MMCX etc.</p> <p>4.Cable:rf1.13mm/RG174,etc</p> <p>5. Gain: 0dbi</p> |
| JZ-MP116 |  | <p>GSM Internal Antenna</p> <p>1.Gsm Frequency:824-960MHz 1710-2170MHz</p> <p>2. Size: 37x7x0.8mm</p> <p>3. Connector:IPEX/ SMA/SMB/MMCX etc.</p> <p>4.Cable:rf1.13mm/RG174,etc</p> <p>5. Gain: 0dbi</p> |
| JZ-MP117 |  | <p>GSM Internal Antenna</p> <p>1.Gsm Frequency:824-960MHz 1710-2170MHz</p> <p>2. Size: 62x22x1mm</p> |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666




Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|-------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <p>3. Connector:IPEX/ SMA/SMB/MMCX etc. 4.Cable:rf1.13mm/RG174,etc 5. Gain: 0dbi</p> |
| PCB WIFI Antenna | | |
| JZ-WP113 |  | <p>WIFI Internal Antenna 1.WIFI Frequency:2.4-2.5ghz 2. Size: 35x5x0.6mm 3. Connector:IPEX/ SMA/SMB/MMCX etc. 4.Cable:rf1.13mm/RG174,etc 5. Gain: 2dbi</p> |
| JZ-WP116 |  | <p>WIFI Internal Antenna 1.WIFI Frequency:2.4-2.5ghz 2. Size: 48x8x0.6mm 3. Connector:IPEX/ SMA/SMB/MMCX etc. 4.Cable:rf1.13mm/RG174,etc 5. Gain: 2dbi</p> |
| JZ-WP117 |  | <p>WIFI Internal Antenna 1.WIFI Frequency:2.4-2.5ghz 2. Size: 25x22x0.6mm 3. Connector:IPEX/ SMA/SMB/MMCX etc. 4.Cable:rf1.13mm/RG174,etc 5. Gain: 2dbi</p> |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaxing of Zhejiang 314018, China

Tel: 86-573-82230666





Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JZ-WP303 |  | WIFI Internal Antenna 1.WIFI Frequency:2.4-2.5ghz 2. Size: 105x15x1mm 3. Connector:IPEX/ SMA/SMB/MMCX etc. 4.Cable:rf1.13mm/RG174,etc 5. Gain: 3dbi |
| Spring Antennas | | |
| JZ-S601 |  | 433MHz Spring Antenna Size: D5x28.8x0.6mm Mounting: Soldering |
| JZ-S602 |  | GSM Spring Antenna Size: D3x46mm Mounting: Soldering |
| JZ-S603 |  | 470MHz Spring Antenna Size: D6x21x0.8mm Mounting: Soldering |
| RF Cables | | |



JINZHONG 浙江金中机电科技有限公司

Zhejiang Jinzhong Machinery & Electronic Technology Co.,Ltd

Add: No. 18, Huiyuan Road, Xiuzhou District, Jiaying of Zhejiang 314018, China

Tel: 86-573-82230666

Fax:86-573-82219155

Website: www.jinzhonggps.com

E-mail: cindy@jinzhonggps.com

Skype:shen.jianhong

Whatsapp: +15857326075

| | | |
|-------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------|
| JZ-BNC-FME |  | RF Cable 1.Connector: BNC to FME 2.Cable: RG174 |
| JZ-TNC-SMA |  | RF Cable 1.Connector: TNC to SMA 2.Cable: RG58 |
| JZ-Fakra |  | RF Cable 1.Connector: Fakra Purple 2.Cable: RG174 |
| RF Cable |  | Customized |