LMOTION

Stand up and Enjoy The Sit Stand Table

omni



Why it is important to use the sit-stand desk!

Using a sit-stand desk can reduce sedentary behavior, significantly, decrease the risk of lifestyle related diseases and increase our daily well-being.


This small brochure highlights why and how a height adjustable desk should be used. Also, it gives you recommendations how to get started and bring movement into your workday.

MOVE



Get started!

- Obtain motivational tools to get you standing at your desk
- Rearrange the meeting room, stow away chairs
- Team up with colleagues for a joint effort
- Set realistic goals and reward great effort



Two Leg Solutions

Original Designed Frame



All necessary components are included within each kit – including lifting columns, controls, control boxes and software, wiring and assembly hardware.



Frame orientation: **Rectangular** 80x50mm

Maximum load: 120kg 3 stage column: 35mm/s 2 stage column: 20mm/s

Frame height:

3 stage column: 560-1210mm 2 stage column: 650~1150mm Frame width: 48" 60" 72"

Recommended work surface dimensions: 1200, 1500, 1800 (width), 600,700 (width)

Weight of package: 33~38Kg*

Note: The actual weight of package may vary due tocustomer's selection of components.

Accessories (optional)

Mini Cable tray, Large Cable Tray, Colorful Feet

Standard Colors Black (RAL 9005) Grey (RAL 9006) White (RAL 9016)

Low standby power: <0.1W Low noise level: <50lb

Features

High strength and stability - Steel construction UL 60950 testing for level one certification

Two Leg Solutions

Original Designed Frame

All necessary components are included within each kit – including lifting columns, controls, control boxes and software, wiring and assembly hardware.



Frame orientation: Round dia 70mm

Maximum load: 100kg 3 stage column: 35mm/s 2 stage column: 20mm/s

Frame height:

3 stage column: 560-1210mm 2 stage column: 650~1150mm Frame width: 48" 60" 72"

Recommended work surface dimensions: 1200, 1500, 1800 (width), 600,700 (width)

Weight of package: 33~38Kg*

Note: The actual weight of package may vary due to customer's selection of components.

Accessories (optional)

Mini Cable Tray, Large Cable Tray

Standard Colors Black (RAL 9005) Grey (RAL 9006) White (RAL 9016)

Low standby power: <0.1W Low noise level: <50lb

Features

High strength and stability - Steel construction UL 60950 testing for level one certification

Two Leg Solutions

Original Designed Frame

All necessary components are included within each kit – including lifting columns, controls, control boxes and software, wiring and assembly hardware.



Frame orientation: **Oval** (New Designed)

Maximum load: 120kg 3 stage column: 35mm/s 2 stage column: 20mm/s

Frame height:

3 stage column: 560-1210mm 2 stage column: 650~1150mm Frame width: 48" 60" 72"

Recommended work surface dimensions: 1200, 1500, 1800 (width), 600,700 (width)

Weight of package: 33~38Kg*

Note: The actual weight of package may vary due to customer's selection of components.

Low standby power: <0.1W Low noise level: <50lb

Standard Colors Black (RAL 9005) Grey (RAL 9006) White (RAL 9016)

Features

High strength and stability - Steel construction UL 60950 testing for level one certification

Three Leg Solutions

L Shaped Three Leg Desk Frame Original Designed Frame

All necessary components are included within each kit – including lifting columns, controls, control boxes and software, wiring and assembly hardware.





Frame orientation: **Rectangular** 80x50mm

Maximum load: 120kg/150kgs 3 stage column: 35mm/s 2 stage column: 20mm/s

Frame height:

3 stage column: 560-1210mm 2 stage column: 650~1150mm Frame width: 48" 60" 72"

Recommended work surface dimensions: 1200, 1500, 1800 (width), 600,700 (width)

Weight of package: 45-50Kg*

Note: The actual weight of package may vary due to customer's selection of components.

Low standby power: <0.1W Low noise level: <50lb

Standard Colors Black (RAL 9005) Grey (RAL 9006) White (RAL 9016)

Features

High strength and stability - Steel construction UL 60950 testing for level one certification

iMotion products provide you with the total solution

Employees are more alert throughout the workday because of increased flexibility and comfort by using height adjustable desks.



Frame orientation Face to Face; 2 independent desks linked as one module **Maximum load** 120kg (per frame)

Constant speed:

3 stage column: 35mm/s 2 stage column: 20mm/s

Frame height:

3 stage column: 560-1210mm 2 stage column: 650~1150mm

Accessories (optional) Cable tray, Panel, Power Solution

Low Standby power<0.1W

Standard Colors Black (RAL 9005) Grey (RAL 9006) White (RAL 9016)

Features

 $High \ strength \ and \ stability \ \hbox{-} \ Steel \ construction$

One Screw for all installation

Innovation

Our product signature

UL 60950 testing for level one certification

iMotion products provide you with the total solution

Employees are more alert throughout the workday because of increased flexibility and comfort by using height adjustable desks.



Different legs, but one frame

With the wide product program

You get access to different standard columns with motor housings that all fit the same frame construction.

Whether you prefer a rectangular or a round leg, oval leg

And just one screw size for all installation

This means it is very easy to create a new design without having to change the desk construction completely.

iMotion Accessories

provide you with the total solution



Mini Cable Tray



Large Cable Tray



Option 1



Option 2



Option 3



Option 4

Desktop Power Modular

With/Without USB charging adapt with plug



Fits:

- AO2, Ethospace
- Bench Desk
- Height Adjustable Table



2 person solution



4 person solution



8 person solution

Description

Inside the attractive casing resides a most impressive power pack.

Two outlets promise reliable AC power for plugged-in hardware, while the true star of the tandem is the dual 3.0 amp USB port.

Each USB port utilizes a Smart Device Recognition Chip to monitor and independently deliver the required amperage to your devices — up to 2.1 amps each — and charge them in half the time it takes with similar products on the market.

Features:

Modular Electrical Systems Power USB





Material

- -For health reasons and for the sake of the environment we use environmental materials
- -Heat-resistant 120 centigrade and no deformation
- -Working environment: 0-45 centigrade



Anti-Collision Solution

-Protect your investment both on the way up and on the way down with a electric

height adjustable lifting column system that comes with a hardware based anti-collision solution.



Energy-saving

- -Power Input: AC100V-240V 50/60Hz Max. 3. We can use same controller system for all different legs.
- -We keep the lower standby power consumption to just 0.1W.
- -All control boxes have low standby power as standard.
- -The Handset will be turn off automatically if not work reach 1 minutes



Warranty

- -The Omni quality is a combination of high quality components, semi-automatic production testing.
- -We have a 5 year warranty



Certification

Omni has successfully completed verify the UL 60950 testing for level one certification

CE/UL for Controller Box IEC 60950-1 (TOP STANDARD)
BIFMA testing for total set

Quiet solutions

The sound of Omni Products for the office need to have an "indoor voice." We can keep below 50lb, this sound level allows your products to move without disturbing the surroundings.

Smooth movement with Lifting

This is achieved through advanced engineering that have high quality reach EMC standard

Focus on design

We welcome to make OEM design for the Clients

Focus on wellness

Our new software, Mobile App controller function, encourages users to stand more during the day to improve their health and productivity.

Keep improving

We also continue to make our products more compact and offer more choices than any other supplier on the market.

Our customers can choose between several shapes, features and a multitude of colors.

Availability

Omni has expanded our after-service center capabilities in the United States to offer expedited turn around on small quantities and custom solutions.

We also offer stocking agreements so when you need product quickly we can make it happen.



omni

Terms of Use

The user is responsible for determining the suitability of Omni products for a specific application. Omni takes great care in providing accurate and up-to-date information on its products. However, due to continuous development in order to improve its products, Omni products are subject to frequent modifications and changes without prior notice. Therefore, Omni cannot guarantee the correct and actual status of said information on its products.

While Omni uses its best efforts to reasons as mentioned above, guarantee the availability of any particular product. Therefore, Omni reserves the right to discontinue the sale of any product displayed on its website or listed in its catalogues or other written material drawn up by Omni.

Terms of use

Perfection in movement

If you are looking for adding movement to your Office

Desk, a height adjustable solution is the easy flexible way to gain the competitive edge and improve your business.

Effects of Prolonged Standing:

- *Sore feet
- *Swelling of the legs
- *Varicose veins
- *Static muscle fatigue
- *Low back pain
- *Stiffness in the neck and shoulders

Moving Is Living