



GUANGDONG GRACE KITCHEN EQUIPMENT CO., LTD

-Professional Kitchen Equipment and Hotel Requisite Supplier-

Contact: Greta Wen

Mobile/WhatsApp/ Wechat: +86 18028197052

Email: sales3@gracekitchenequip.com






Website: www.gracekitchenequip.com








Tel: 0086-757-85431999-619








Fax:0086-757-85431999- 606








China Factory Address: LianDo U Valley Business Park, Nanhai, Foshan, Guangdong, China

Kitchen Equipment List

NO	Model NO.	Picture	Specifications
1	GR-901		Product Name: Gas Range 4- Burner with oven Weight(kgs):90 HP(kw):37(127650BTU) Dimension(mm):800x900x970
2	GR-902		Product Name: Gas Lava Rock Grill with Cabinet Weight(kgs):80 HP(kw):17(58650BTU) Dimension(mm):800x900x(850+70)
3	GR-903		Product Name: Gas 2 -tank fryer (2- basket) with Cabinet Weight(kgs):100 HP(kw):31(106950BTU) Capacity(L):20x2 Dimension(mm):800x900x(850+70)
4	GR-904		Product Name: Gas Griddle with Cabinet 1/3 Grooved Weight(kgs):125 HP(kw):12(41400BTU) Griddle plate size(mm): 725x610x20 Dimension(mm):800x900x(850+70)
5	GR-905		Product Name: Gas Griddle Full Flat Weight(kgs):125 HP(kw):12(41400BTU) Griddle plate size(mm): 725x610x20 Dimension(mm):800x900x(850+70)

6	GR-906		<p>Product Name: Gas Pasta Cooker with Cabinet Weight(kgs):100 HP(kw):22(75900BTU) Dimension(mm):800x900x(850+70)</p>
7	GR-907		<p>Product Name: Gas Tilting Braising Pan Weight(kgs):135 HP(kw):12 Volts(V):3N~380V Capacity(L):80 Dimension(mm):800x900x970</p>
8	GR-908		<p>Product Name: Gas Soup Kettle Weight(kgs):135 HP(kw):12 Volts(V):3N~380V Capacity(L):80 Dimension(mm):800x900x970</p>
9	GR-909		<p>Product Name: Gas Bain Marie with Cabinet Weight(kgs):65 HP(kw):6 Volts(V):3N~380V Dimension(mm):800x900x970</p>
10	GR-910		<p>Product Name: Gas French Hot-plate with Cabinet Weight(kgs):70 HP(kw):10(34500BTU) Dimension(mm):800x900x970</p>
11	GR-912		<p>Product Name: Electric Range with 4- Hot Plate & Oven Weight(kgs):80 HP(kw):20.8 Volts(V):3N~380V Dimension(mm):800x900x970</p>
12	GR-961E		<p>Product Name: Electric Range with 6- Hot Plate & Oven Weight(kgs):80 HP(kw):20.8 Volts(V):3N~380V Dimension(mm):800x900x970</p>

13	GR-961		<p>Product Name: Gas Range 6-Burner with Gas oven Weight(kgs):150 HP:52.6(181470BTU) Dimension(mm):1200x900x970</p>
14	GR-962A		<p>Product Name: Gas Range 4-Burner & Gas Oven with Lava Rock Grill Weight(kgs):150 HP(kw):36.8(181470BTU) Dimension(mm):1200x900x970</p>
15	GR-962B		<p>Product Name: Gas Range 4-Burner & gas oven with grill Weight(kgs):150 HP(kw):36.8(181470BTU) Dimension(mm):1200x900x970</p>
16	GR-401		<p>Product Name: Gas stove Weight(kgs):36 HP(kw):11 Dimension(mm):600x650x350+120</p>
17	GR-402		<p>Product Name: Gas Lava Rock Grill Weight(kgs):46 HP(kw):16 (55200BTU) Dimension(mm):600x470x650</p>
18	GR-403		<p>Product Name: Gas fryer Weight(kgs):29 HP(kw):11 (37950BTU) Capacity(L):8+8 Dimension(mm):600x570x650</p>
19	GR-404		<p>Product Name: Gas Griddle with Groove Weight(kgs):46 HP(kw):8 (27600BTU) Dimension(mm):480x564x650</p>

20	GR-405		<p>Product Name: Gas Griddle Flat Weight(kgs):46 HP(kw):8 (27600BTU) Dimension(mm):480x564x650</p>
21	GR-406		<p>Product Name: Gas Pasta Cooker Weight(kgs):25 HP(kw):6 (20700BTU) Dimension(mm):600x530x650</p>
22	GR-409		<p>Product Name: Gas bain marie Weight(kgs):29 HP(kw):6 (20700BTU) Dimension(mm):700x530x650</p>
23	GR-4S		<p>Product Name: Electric 4- Plate Cooker Weight(kgs):20 Volts(V):220/50-60hz Power(kw):8 Capacity(L):8+8 Dimension(mm):600x600x350</p>
24	GR-301		<p>Product Name: Gas Range 1 Burner Weight(kgs):47 HP(kw):24(82800BTU) Dimension(mm):460x550x500</p>
25	GR-302		<p>Product Name: Gas Range 2 Burner Weight(kgs):34 HP(kw):15.5(53475BTU) Dimension(mm):300x770x360+100</p>
26	GR-304		<p>Product Name: Gas Range 4 Burner Weight(kgs):59 HP(kw):15.5(86940BTU) Dimension(mm):600x770x360+100</p>

27	GR-250		<p>Product Name: Electric grill(Mini Bar Grill) Weight(kgs): 11 Power(KW):2 Voltage:220 V/ 50HZ Dimensions (mm):510x260x250 Packing size(mm):520x310x270 Grilled Board size(mm):360x250 Grilled plated thickness(mm):10</p>
28	GR-818		<p>Product Name: Electric Griddle(Flat Plate) Weight(kgs):24 Power(KW):3 Voltage:220 V/ 50-60HZ Dimensions (mm):550x430x240</p>
29	GR-820		<p>Product Name: Electric Griddle(Flat Plate) Weight(kgs):34 Power(KW):4.4 Voltage:220 V/ 50-60HZ Dimensions (mm):730x470x240</p>
30	GR-822		<p>Product Name: Electric Griddle(1/2 Flat Plate&1/2 Grooved) Weight(kgs):32 Power(KW):4.4 Voltage:220 V/ 50-60HZ Dimensions (mm):730x470x240</p>
31	GR-718		<p>Product Name:Commercial Gas Griddle Gas Type:LPG Heating Power:10.7kw/h G/W (kg):30 Packing size (mm):650*620*660 Dimensions(mm):550*520*560 Feature:Fast Temperature Rising</p>
32	GR-720		<p>Product Name:Commercial Gas Griddle Gas Type:LPG Heating Power:10.7kw/h G/W (kg):30 Packing size (mm):650*620*660 Dimensions(mm):550*520*560 Feature:Fast Temperature Rising</p>
33	GR-81		<p>Product Name: Electric 1-tank fryer(1 basket) Weight(kgs): 4.6 Power(KW):2.5 Capacity(L):5.5 Voltage:220 V/ 50HZ Dimensions (mm):290x440x310</p>

34	GR-82		<p>Product Name: Electric 2-tank fryer(2 basket) Weight(kgs): 8.6 Power(KW):2.5+2.5 Capacity(L):5.5+5.5 Voltage:220 V/ 50HZ Dimensions (mm):580x440x310</p>
35	GR-83		<p>Product Name: Electric 1-tank fryer(1 basket) Weight(kgs): 8.4 Power(KW):5 Capacity(L):11 Voltage:220 V/ 50HZ Dimensions (mm):550x440x310</p>
36	GR-11L		<p>Product Name: Electric 1-tank fryer(1 basket) Weight(kgs): 8 Power(KW):3.25 Voltage:220 V/ 50HZ Dimensions (mm):440x328x332 Packing size(mm):505x390x360</p>
37	GR-11L-2		<p>Product Name: Electric 2-tank fryer(2 basket) Weight(kgs): 15.1 Power(KW):3.25+3.25 Voltage:220 V/ 50HZ Dimensions (mm):675x440x332 Packing size(mm):730x505x360</p>
38	GR-12L		<p>Product Name: Electric 1-tank fryer(1 basket) Weight(kgs): 13 Power(KW):2.8 Voltage:220 V/ 50HZ Dimensions (mm):290*550*410 Packing size(mm):350*600*450</p>
39	GR-12L-2		<p>Product Name: Electric 2-tank fryer(2 basket) Weight(kgs): 24 Power(KW):2.8+2.8 Voltage:220 V/ 50HZ Dimensions (mm):580*550*410 Packing size(mm):630*600*450</p>
40	GR-71A		<p>Product Name: Gas 1 Tank fryer(1 -Basket) Weight(kgs):14 HP(kw):10.8 (41400BTU) Capacity(L):8 Dimension(mm):310x660x550</p>

41	GR-72A		<p>Product Name: Gas 2 Tank fryer(2 -Basket) Weight(kgs):27 HP(kw):12 (41400BTU) Capacity(L):8+8 Dimension(mm):616x660x500</p>
42	GR-28L		<p>Product Name: Electric 1-tank fryer(2 basket) Weight(kgs): 38 HP(KW):18 Capacity(L):28 Voltage:3N~380V Dimensions (mm):400*800*1100</p>
43	GR-28L-2		<p>Product Name: Electric 2-tank fryer(4 basket) Weight(kgs): 58 HP(KW):18+18 Capacity(L):28L*2 Voltage:3N~380V Dimensions (mm):800*800*1100</p>
44	GR-3G		<p>Product Name: Gas 1-tank fryer(2 basket) Weight(kgs): 70 HP(KW):27 Capacity(L):30 Dimensions (mm):420x720x1050</p>
45	GR-4G-A		<p>Product Name: Gas 1-tank fryer(2 basket) Weight(kgs): 65 HP(KW):36 Capacity(L):30 Dimensions (mm):395x780x1112</p>
46	GR-4G-B		<p>Product Name: Gas 1-tank fryer(2 basket) Weight(kgs): 65 HP(KW):36 Capacity(L):30 Dimensions (mm):395x780x1112</p>

47	GR-4G-2B		<p>Product Name: Gas 2-tank fryer(2 basket) Weight(kgs): 65 HP(KW):36 Capacity(L):30 Dimensions (mm):395x780x1112</p>
48	GR-25LD		<p>Standing Pressure Fryer (Electric) Dimensions (mm): 980*485*1210 Weight(kgs):155KG Voltage:380V/50HZ Power(KW):12 Packing size(mm):1030*530*1330</p> <p style="text-align: right;">Capacity: 25L</p>
49	GR-410		<p>Product Name: Single Plate Electric Crepe Maker Weight(kgs):15.3 Volts(V):220/50-60HZ Power(kw):2.2 Dimension(mm):400x400x160</p>
50	GRA-1		<p>Product Name: Single Crepe Maker Weight(kgs):22.6 Power(KW):3 Voltage:220 V/ 50-60HZ Dimensions (mm):490x450x235</p>
51	GRA-2		<p>Product Name: Double Plates Electric Crepe Maker Weight(kgs):46 Power(KW):3+3 Voltage:220 V/ 50-60HZ Dimensions (mm):860x490x235</p>
52	GR-601		<p>Product Name: Waffle maker Weight(kgs):7 Power(KW):1 Voltage:220 V/ 50-60HZ Dimensions (mm):390x250x260 Waffle size(mm):175x175x15 Packing size(mm):430x305x295</p>
53	GR-602		<p>Product Name: Electric Double waffle maker Weight(kgs):13 Power(KW):2.6 Voltage:220 V/ 50-60HZ Dimensions (mm):500x390x260 Waffle size(mm):210x210x4 Packing size(mm):550x425x282</p>

54	GR-546		<p>Product Name: Rotate Waffle maker Weight(kgs):18 Power(KW):2.6 Voltage:220 V/ 50-60HZ Dimensions (mm):590*500*350</p>
55	GR2205E-2		<p>Product Name: Rotate Waffle maker Weight(kgs):6.8 Power(KW):1.3 Voltage:220 V/ 50-60HZ Dimensions (mm):395x250x280 Waffle size(mm):180x180x34 Packing size(mm):430x305x310</p>
56	GR-1A		<p>Product Name: Cone Waffle maker Weight(kgs):6.5 Power(KW):1.3 Voltage:220 V/ 50-60HZ Dimensions (mm):390x250x260 Waffle size(mm):175x175x15 Packing size(mm):430x305x295</p>
57	GR-2A		<p>Product Name:Single Plate Ice Cone Waffle Maker Weight(kgs):6.5 Power(W):1.3 Voltage:220 V/ 50HZ Dimensions (mm):390x250x260 Packing size (mm):430x305x295 Plate size(mm):210 Lattice size(mm):9x9</p>
58	GR-598		<p>Product Name: Electric Double Cone maker Weight(kgs):17.5 Power(KW):3.5 Voltage:220 V/ 50-60HZ Dimensions (mm):560x390x235 Waffle size(mm):</p>
59	GR-5A		<p>Product Name: Donut Waffle maker Weight(kgs):8 Power(KW):1.55 Voltage:220 V/ 50-60HZ Dimensions (mm):360*330*245 Waffle size(mm):72x72x14 Packing size(mm):410x395x305</p>
60	GR-6A		<p>Product Name: Donut Waffle maker Weight(kgs):8 Power(KW):1.55 Voltage:220 V/ 50-60HZ Dimensions (mm):360x330x245 Waffle size(mm):72x72x14 Packing size(mm):410x395x305</p>








61	GR-2240		<p>Product Name: Muffins Waffle maker Weight(kgs):9 Power(KW):0.85 Voltage:220 V/ 50-60HZ Dimensions (mm):375x300x170 Packing size(mm):410x350x220</p>
62	GR-2241		<p>Product Name: Muffins Waffle maker Weight(kgs):10.7 Power(KW):1.7 Voltage:220 V/ 50-60HZ Dimensions (mm):620x375x170 Packing size(mm):655x410x220 Temperature Range(°C):0-300</p>
63	GR-2242		<p>Product Name: Muffins Waffle maker Weight(kgs):10.7 Power(KW):1.7 Voltage:220 V/ 50-60HZ Dimensions (mm):550x375x170 Packing size(mm):655x410x220 Temperature Range(°C):0-300</p>
64	GR-2243		<p>Product Name: Muffins Waffle maker Weight(kgs):16.7 Power(KW):3 Voltage:220 V/ 50-60HZ Dimensions (mm):550x600x180 Packing size(mm):670x670x220 Temperature Range(°C):0-300</p>
65	GR-542		<p>Product Name: Electric muffins machine Weight(kgs):9.4 Power(KW):1 Voltage:220 V/ 50-60HZ Dimensions (mm):420x345x190 Waffle size(mm):48x16 Packing size(mm):485x395x240</p>
66	GR-543		<p>Product Name: Electric muffins machine Weight(kgs):18.7 Power(KW):2 Voltage:220 V/ 50-60HZ Dimensions (mm):720x420x190 Waffle size(mm):48x16 Packing size(mm):770x485x240</p>
67	GR-544		<p>Product Name: Gas mini pancake maker with 50 holes Weight(kgs):9.5 Gas type():LPG Voltage:220 V/ 50-60HZ Dimensions (mm):580x340x250 Waffle size(mm):42x9 Packing size(mm):630x420x250</p>


68	GR-545		<p>Product Name: Gas mini pancake maker with 100 holes Weight(kgs):9.5 Gas():LPG Voltage:220 V/ 50-60HZ Dimensions (mm):580x340x230 Waffle size(mm):42x9 Packing size(mm):650x600x275</p>
69	GR-2210		<p>Product Name: Square Waffle maker Weight(kgs):10 Power(KW):2 Voltage:220 V/ 50-60HZ Dimensions (mm):410x305x240 Packing size(mm):450x350x280 Temperature Range(°C):0-300 Entire board size(mm):252x252 Board size(mm):170x105 Tooth depth(mm):11</p>
70	GR-2210-2		<p>Product Name: Double plate square Sticks waffle maker Weight(kgs):16.5 Power(KW):4 Voltage:220 V/ 50-60HZ Dimensions (mm):595x400x240 Packing size(mm):660x470x320 Entire board size(mm):252x252 Board size(mm):170x105 Tooth depth(mm):11</p>
71	GR-2210A		<p>Product Name: Square Waffle maker Weight(kgs):13.5 Power(KW):2 Voltage:220 V/ 50-60HZ Dimensions (mm):410x305x240 Packing size(mm):450x350x280 Temperature Range(°C):0-300 Single pie size(mm):210x160x13</p>
72	GR-2206-2A		<p>Product Name: Square Waffle maker Weight(kgs):10 Power(KW):2 Voltage:220 V/ 50-60HZ Dimensions (mm):445x345x240 Packing size(mm):495x395x310 Temperature Range(°C):0-300 Single pie size(mm):135x135x8</p>
73	GR-506		<p>Product Name: 6 Slice Waffle maker Weight(kgs):11 Power(KW):1.55 Voltage:220 V/ 50-60HZ Dimensions (mm):390x340x245 Waffle size(mm):100x60x24 Packing size(mm):435x410x305</p>
74	GR-119		<p>Product Name: 6 Sticks Waffle maker Weight(kgs):10 Power(KW):1.5 Voltage:220 V/ 50-60HZ Dimensions (mm):390x340x245 Packing size(mm):435x410x305 Entire board size(mm):320x185 Board size(mm):140x40 Tooth depth(mm):15</p>

75	GR-1101A		<p>Product Name: Electric Taiyaki Machine Weight(kgs):18 Voltage:220 V/ 50-60HZ Power:3000W Dimensions (mm):585*375*265</p>
76	GR-1101R		<p>Product Name:Gas Taiyaki Machine Weight(kgs):18 Dimensions (mm):670*360*225</p>
77	GR-S37		<p>Product Name:Single Plate Souffle Machine Voltage: 220-240V Power:1300W Steak plate size:345*375mm Steak plate thickness:10mm Weight:20kg Dimensions:345*375*175mm</p>
78	GR-S67		<p>Product Name:Double Plate Souffle Machine Voltage: 220-240V Power:2600W Steak plate size:675*375mm Steak plate thickness:10mm Weight:36.3kg Dimensions: 675*390*175mm</p>
79	GR-D01		<p>Product Name: Automatic Cake Donut Machine Weight(kgs):48 Power(KW):6 Voltage:220 V/ 50-60HZ Dimensions (mm):1100x550x650 Packing size(mm):1100x600x460 Food size(mm):80-60-40</p>
80	GR-19		<p>Product Name: Churros Machine Weight(kgs):28 Capacity (L):5/7/10/12/15 Voltage:220 V/ 50-60HZ Dimensions (mm):440x380x1150 Packing size(mm):670x330x330 Fryer size(mm):470x300x330</p>
81	GR-102		<p>Product Name: Donut Machine Weight(kgs):35 Capacity (L):25 Voltage:220 V/ 50-60HZ Dimensions (mm):1050x700x650</p>

82	GR-6		<p>Product Name: Egg Waffle Maker Weight(kgs):5.5 Power(W):1.4 Voltage:220 V/ 50HZ Dimensions (mm):420x225x290 Packing size (mm):485x295x315 Veneer size(mm):175x205 Egg size(mm)25x30x12</p>
83	GR-2207		<p>Product Name:Single Plate Heart Shaped Waffle Maker Weight(kgs):5.3 Power(W):1.3 Voltage:220 V/ 50HZ Dimensions (mm):390x250x260 Packing size (mm):430x305x295 Plate size(mm):180 Tooth depth (mm):8</p>
84	GR-113E		<p>Product Name:Sandwich Waffle Maker Weight(kgs): 9 Power(KW):1.5 Voltage:220 V/ 50HZ Dimensions (mm):390x340x245 Packing size (mm):435x410x305</p>
85	GR-2208		<p>Product Name: 4 Stick Waffle Maker Weight(kgs):12.5 Power(KW):1.75 Voltage:220 V/ 50HZ Dimensions (mm):410x305x240 Packing size (mm):450x350x280 Singel Pie Size(mm): 225x60x15 Cake Depth(mm): 30</p>
86	GR-622		<p>Product Name: 5 Stick Waffle Maker Weight(kgs):9.5 Power(KW):1.75 Voltage:220 V/ 50HZ Dimensions (mm):390x340x245 Packing size (mm):435x410x305 Enter board size(mm): 320x185 Fritters size(mm): 300x22</p>
87	GR-811		<p>Product Name:Single Electric Contact Grill Weight(kgs): 13 Power(KW):1.8 Voltage:220 V/ 50HZ Dimensions (mm):410x310x210 Packing size (mm):420x395x245 On board size(mm): 214x214 Under board size(mm):235x225</p>
88	GR-813		<p>Product Name:Double Electric Contact Grill Weight(kgs): 25.5 Power(KW):1.8+1.8 Voltage:220 V/ 50HZ Dimensions (mm):570x410x210 Packing size (mm):670x420x245 On board size(mm):214x215 Under board size(mm):485x235</p>

89	GR-812E		<p>Product Name:Single Electric Contact Grill Weight(kgs): 19 Power(KW):1.8 Voltage:220 V/ 50HZ Dimensions (mm):435x410x210 Packing size (mm):510x420x245 On board size(mm):338x235 Under board size(mm):345x235</p>
90	GR-815A		<p>Product Name: Electric Contact Grill Weight(kgs): 16 Power(KW):2.2 Voltage:220 V/ 50HZ Dimensions (mm):450x400x200 Packing size (mm):490x440x240 On board size(mm):340x210 Under board size(mm):370x240</p>
91	GR-28D		<p>Product Name:Single Plate Electric Takoyaki Maker Weight(kgs): 6.5 Power(KW):2 Voltage:220 V/ 50HZ Dimensions (mm):540x280x200 Packing size (mm):540x340x210 Circle diameter(mm):40 Round depth(mm):25</p>
92	GR-56		<p>Product Name:Double Plate Electric Takoyaki Maker Weight(kgs): 11 Power(KW):4 Voltage:220 V/ 50HZ Dimensions (mm):470x510x180 Packing size (mm):600x550x240 Circle diameter(mm):40 Round depth(mm):25</p>
93	GR-100E		<p>Product Name: Electric Sharwama Knife Maker Voltage:220V~240V Power:80W Weight:1.4KG Dimension(L*W*H): 11.2*10.9*19CM Capacity:60kg/h Cutting Thickness:0-8mm Blade Diameter:100mm</p>
94	GR-590S		<p>Product Name:Gas Doner Kebab Maker Weight(kgs): 8 HP:6kW Voltage:220 V/ 50HZ Dimensions (mm):295x265x480</p>
95	GR-590		<p>Product Name:Gas Doner Kebab Maker Weight(kgs): 5.9 HP:6kW Voltage:220 V/ 50HZ Dimensions (mm):295x270x490</p>

96	GR-591		<p>Product Name: Gas Doner Kebab Maker Weight(kgs): 19.5 HP: 11.2kW Voltage: 220 V/ 50HZ Dimensions (mm): 450*556*775</p>
97	GR-592		<p>Product Name: Gas Destop Shawarma Machine Weight(kgs): 20 Gas(Pa): LPG/2800Pa Voltage: 220-240 Dimensions (mm): 500*650*900</p>
98	GR-593		<p>Product Name: Gas Destop Shawarma Machine Weight(kgs): 27 Gas(Pa): LPG/2800Pa Voltage: 220-240 Dimensions (mm): 500*650*900</p>
99	GR-594		<p>Product Name: Gas Destop Shawarma Machine Weight(kgs): 27 Gas(Pa): LPG/2800Pa Voltage: 220-240 Dimensions (mm): 500*650*1080</p>
100	GR-594		<p>Product Name: Gas Destop Shawarma Machine with Hood Weight(kgs): 30.5 Gas(Pa): LPG/2800Pa Voltage: 220-240 Dimensions (mm): 500*650*1080</p>
101	GR-595		<p>Product Name: Gas Destop Shawarma Machine Weight(kgs): 35 Gas(Pa): LPG/2800Pa Voltage: 220-240 Dimensions (mm): 500*650*1340</p>
102	GR-596		<p>Product Name: Gas Destop Shawarma Machine Weight(kgs): 37 Gas(Pa): LPG/2800Pa Voltage: 220-240 Dimensions (mm): 500*650*1430</p>

103	GR-593E		<p>Product Name: Electric Destop Shawarma Machine Weight(kgs): 25.5 Power(KW):6 Voltage: 220-240 Dimensions (mm):500*650*900</p>
104	GR-594H		<p>Product Name: Electric Destop Shawarma Machine Weight(kgs): 85 Voltage(V):380V~3N Power(KW):12 Dimensions (mm):650x800x2050</p>
105	GR-598HE		<p>Product Name: Electric Destop Shawarma Machine Weight(kgs): 185 Voltage(V):380V~3N Power(KW):12+12 Dimensions (mm):1500x800x2050</p>
106	GR-594HE		<p>Product Name:Gas Single Shawarma With Cabinet Weight(kgs): 85 HP:18kW Voltage:220 V-240 Dimensions (mm):700x800x2050</p>
107	GR-598H		<p>Product Name:Gas double Shawarma With Cabinet Weight(kgs): 185 HP:36kW Voltage:220 V-240 Dimensions (mm):1500x800x2050</p>
108	MD-821S		<p>Product Name: Stainless Steel Sauce Warmer Power(W):600 Voltage:220V/50~60hz Dimensions (mm):235X246X280</p>
109	GR-QK-1		<p>Product Name: Sauce Warmer Weight(kgs):2.4 Power(W):80 Voltage:220V/50~60hz Dimensions (mm):155*250*230 Temperature(°C):30~85 Hole Diameter(mm):80 Hole Depth(mm):160</p>

110	GR-QK-2		<p>Product Name: Sauce Warmer Weight(kgs):3.4 Power(W):160 Voltage:220V/50~60hz Dimensions (mm):305X250X230 Temperature(°C):30~85 Hole Diameter(mm):80 Hole Depth(mm):160</p>
111	GR-QK-3		<p>Product Name: Sauce Warmer Weight(kgs):4.4 Power(W):240 Voltage:220-240V/50~60hz Dimensions (mm):400X250X230 Temperature(°C):30~85 Hole Diameter(mm):80 Hole Depth(mm):161</p>
112	GR-007		<p>Product Name: Hot dog maker Power(W):1330 Voltage:220-240V/50~60hz Dimensions (mm):590X330X420</p>
113	GR-009		<p>Product Name: Hot dog maker Power(W):1690 Voltage:220-240V/50~60hz Dimensions (mm):590X400X420</p>
114	GR-05B		<p>Product Name: Hot dog maker Weight(kgs):10 Power(W):1000 Voltage:220-240V/50~60hz Dimensions (mm):560X320X200</p>
115	GR-05BG		<p>Product Name: Hot dog maker Weight(kgs):10 Power(W):1000 Voltage:220-240V/50~60hz Dimensions (mm):560X320X200+350</p>

116	GR-401		<p>Product Name: Hot dog maker Weight(kgs):10 Power(W):300x2 Voltage:220-240V/50~60hz Dimensions (mm):590X330X420</p>
117	GR-1708		<p>Product Name: Popcorn maker(8 Oz) Power(W):1300 Voltage:220-240V/50~60hz Dimensions (mm):500X360X620</p>
118	GR-1608		<p>Product Name: Popcorn maker(8 Oz) Power(W):1300 Voltage:220-240V/50~60hz Dimensions (mm):560X420X680</p>
119	GR-300		<p>Product Name: Popcorn maker Cart(8 Oz) Weight(kgs):15 Dimensions (mm):500X360X680</p>
120	GR-08S		<p>Product Name: Popcorn maker(8 Oz) Power(W):1600 Voltage:220-240V/50~60hz Dimensions (mm):510*350*690</p>
121	GR-08G		<p>Product Name: Popcorn maker(8 Oz) Power(W):1600 Voltage:220-240V/50~60hz Dimensions (mm):680*360*510</p>

122	GR-331		<p>Product Name: Chips Warmer Weight(kgs):12 Power(w):300 Voltage:220V/50~60hz Dimensions (mm):355X345X525 Packing size(mm):405x395x560 Temperature(°C):0~55</p>
123	SW-1P		<p>Product Name: Warming Showcase Weight(kgs):14 Power(w):800 Voltage:220V/50~60hz Dimensions (mm):350X420X520 Packing size(mm):410x480x550</p>
124	SW-1PW		<p>Product Name: Warming Showcase Weight(kgs):18 Power(w):800 Voltage:220V/50~60hz Dimensions (mm):350X420X730 Packing size(mm):410x470x760</p>
125	SW-2P SW-3P SW-4P		<p>Product Name: Warming Showcase Weight(kgs):20 Power(w):800 Voltage:220V/50~60hz Dimensions (mm): 660*460*600 950*460*600 1200*460*600</p>
126	SW-701 SW-702 SW-703		<p>Product Name: Warming Showcase Weight(kgs):26 Power(w):1500 Voltage:220V/50~60hz Dimensions (mm): 370*450*580 660*450*580 890*450*580</p>
127	SW-601 SW-602 SW-603		<p>Product Name: Warming Showcase Weight(kgs):28 Power(w):1500 Voltage:220V/50~60hz Dimensions (mm): 660*480*640 900*480*640 1200*480*640</p>

128	GR-MF01(520)		<p>Product Name: Electric Candy Floss Machine (Color: Orange/Pink) Weight(kgs): 11 Power(KW):1.08 Voltage:220V/50~60hz Output:30s/pcs Dimensions (mm):520x520x480 Packing size(mm):570x570x445</p>
129	GR-MF01(720)		<p>Product Name: Electric Candy Floss Machine (Color: Orange/Pink) Weight(kgs): 11 Power(KW):1.08 Voltage:220V/50~60hz Output:30s/pcs Dimensions (mm):720x720x500 Packing size(mm):770x770x445</p>
130	GR-MF01C(520)		<p>Product Name: Acrylic Cover of Candy Floss Machine</p>
131	GR-MF05(520)		<p>Product Name: Electric Candy Floss Machine with Cart and Cover Weight(kgs): 18.5 Power(KW):1.08 Voltage:220V/50~60hz Output:30s/pcs Dimensions (mm):520x750x910</p>
132	GR-161 PM		<p>Name:Popcorn Machine (16OZ) Power(kw):2.9 N/W(kg):76 Voltage:220V/50Hz Dimensions(mm):720x570x 1730</p>
133	GR-322PM		<p>Name:Popcorn Machine (32OZ) Power(kw):6.7 N/W(kg):180 Voltage:220V/50Hz Dimensions(mm):1640 x 680x 1920</p>
134	GR-650PW		<p>Name:Popcorn Warmer (4 colors) Power(kw):0.8 N/W(kg):22 Voltage:220V/50Hz Colors:Blue/Yellow/Red Dimensions(mm):650x 550x670</p>

135	GR-2V		<p>Name: Bain Marie (2 Basins) N/W(kg):9 G/W(kg):10 Power(W):1500 Voltage(V):220V-240V Dimensions(mm):565x 430x 235 Copies Basion:1/2*100*0.7</p>
136	GR-3V		<p>Model: Bain Marie (3 Basins) N/W(kg):9.5 G/W(kg):10.5 Power(W):1500 Voltage(V):220V-240V Dimensions(mm):565x440x270 Packing Size(mm):625x250x275 Copies Basion:1/3*150*0.7</p>
137	GR-4V		<p>Model: Bain Marie (4 Basins) N/W(kg):14 G/W(kg):15 Power(W):1500 Voltage(V):220V-240V Dimensions(mm):690x630x235 Packing Size(mm):740x660x250 Copies Basion:1/2*100*0.7</p>
138	GR-2002-1		<p>Name: Digit Chocolate Melting Machine N/W(kg):9 G/W(kg):10 Capacity(kg):8 Power(W):1000 Power Source:220V/50HZ 110V/60HZ Temperature:0~90 Dimensions(mm):485x360x 180 Packing Size(mm):555 x430x 260, Pot Size(mm):360x330x 120</p>
139	GR-2002-4		<p>Name: Digit Chocolate Melting Machine(4 Pans) N/W(kg):9 G/W(kg):10 Capacity(kg):8 Power(W):1000 Power Source:220V/50HZ 110V/60HZ Temperature:0~90 Dimensions(mm):485x 360x 1 80 Packing Size(mm):555 x 430 x260 Pot Size(mm):180x160x100</p>
140	GR-2002-6		<p>Digit Chocolate Melting Machine(6 Pans) N/W(kg):11.5 G/W(kg):13 Capacity(kg):12 Power(W):1000 Power Source:220V/50HZ 110V/60HZ Tem purature:0~90 Dimensions(mm):665*360x180 Packing Size(mm):730x430x260 Pot Size(mm):180x160x100</p>

141	GR-DBS-01		Name: Pizza Oven N/W(kg): 7 Power(W): 1400 Voltage(V): 220-240 Dimensions(mm): 490 x 460 x 285
142	GR-EP-1		Name: Pizza Oven N/W(kg): 19.8 Power(W): 2000 Voltage(V): 220-240 Dimensions(mm): 560 x 570 x 280
143	GR-EP-2		Name: Pizza Oven N/W(kg): 31.8 G/W(kg): 37.7 Power(W): 3000 Voltage(V): 220V- 240V Dimensions(mm): 560 x 570 x 440
144	GR-EP-1A		Name: Pizza Oven N/W(kg): 19.8 Power(W): 2000 Voltage(V): 220-240 Dimensions(mm): 560 x 570 x 280
145	GR-EP-2A		Name: Pizza Oven N/W(kg): 31.8 G/W(kg): 37.7 Power(W): 3000 Voltage(V): 220V- 240V Dimensions(mm): 560 x 570 x 440
146	GR-14.R		Name: Gas Salamander Machine N/W(kg): 27 Gas Type: LPG Gas Pressure(pa): 2800 Dimensions(mm): 612 x 490 x 602

147	GR-450S		<p>Model:Electric Lift Salamander N/W(kg):63 HP(kw):5.6 Voltage(V):220 Dimensions(mm):450x520x500</p>
148	GR-600S		<p>Model:Electric Lift Salamander N/W(kg):63 HP(kw):5.6 Voltage(V):220 Dimensions(mm)600*520*500</p>
149	GR-800S		<p>Model:Electric Lift Salamander N/W(kg):63 HP(kw):5.6 Voltage(V):220 Dimensions(mm):800*520*500</p>
150	GR-936		<p>Name:Counter Top Electric Hanging Salamander N/W(kg):23.5 G/W(kg):25 Power(kw):4 Voltage(V):220V -240V Dimens ions(mm):530*430*260 Packing Size(mm):</p>
151	GR-938		<p>Name:Counter Top Electric Hanging Salamander N/W(kg):23.5 G/W(kg):25 Power(kw):4 Voltage(V):220V -240V Dimens ions(mm):580*420*495 Packing Size(mm):</p>
152	GR-937		<p>Name:Counter Top Electric Hanging Salamander N/W(kg):23.5 G/W(kg):25 Power(kw):4 Voltage(V):220V -240V Dimens ions(mm):840x465x490 Packing Size(mm):</p>

153	GR-6000S	 	Name:Electric Stainless Steel Soup Warmer N/W(kg):4.4 G/W(kg):5.4 Capacity:9L Power(W):400 Voltage:230V/50HZ/400W 110V/60HZ/400W Size(mm):340 x 340x 395
154	GR-6000		Name:Electric Black Soup Warmer N/W(kg):4.7 G/W(kg):5.6 Capacity:9L Power(W):400 Voltage:230v/50hz 110v/60hz Size(mm):340x 340x 395
155	GR-SH		Name:Electric Heater Square Power(W):700 Voltage(v):110V Size(mm):200 x 302
156	GR-RH		Name:Electric Heater Round Power(W):310 Size(mm):200 x 200
157	GR8307BM GR8311BM		Name:Soup Chafing Dish Food Pan(L):7 Dimensions(mm):310x 240x320 Packing Size(mm):260x 260x 340 Name:Soup Chafing Dish Food Pan(L):11 Dimensions(mm):360 x290x 330 Packing Size(mm):300 x300x 350
158	GR831-GL GR831L-GL GR835-GL		Name:Round Chafing Dish Food Pan(L):3.5/5/7.5 Dimensions(mm):420x 340 x 300 Packing Size(mm):360x 360 x 260 Dimensions(mm):420x 340x 300 Packing Size(mm):360 x 360x 260 Dimensions(mm):420x 340x 330 Packing Size(mm):360 x 360x 280

159	GR-533		<p>Name: Oblong Chafing Dish With Foldable Frame Food Pan(L):9 Dimensions(mm):570x350x315 Packing Size(mm):640x370x295</p>
160	GR-721		<p>Name: Round Roll Top Chafing Dish Width(Diameter):360mm Food Pan(L):6 Dimensions(mm):475x 520 x465 Packing Size(mm):530x 495 x 350</p>
161	GR-723		<p>Name: Rectangle Roll Top Chafing Dish Width:GN1/1 Food Pan(L):9 Dimensions(mm):640 x495x 440 Packing Size(mm):750 x 500x 330</p>
162	GR-720		<p>Name: Soup Chafing Dish Food Pan(L):10 Dimensions(mm):475x 520x 465 Packing Size(mm):530x 495x 350</p>
163	GR-728		<p>Name: Double Soup Chafing Dish Food Pan(L):4.5+4.5 Dimensions(mm):640x 495x 440 Packing Size(mm):750x 500x 390</p>
164	GR-1060L		<p>Name: Hydraulic Luxury Chafing Dish Food Pan(L):6 Dimensions(mm):520x455x 345 Packing Size(mm):525x460x 365</p>

165	GR-1021L		<p>Name:Hydraulic Luxury Chafing Dish Food Pan(L):4 Dimensions(mm):455x320x340 Packing Size(mm):460 x 330x 365</p>
166	GR-1011L		<p>Name:Hydraulic Luxury Chafing Dish Food Pan(L):9 Dimensions(mm):Body:585x455x210 Frame(mm):540x415x165 Packing Size(mm):Body:595x460x235 Frame:520x420x175</p>
167	GR-10-11L		<p>Name:Hydraulic Luxury Chafing Dish Food Pan(L):11 Dimensions(mm):Body:495x470*325 Frame(mm):430x310x165 Packing Size(mm):Body:444x444x333 Frame:435x330x180</p>
168	GR-1H		<p>Name:Electric Warming Lamp Lamp:1 Power(kw):0.65 Volts(v):220 Dimensions(mm):550x370x700</p>
169	GR-2H		<p>Name:Electric Warming Lamp Lamp:2 Power(kw):1 Volts(v):220 Dimensions(mm):780x530x700</p>
170	GR-3H		<p>Name:Electric Warming Lamp Lamp:3 Power(kw):1.4 Volts(v):220 Dimensions(mm):1070x530x700</p>

171	GR-150T		Name:Electric Conveyer Toaster N/W(kg):14 Power(KW):1.34 Voltage(V):220 Dimensions(mm):418x288x 387 Capacity(Pieces of brea d/H):150-180
172	GR-300T	 	Name:Electric Conveyer Toaster N/W(kg):15 Power(KW):2.24 Voltage(V):220 Dimensions(mm):550*450*400 Capacity(Pieces of brea d/H):300-500
173	GR-450T	 	Name:Electric Conveyer Toaster N/W(kg):22 Power(KW):2.64 Voltage(V):220 Dimensions(mm):610*430*450 Capacity(Pieces of brea d/H):400~500
174	GR-DS4		Name:Electric Toaster (4-slice) N/W(kg):6 Power(KW):1.9 Voltage:220V Dimensions(mm):370x210x225
175	GR-DS6		Name:Electric Toaster (6-slice) N/W(kg):7 Power(KW):2.5 Voltage:220V Dimensions(mm):460x210x 225
176	GR-06-21		Name:Food Warmer Cart (1 Door) N/W(kg):96 Power(kw):1.31 Capacity:6 Layers Voltage(V):220-240 Dimensions(mm):725*935*1350

177	GR-11-21G		Name:Food Warmer Cart (Glass Door) N/W(kg):152 Power(kw):2.62 Capacity:11 Layers Voltage(V):220-240 Dimensions(mm):790x975x1795
178	GR-11-21		Name:Food Warmer Cart (1 Door) N/W(kg)182 Power(kw):3 Capacity:11Layers Voltage(V):220-240 Bore size(L/H/D):540x 680x 1380 Dimensions(mm):790x975x1795
179	GR-22-21		Name:Food Warmer Cart (2 Doors) N/N(kg):320 Power(kw):3 Capacity:22Layers Voltage(V):220-240 Bore size(L/H/D):1350x 680x 1380 Dimensions(mm):1540 X 940x 1795
180	MQ-20W MQ-30W MQ-40W		Name:Insects Killer Light Resource:UV Power:2x10w Dimensions(mm):390*100*280 Name:Insects Killer Light Resource:UV Power:2x15w Dimensions(mm):495*100*300 Name:Insects Killer Light Resource:UV Power:2x20w Dimensions(mm):645*100*320
181	IDC-122		Name:Induction Cooker Power(w):2000 Voltage:220V/50Hz Dimensions(mm):280x 360
182	IDC-222		Name:Induction Cooker Power(w):2200/2200 Voltage:220V/50Hz . Dimensions(mm):680x 380x 78
183	IDC-501P		Name:Commercial Induction Cooker Power(w):5000 Voltage:220V/50Hz Dimensions(mm):510 x 405x195

184	IDC-501A		Name:Commercial Induction Cooker Power(w):5000 Voltage:220V/50Hz Dimensions(mm):510 x 405x195
185	GR-8BT GR-12BT GR-15BT		Name:Single Burner Induction Soup Cooker Power(kw):8/12/15 Voltage:380V/50HZ Dimensions(mm):650x750x(500+700)
186	GR-K12 GR-K15 GR-K18		Name:Gas Smokeless BBQ Grill Prssure:2800pa Power(W):32 N/W(kg):15 Dimensions(mm): 1200*400*210 1500*400*210 1800*400*210
187	GR-L114		Name:Lamb Grill N/W(kg):36 G/W(kg):38 Packing Size(mm):1260 x 600x950
188	GR-BBQ01		Name:Gas BBQ Grill Power(w):20 N/W(kg):60 Voltage:220v Dimensions(mm):1135x620x920
189	GR-06		Name:Soybean Grinder Power(kw):1.1 Voltage:220V/50Hz Output(kg/h):60 Dimensions(mm):300x 500x 750
190	DO-801		Name:Roast Duck Oven Power(kw):1 Capacity(L):20 Dimensions(mm):φ 80/90x135cm

191	CM-FT		<p>Name:Electric Pancake Maker N/W(kg):39 Power(kw):5 Voltage:220V/50Hz Temperature:50~250C Dimensions(mm):840x810x 820</p>
192	GR- SX60		<p>Name:Chicken Feather Remover N/W(kg):60 Voltage(V):220/50Hz Power(kw):1.1 Dimensions(mm)620x 620x 930</p>
193	GR-60H-A		<p>Name:Electric Dishwasher Valtage(V):220V/380V Power(kw):6.5kw/13.8kw Water Consumption(L/h):96-120L/h Operation Capacity(seat):100-200 N/W(kg):107 Dimensions(mm):1304x 795x 1637</p>
194	GR-L280P		<p>Name:Electric Dishwasher Valtage(V):380V/47KW Water Consumption(L/h):96-120L/h Operation Capacity(seat):500-600 N/W(kg):330 Dimensions(mm):3300*850*1600</p>
195	GR- 2AP-70		<p>Name:Exit Table NW(kg):15 Dimensions(mm):700x 740x 860</p>
196	GR- 2AP-70		<p>Name:Pro-Cleaning Table (Right) NW(kg):15 Dimensions(mm):700x 740x 860</p>
197	BG-1001		<p>Name:1 Burner Stove Power:250W/220V Wok Diameter:800 N/W(kg):200 CBM(m³):1.13 Dimensions(mm):1000x 1150x 1150</p>

198	BG-F1200AG		Name:Rice Noodle Roll Stove Power:250W/220V N/W(kg):300 CBM(m³):1.48 Dimensions(mm):1200x 1150x 1250
199	BG-1Z001 BG-2Z001		Name:1 Burner Steamer Power:250w/220v N/W(kg):190 CBM(m³):1 Dimensions(mm):900x 950x 1150 Name:1 Burner Steamer Power:250w/220v N/W(kg):340 CBM(m³):1.84 Dimensions(mm):1800x 950x 1150
200	BG-1011		Name:Chinese Cooking Range 1 Burner Power:250W/220V N/W(kg):180 CBM(m³):0.81 Dimensions(mm):1050x950x 1150
201	BG-1022		Name:Chinese Cooking Range (2 Burners 1 Warmer) Power:250W/220V N/W(kg):280 CBM(m³):1.43 Dimensions(mm):1800x950x 11 50
202	BG-2022		Name:Chinese Cooking Range (2 Burners & 2 Warmer) Power:250W/220V N/W(kg):320 CBM(m³):1.51 Dimensions(mm):2000x950x 1150
203	BE-1100		Name:Single Burner Steamer Diameter(mm):800 Power(KW):20 Voltage:380V/50Hz Dimensions(mm):1100 x 1150 x (800+350)







204	BE-1010		<p>Name:1 Wok Burner with Warmer Diamctor(mm):400 Power(KW):12 Voltage:380V/50Hz Dimensions(mm):1200 x 1000 x(800+450)</p>
205	BE-1020		<p>Name:2 Wok Burner with Warmer Diameter(mm):400 Power(KW):12x2 Voltage:380V/5UHz Dimensions(mm):2000 x 1000x (800+ 350)</p>
206	SY-B-6P		<p>Name:Electric Rice Steamer Power(KW):8/9 Air switch:63A/32A Dimensions(mm):710x 630 x 960</p>
207	SY-B-12P		<p>Name:Electric Rice Steamer Power(KW):12 Air switch:63A Dimensions(mm):710x 630x 1440</p>
208	SYB-24P		<p>Name:Electric Rice Steamer Power(KW):24 Air Switch:80A Dimensions(mm):1430x630x1440</p>
209	SYX20-6		<p>Name:Gas Rice Steamer Steam Pressure:2800pa Consume(kg/h):1.6 Dimensions(mm):690x 670x 1232</p>
210	SYX20-12		<p>Name:Gas Rice Steamer Steam Pressure:2800pa Consume(kg/h):1.6 Dimensions(mm):690x 670x 1715</p>



211	SYX20-24		Name:Gas Rice Steamer Steam Pressure:2800pa Consume(kg/h):1.6x2 Dimensions(mm):1410x 670x 1715
212	GR-DTT5060 GR-DTT8080		Name:Electric Boiler GR-DTT5060 Power(kw):8/9 Voltage(v):220/380 Volume(L):118 Dimensions(mm):540x540x940 Name:Electric Boiler GR-DTT8080 Power(kw):18 Voltage(v):380 Volume(L):400 Dimensions(mm):840x840x1140
213	GR-4E		Name:Energy- Saving Gas Steamer N/W(kg):27.5 Steam Pressure:2800Pa Consume(kg/h):0.95 Heal Load(MJh):43.8 Voltage(V):220 Dimensions(mm):655x 720x915
214	GR-1SC		Name:3 -Door Seafood Steaming Cabinet N/W(kg):280 CBM(m³):1.84 Power(W):250 Voltage(V):220 Dimensions(mm):900 x 800x 1870
215	GR-2SC		Name:3 -Door Seafood Steaming Cabinet N/W(kg):280 CBM(m³):1.84 Power(W):250 Voltage(V):220 Dimensions(mm):1000 x 800x 1870
216	GR-3SC		Name:3 -Door Seafood Steaming Cabinet N/W(kg):280 CBM(m³):1.84 Power(W):250 Voltage(V):220 Dimensions(mm):1000 x 800x 1800
217	SG-322 SG-522 SG-1022 SG-2022		Name:Spice Grinder Power(KW):1.5/2/3/4 Voltage:220V/50Hz Dimensions(mm): 190*190*330 220*220*400 240*240*420 280*280*450

218	SG-5022		Name:Grinder N/W(kg):42 Power(W):2200 Voltage:220V/50Hz Dimensions(mm):670x300x300
219	HLC-300		Name:Multi-Function Vegetable Cutter N/W(kg):23 Volts(v):220 Capacity(L):3x12 Dimensions(mm):565*295*565
220	QS503A QS504A QS506A QS510 QS517		Name:Table Top Vegetable Cutter Model: QS503A Power:370w Bowl Capacity(L):3 L N/W(kg):14 Dimensions(mm):355*310*510
221			Name:Table Top Vegetable Cutter Model: QS504A Power:550w Bowl Capacity(L):4 N/W(kg):20.5 Dimensions(mm):363*318*525 Vegetable Cutter Model: QS506A Power:750w Bowl Capacity(L):6 N/W(kg):22 Dimensions(mm):425*365*560 Name:Table Top Vegetable Cutter Model: QS510 Power:1100w Bowl Capacity(L):10 N/W(kg):31 Dimensions(mm):435*410*585 Top Vegetable Cutter Model: QS517 Power:1400w Bowl Capacity(L):17 N/W(kg):34 Dimensions(mm):500*510*690
222			Name:Table Top
223	GR-B7		Name:Three Function Mixer N/W(kg):13.3 Voltage:220V/50Hz Power(kw):0.5 Capacity(L):7 Dimensions(mm):380*240*405
224	GR-B10	 B10	Name:Dough Mixer Bowl volume(L):10 Voltage:220V/50Hz Power(kw):0.37 Mixing speed(r/min):189/362 Kneading capacity(kg):1 Weight(kg):70 Dimensions(mm):420*380*750


225	GR-B20	 <p style="text-align: center;">B20</p>	<p>Name:Dough Mixer Bowl volume(L):20 Voltage:220~380V/50Hz Power(kw):0.75 Mixing speed(r/min):113/168/400 Kneading capacity(kg):6 Weight(kg):98 Dimensions(mm):415*530*780</p>
226	GR-B30	 <p style="text-align: center;">B30</p>	<p>Name:Dough Mixer Bowl volume(L):30 Voltage:220~380V/50Hz Power(kw):1.5 Mixing speed(r/min):65/102/294 Kneading capacity(kg):10 Weight(kg):192 Dimensions(mm):610*530*1020</p>
227	GR-B40	 <p style="text-align: center;">B40</p>	<p>Name:Dough Mixer Bowl volume(L):40 Voltage:380V/50Hz Power(kw):1.5 Mixing speed(r/min):96/168/306 Kneading capacity(kg):12 Weight(kg):248 Dimensions(mm):590*580*1230</p>
228	GR-B50	 <p style="text-align: center;">B50</p>	<p>Name:Dough Mixer Bowl volume(L):50 Voltage:380V/50Hz Power(kw):1.5 Mixing speed(r/min):84/163/373 Kneading capacity(kg):15 Weight(kg):242 Dimensions(mm):760*580*1230</p>
229	GR-B60		<p>Bowl volume(L):60 Voltage:380V/50Hz Power(kw):2 Dimensions(mm):760*652*1300</p>
230	GR-B80		<p>Bowl volume(L):80 Voltage:380V/50Hz Power(kw):4 Dimensions(mm):1205*740*1620</p>


231	GR-B100		<p>Bowl volume(L):100 Voltage:380V/50Hz Power(kw):6 Dimensions(mm):1205*740*1720</p>
232	GR-20L		<p>Name:Double Speed & Double Action Dough Mixer N/W(kg):90 Voltage:220V/50Hz Power(kw):1.1 Bowl Capacity (L):20 Dimensions(mm):400x 730x 900</p>
233	GR-30L		<p>Name:Double Speed & Double Action Dough Mixer N/W(kg):98 Voltage:220V/50Hz Power(kw):1.5 Bowl Capacity (L):30 Dimensions(mm):450x 800x 1000</p>
234	GR-40L		<p>Name:Double Speed & Double Action Dough Mixer N/W(kg):110 Voltage:380V/50Hz Power(kw):2.2 Bowl Capacity (L):40 Dimensions(mm):470x 850x 1100</p>
235	GR-50L		<p>Voltage: 380V HZ: 50/60Hz Stir speed: 101/200r/m Bowl speed: 16r/m Power: 1.1/ 2.2 kW Capacity:50L/20KG NW:135KG: 950*530*970mm</p>
236	GR-80L		<p>电压: 380V 频率: 50/60Hz 钩速度:210/107r/m 碗速度:16r/m 功率:1.5/2.4kW 容积:100L/40KG 净重:470KG 尺寸:1160*700*1400mm</p>

237	GR-100L 电脑版控制		电压: 380V 频率: 50/60Hz 钩速度:210/107r/m 碗速度:16r/m 功率:1.5/2.4kW 容积:100L/40KG 净重:470KG 尺寸:1160*700*1400mm
238	GR-130L 电脑版控制		Voltage:380V HZ: 50/60Hz Stir speed:210/107r/m Bowl Speed:16r/m Power:2.8/5.6kW Capacity:130L/50KG NW:507KG Size:1250*830*1580mm
239	GR-200L 电脑版控制		Voltage:380V HZ: 50/60Hz Stir speed:210/107r/m Bowl Speed:16r/m Power:4/9kW Capacity:200L/75KG NW:675KG Size:1400*970*1580mm
240	GR-25A		Name:Dough Presser & Noodle Cutter NW(kg):80 Power(kw):1.1 Voltage(V):220/380 Rotational Speed(RPM):60r/m Length:180 Diameter(mm):87 Working Efficiency (kg/h):20-25 May Adjust Thickness(mm):1-8 Dimensions(mm):400x350x860
241	GR-40A		Name:Dough Presser & Noodle Cutter NW(kg):75 Power(kw):1.1 Voltage(V):220/380 Rotational Speed(RPM):45r/m Length:180 Diameter(mm):87 Working Efficiency (kg/h):20-30 May Adjust Thickness(mm):1-8 Dimensions(mm):400x400x860
242	GR-75A		Name:Dough Presser & Noodle Cutter NW(kg):140 Power(kw):1.5 Voltage(V):220/380 Rotaional Speed(RPM):50r/m Length:250 Diameter(mm):125 Output:75kg/h May Adjust Thickness(mm):1-12 Dimensions(mm):520 x 620 x 1150

243	GR-25LDM		Name:Luxury Dough Mixer N/W(kg):85 Power(kw):1.5 Voltage(V):220-380 Diameter:5-10 Capacity(L):25 Dimensions(mm):770x610x 780
244	GR-36A		Name:Manual Dough Divider Dough Weight Range: 30-140g/pcs Weight: 70KG Dimensions(mm):530x455x 1605
245	GR-36		Name:Electric Dough Divider Dough Weight Range: 30-140g/pcs Power(kw):0.5 Voltage(V):220V/380 Weight: 180KG Dimensions(mm):550x430x 1200
246	GR-30S		Name:Semi-automatic Dough Divider Rounder Dough Weight Range: 30-100g/pcs Capacity:30pcs/time Power(kw):0.75 Voltage(V):220V/380 Weight: 365KG Dimensions(mm):740x570x 2100
247	GR-30G		Name:Full-automatic Dough Divider Rounder Dough Weight Range: 30-100g/pcs Capacity:30pcs/time Power(kw):1.5 Voltage(V):220V/380 Weight: 560KG Dimensions(mm):590x450x 1600
248	GR-750		Name:Baguette Moulder Dough Weight Range: 50-1200g/pcs Power(kw):0.75 Voltage(V):220V/380 Weight: 284KG Dimensions(mm):1000x970x 1600
249	GR-380		Name:Toast Moulder Dough Weight Range: 50-600g/pcs Power(kw):0.75 Voltage(V):220V/380 Weight: 218KG Dimensions(mm):1120x665x 1175

250	GR-DK20		<p>Name:Hydraulic Dough Divider Dough Weight Range: 135-800g/pcs Power(kw):1.5 Voltage(V):220V/380 Weight: 350KG Dimensions(mm):620x810x 1110</p>
251	GR-TC12		<p>Name:Meat Mincer N/W(kg):25 Voltage:220v/50hz Power(kw):0.8 Productivity(kg/h):120 Dimensions(mm):370x190x410</p>
252	GR-JR22		<p>Name:Meat Mincer N/W(kg):28 Voltage:220v/50hz Power(kw):1.1 Productivity(kg/h):220 Dimensions(mm):430*220*420</p>
253	GR-PC12		<p>Name:Meat Mincer N/W(kg):20 Voltage(V/50Hz):220/50Hz Power(kw):0.8 Productivity(kg/h):150 Dimensions(mm):200x270x390</p>
254	GR-PC22		<p>Name:Meat Mincer N/W(kg):22 Voltage(V/50Hz):220/50Hz Power(kw):1.1 Productivity(kg/h):180 Dimensions(mm):200x270x400</p>
255	GR-T32		<p>Weight: 85KG Power&Voltage: 220V/2.2KW Speed: 1400R/s Capacity: 400KG/H Size: 860*500*890</p>
256	GR-T42		<p>Name:Meat Mincer N/W(kg):113 Voltage(V/Hz):380/50Hz Power(kw):3 Productivity(kg/h):600 Dimensions(mm):860x550x960</p>
257	GR-A10		<p>Name:Semi-Automatic Meat Slicer Voltage:220-240V/50Hz Power(kw):0.32 Blade Diameter:250mm/10inch Cutting Tickness(mm):0~10 Dimensions(mm):490x 390x380</p>

258	GR-AT12		<p>Product Name:Semi-Automatic Meat Slicer Voltage:220~240V/50HZ Power(W):420 Blade Diameter:300mm/12inch Cutting Thickness(mm):0-15 Dimensions(mm):530*460*460</p>
259	GR-A3000-1		<p>Product Name:Automatic Meat Slicer Voltage:220~240V/50HZ Power(W):420 Blade Diameter:300mm/12inch Slicing Speed:37times/min Cutting Thickness(mm):0-15 Dimensions(mm):650*600*750</p>
260	GR-H100		<p>Product Name:Hamburger Patty Maker Diameter:100mm N.W/G.W:4.6/5kg Dimensions:300*165*262mm</p>
261	GR-H130		<p>Product Name:Hamburger Patty Maker Diameter:130mm N.W/G.W:4.75/5.2kg Dimensions:300*165*262mm</p>
262	GR-1650A		<p>Product Name:Bone Saw Voltage:220V~240V/50HZ Power(W):750 Saw Wheel Length(mm):1650 Dimensions(mm):540*520*990</p>
263	JQ-1		<p>Product Name:Meat Mincer and Slicer Voltage:220V/50HZ Power(W):750 Productivity:200-300kg/h Thickness(mm):3.5 Dimensions(mm):510*410*800 N.W(kg):78</p>

264	DQ-1		<p>Product Name:Meat Cutter Voltage:220V/50HZ Power(W):750 Productivity:300kg/h Thickness(mm):3.5 Dimensions(mm):380*335*585 N.W(kg):51</p>
265	GR-8		<p>Product Name:Potato Peeler Voltage:220V/50HZ Power(W):1.1 Capacity(kg/h):240 Dimensions(mm):670*470*800 N.W(kg):75</p>
266	GR-15		<p>Product Name:Potato Peeler Voltage:220V/50HZ Power(W):1.5 Capacity(kg/h):750 Dimensions(mm):760*60*970 N.W(kg):110</p>
267	GR-P12 GR-P18		<p>Product Name:Electric Conveyor oven Power:6.7KW/10.3KW Dimensions(mm):1100*580*380 1560*750*380</p>
268	GR-12Q GR-18Q		<p>Product Name:Gas Conveyor oven Power:6.7KW/10.3KW Dimensions(mm):1100*580*380 1560*750*380</p>
269	GR-101D		<p>Product Name:Classic Electric Oven Voltage:220V/380V Power(kw):4.4 Capactiy:1-deck/1-tray Temperature(℃) :30-350 Dimensions(mm):920*640*410 N.W(kg):40 G.W(kg):54</p>

270	GR-202D		<p>Product Name:Classic Electric Oven Voltage:220V/380V Power(kw):8.8 Capactiy:2-deck/2-tray Temperature(℃) :30-350 Dimensions(mm):920*640*800 N.W(kg):76 G.W(kg):90</p>
271	GR-303D		<p>Product Name:Classic Electric Oven Voltage:380V Power(kw):13.2 Capactiy:3-deck/3-tray Temperature(℃) :30-350 Dimensions(mm):920*640*1100 N.W(kg):100 G.W(kg):120</p>
272	GR-102D		<p>Product Name:Electric Oven Voltage:220V/380V Power(kw):6.6 Capactiy:1-deck/2-tray Temperature(℃) :30-400 Dimensions(mm):1220*850*580 N.W(kg):70 G.W(kg):90</p>
273	GR-204D		<p>Product Name:Electric Oven Voltage:380V Power(kw):13.2 Capactiy:2-deck/4-tray Temperature(℃) :30-400 Dimensions(mm):1220*850*1700 N.W(kg):140 G.W(kg):160</p>
274	GR-306D		<p>Product Name:Electric Oven Voltage:220V/50HZ Power(kw):19.8 Capactiy:3-deck/6-tray Temperature(℃) :30-400 Dimensions(mm):1220*850*1700 N.W(kg):190 G.W(kg):220</p>
275	GR-102Q		<p>Product Name:Gas Oven Voltage:220V Capactiy:1-deck/2-tray Temperature(℃) :30-400 Dimensions(mm):1340*890*680 N.W(kg):90 G.W(kg):110</p>

276	GR-204Q		<p>Product Name:Gas Oven Voltage:220V Capactiy:2-deck/4-tray Temperature(℃) :30-400 Dimensions(mm):1340*890*1320 N.W(kg):180 G.W(kg):200</p>
277	GR-306Q		<p>Product Name:Gas Oven Voltage:220V Capactiy:3-deck/6-tray Temperature(℃) :30-400 Dimensions(mm):1340*890*1820 N.W(kg):260 G.W(kg):290</p>
278	GR-D16 GR-R16 GR-C16		<p>Product Name:Rotary Oven Voltage:380V/220V Power(kw):36+3 Specification:16 trays Energy:Electric/Gas/Diesel Oil Dimensions(mm):1800*2200*2250</p>
279	GR-D32		<p>Product Name:Rotary Oven Voltage:380V Power(kw):48+3 Specification:32 trays Energy:Electric Dimensions(mm):1800*2200*2250</p>
280	GR-R32		<p>Product Name:Rotary Oven Voltage:220V Power(kw):3 Specification:32 trays Energy:Gas Dimensions(mm):1800*2200*2250</p>
281	GR-C32		<p>Product Name:Rotary Oven Voltage:220V Power(kw):3 Specification:32 trays Energy:Diesel Oil Dimensions(mm):1800*2200*2250</p>

282	GR-380B (Tabletop)		<p>Product Name:Dough Sheeter Voltage:220V/380V Power(W):750 Dimensions(mm):1630*730*640</p>
283	GR-380A		<p>Product Name:Dough Sheeter Voltage:220V/380V Power(W):750 Dimensions(mm):1630*730*1225</p>
284	GR-5D		<p>Product Name:Convection Oven Energy:Electric Voltage:380V Power(kw):7.5 Capacity:5 trays Inner Size(mm):420*610*600 Dimensions(mm):905*1280*955</p>
285	GR-5DJ		<p>Product Name:Convection Oven with undershelf Energy:Electric Voltage:380V Power(kw):7.5 Capacity:5 trays Inner Size(mm):420*610*600 Dimensions(mm):905*1280*955</p>
286	GR-8D		<p>Product name:Hot-Air Convection Oven Weight:220 KG Product name:Hot-Air Convection Oven Inner Size (mm):420*610*920 Dimensions (mm):905*1280*1280 Power(kw):15 Volts/V:380 Capacity:8 tray Wight(kg):220</p>
287	GR-8DH		<p>Product name:Hot-Air Convection Oven Voltage:380V Power(kw):15 Dimension(L*W*H):905*1280*1280 Output product name:Bread/Pizza Inner Size (mm):420*610*920 Dimensions (mm):905*1280*1280 Capacity:8 tray</p>







288	GR-10D		<p>Product name:Hot-Air Convection Oven Model:GR-10D Dimensions (mm):980*1080*1330 Power(kw):14 Volts/V:380 Capacity:10 tray</p>
289	WFC-10DH		<p>Product Name:Luxury Convection Oven Dimensions(mm):905*1280*1520mm Voltage:380V50HZ Power(kw): 15 Capacity::10trays*(Size: 400*600mm) Net Weight:250KG Weight:290KG</p> <p style="text-align: right;">Gross</p>
290	GR-5Q		<p>Product Name:Convection Oven Energy:Electric Voltage:380V Power(kw):7.5 Capacity:5 trays Inner Size(mm):420*610*600 Dimensions(mm):905*1280*955</p>
291	GR-5QJ		<p>Product Name:Convection Oven with Undershelf Energy:Electric Voltage:380V Power(kw):7.5 Capacity:5 trays Inner Size(mm):420*610*600 Dimensions(mm):905*1280*1570</p>
292	GR-8Q		<p>Product name:Hot-Air Convection Oven Weight:220 Inner Size (mm):420*610*920 Dimensions (mm):905*1280*1280 Power(kw):15 Volts/V:380 Capacity:8 tray</p>
293	GR-10Q		<p>Product name:Hot-Air Convection Oven Model:GR-10Q Dimensions (mm):980*1080*1330 Power(kw):14 Volts/V:380 Capacity:10 tray</p>

294	GR-13D		<p>类型: 发泡带喷雾发酵箱 容量:13盘 电压: 220V/50HZ 功率:2kw 外形尺寸:500*730*1900mm</p>
295	GR-16D		<p>类型: 发泡带喷雾发酵箱 容量:26盘 电压: 220V/50HZ 功率:2kw 外形尺寸:500*730*2200mm</p>
296	GR-26D		<p>类型: 发泡带喷雾发酵箱 容量:26盘 电压: 220V/50HZ 功率:2kw 外形尺寸:990*730*1900mm</p>
297	GR-32D		<p>类型: 发泡带喷雾发酵箱 容量:32盘 电压: 220V/50HZ 功率:2kw 外形尺寸:990*730*2200mm</p>
298	GR--6B		<p>类型: 发酵箱 容量:6盘 电压: 220V/50HZ 功率:2.6kw 外形尺寸:600*700*850mm</p>
299	GR-13B		<p>类型: 发酵箱 容量:13盘 电压: 220V/50HZ 功率:2.6kw 外形尺寸:490*690*1660mm</p>

300	GR-16B		<p>类型: 发酵箱 容量:16盘 电压: 220V/50HZ 功率:2.6kw 外形尺寸:490*690*1800mm</p>
301	GR-26B		<p>类型: 发酵箱 容量:26盘 电压: 220V/50HZ 功率:2.6kw 外形尺寸:1000*690*1660mm</p>
302	GR-32B		<p>类型: 发酵箱 容量:32盘 电压: 220V/50HZ 功率:2.8kw 外形尺寸:1000*690*1880mm</p>
303	GR-1A		<p>Product name:Electric Convection Oven(不带喷雾) Voltage:220V/50HZ Power:2.4kW Dimensions:590*595*570mm G.W:37.6kg</p>
304	GR-4A		<p>Product name:Electric Convection Oven(带喷雾) Voltage:220V/50HZ Power:4.4kW Dimensions:595*530*570 mmmm G.W:38.5kg</p>
305	GR-4AE		<p>Product name:Electric Convection Oven (电脑版 Computer Board) Voltage:220V/50HZ Power:2.2kW Inner size:450*360*360mm Dimensions:590*595*570mm G.W:39kg</p>

306	GR-D53-4A		<p>Product name:Electric Convection Oven Dimensions:670*640*500mm Voltage:220V/50HZ Power:3kW Capacity:60L/4 tray Inner size:460*370*370mm Baking tray:435*315*9mm N.W:44.5kg Packing size:720*700*640mm</p>
307	GR-D53-5		<p>Product name:Electric Convection Oven Dimensions:670*640*500mm Voltage:220V/50HZ Power:3kW Capacity:60L/4 tray Inner size:460*370*350mm Baking tray:435*315*9mm N.W:42kg Packing size:740*710*550mm</p>
308	GR--D53-8A		<p>Product name:Electric Convection Oven Dimensions:860*730*590mm Voltage:220V/50HZ Power:3kW+3kW Capacity:90L/4 tray Inner size:680*350*430mm Baking tray:600*400*20mm N.W:70KG Packing size:950*880*680mm</p>
309	GR-D51-5		<p>Product name:Computer Board Control Electric Convection Oven Dimensions:630*640*630mm Voltage:220V/50HZ Power:3.5kW Capacity:60L/5 tray Inner size:490*350*380mm Baking tray:435*315*9mm N.W:55kg Packing size:700*760*680mm</p>
310	GR-D61-5		<p>Product name:Computer Board Control Electric Convection Oven Dimensions:840*730*630mm Voltage:220V/50HZ Power:3.5kW Capacity:90L/5 tray Inner size:690*440*350mm Baking tray:600*400*20mm N.W:83kg Packing size:900*850*680mm</p>
311	GR-D61-10		<p>Product name:Computer Board Control Electric Convection Oven Dimensions:630*640*935mm Voltage:220V/50HZ Power:7kW Capacity:170L/10 tray Inner size:490*350*650mm Baking tray:435*315*9mm N.W:78kg Packing size:900*850*980mm</p>

312	SC-31		<p>Product Name:Toast/Bread Slicer Dimensions (mm):750*650*780 Rated Power(W):750 Voltage/Frequency:220V/50HZ Quantity Of KnifeS:31 Slices Cutting:31 Slices/Each Blades Gap:12MM N/W(KG):50 G/W(KG):55</p>
313	PW-1S		<p>Product Name:Electric Plate Warmer Cart(1-Holder) Voltage:220V/50HZ Power(W):400 Dimensions(mm):500*450*980</p>
314	PW-2S		<p>Product Name:Electric Plate Warmer Cart(2-Holder) Voltage:220V/50HZ Power(W):800 Dimensions(mm):980*450*980</p>
315	GR-2SWC		<p>Product Name:Stainless Steel Electric Towel Warmer Voltage:220V/50HZ Power(W):1500 Dimensions(mm):750*420*860</p>
316	BM-401		<p>Product Name:Standing Bain Marie Voltage:220V/50HZ Power(W):2000 Capacity:4*1/1GN Dimensions(mm):1500*700*800</p>
317	BM-501		<p>Product Name:Standing Bain Marie Voltage:220V/50HZ Power(W):2000 Capacity:5*1/1GN Dimensions(mm):1800*700*800</p>
318	BM-402		<p>Product Name:Assembled Bain Marie with Curved Glass Shelf Voltage:220V/50HZ Power(W):2000 Capacity:4*1/1GN Dimensions(mm):1455*670*860</p>

319	BM-502		<p>Product Name:Assembled Bain Marie with Curved Glass Shelf Voltage:220V/50HZ Power(W):2000 Capacity:、 5*1/1GN Dimensions(mm): 1790*670*861</p>
320	BM-303		<p>Product Name:Electric Bain Marie with Cabinet Model:BM-303 Voltage:220V/50HZ Power(KW):3 Capacity:3*1/1GN Dimensions(mm):1120*670*800</p>
321	BM-403		<p>Product Name:Electric Bain Marie with Cabinet Model:BM-403 Voltage:220V/50HZ Power(KW):4 Capacity:4*1/1GN Dimensions(mm):1455*670*800</p>
322	BM-503		<p>Product Name:Electric Bain Marie with Cabinet Model: BM-503 Voltage:220V/50HZ Power(KW):5 Capacity:5*1/1GN Dimensions(mm):1800*670*800</p>
323	BM-603		<p>Product Name:Electric Bain Marie with Cabinet Model:BM-603 Voltage:220V/50HZ Power(KW):6 Capacity:6*1/1GN Dimensions(mm):2125X670X800</p>
324	BM-304 BM-404 BM-504 BM-604		<p>Product Name:Electric Bain Marie with Cabinet Voltage:220V/50HZ Power(KW):3/4 Capacity:3*1/1GN、 4*1/1GN Dimensions(mm):1120*670*800+600 1455*670*800+600</p>

325	BM-42		<p>Product Name:Electric Bain Marie(4 Compartments) Voltage:220V/50HZ Power(KW):2 Capacity:4*1/2GN Pan Size(mm):325*265*100 Dimensions(mm):1220*365*330 N.W(kg):18.3</p>
326	BM-63		<p>Product Name:Electric Bain Marie(6 Compartments) Voltage:220V/50HZ Power(KW):2 Capacity:6*1/3GN Pan Size(mm):325*176*100 Dimensions(mm):1220*365*330 N.W(kg):18.3</p>
327	BM-83		<p>Product Name:Electric Bain Marie(8 Compartments) Voltage:220V/50HZ Power(KW):2 Capacity:6*1/3GN Pan Size(mm):325*265*100+265*162*100 Dimensions(mm):1490*365*330 N.W(kg):21.9</p>
328	WT-R212 WT-R215 WT-R218		<p>Product Name:Stainless Steel Working Table (Round Tube) Dimensions(mm): 1200*700*850 1500*700*850 1800*700*850</p>
329	WT-R212B WT-R215B WT-R218B		<p>Product Name:Stainless Steel Working Table with Back(Round Tube) Dimensions(mm): 1200*700*850 1500*700*850 1800*700*850</p>
330	WT-S212 WT-S215 WT-S218		<p>Product Name:Stainless Steel Working Table(Square Tube) Dimensions(mm): 1200*700*850 1500*700*850 1800*700*850</p>

331	WT-S212B WT-S215B WT-S218B		Product Name:Stainless Steel Working Table with Back(Square Tube) Dimensions(mm): 1200*700*850 1500*700*850 1800*700*850
332	GR-TRP12 GR-TRP15 GR-TRP18		Product Name:Stainless Steel Working Table with Upper shelf Dimensions(mm): 1200*700*850+660 1500*700*850+660 1800*700*850+660
333	WT-R215W WT-R218W		Product Name:Stainless Steel Working Table with Wheels Dimensions(mm): 1500*800*800 1800*800*800
334	WT-S212B WT-S215B WT-S219B		Product Name:Stainless Steel 3-layer Table Dimensions(mm): 1200*700*850 1500*700*850 1800*700*850
335	RKS-1115 RKS-1515 RKS-1815		Product Name:4-layer Stainless Steel shelf (ladder type) Dimensions(mm): 1100*500*1550 1500*500*1550 1800*500*1550
336	BKS-1215 BKS-1515 BKS-1815		Product Name:4-layer Stainless Steel shelf (solid board type) Dimensions(mm): 1200*500*1550 1500*500*1550 1800*500*1550

337	ST-301 ST-302 ST-303 ST-304		Product Name:Stainless Steel 3-layer Trolley(Square Tube) Dimensions(mm): 750*400*835 850*450*900 950*500*950 950*620*950
338	ST-211 ST-212 ST-213		Product Name:Stainless Steel Dish Collecting Trolley Dimensions(mm): 750*400*835 850*450*900 950*500*950
339	ST-221 ST-222 ST-223		Product Name:Stainless Steel Liquor Trolley Dimensions(mm): 750*400*835 850*450*900 950*500*950
340	ST-R301 ST-R302 ST-R303		Product Name:Stainless Steel 3-layer Dining Cart(round tube) Dimensions(mm): 760*380*760 810*460*850 860*540*940
341	ST-201 ST-202 ST-203	 <p>Collision Prevention</p>	Product Name:Stainless Steel 2-layer Trolley(square tube) Dimensions(mm): 750*400*835 850*450*900 950*500*950
342	ST-231 ST-232		Product Name:Stainless Steel Seasoning Trolley with 8 seasoning containers&covers Dimensions(mm): 750*400*835 850*450*900 950*500*950
343	ST-3P		Product Name:Stainless Steel Dish Collecting Trolley Dimensions(mm): 900*460*950
344	ST-C100 ST-C500		Product Name:3-layer Plastic Trolley Dimensions(mm): 830*420*970 1070*500*990

345	R-H06 R-H12 R-H18		Product Name:Stainless Steel European Style Wall Stand Dimensions(mm): 600*355 1200*355 1800*255
346	C-101 C-104		Product Name:Stainless Steel Platform Pushing Trolley Dimensions(mm): 1000*600*870(Normal Shape) 1000*600*870(EMP Shape)
347	C-10 C-11		Product Name:Stainless Steel Platform Pushing Trolley Dimensions(mm): 740*480*870(Standard Shape) 900*600*900(Extra Large Shape)
348	SK-106		Product Name:Stainless Steel Single Sink Dimensions(mm): 700*700*850
349	SK-112A		Product Name:Stainless Steel Single Sink with Table Dimensions(mm): 1200*700*850
350	SK-112		Product Name:Stainless Steel Single Sink Big Bowl Dimensions(mm): 1200*700*850
351	SK-212		Product Name:Stainless Steel Double Sink Dimensions(mm):1400*700*850 Sink Size:600*500*280

352	SK-318		<p>Product Name:Stainless Steel Triple Sink Dimensions(mm): 1800*700*850</p>
353	SKB-214		<p>Product Name:Stainless Steel Single Sink with Cupboards Dimensions(mm): 1400*700*850</p>
354	SK-601		<p>Product Name:Stainless Steel Hand Sink with Knee-Operated Dimensions(mm): 400*335*561</p>
355	SK-602 SK-602A		<p>Product Name:Stainless Steel Basin Dimensions(mm): 400*400*345 510*700*850</p>
356	GR-WT150 GR-WT180 GR-WT200		<p>Product Name:Work Table with Wooden Chopping Board Dimensions(mm): 1500*800*700+100 1800*800*700+100 2000*800*700+100</p>
357	SK-218		<p>Product Name:Double Sink with Table Dimensions(mm): 1800*700*850</p>





358	TAP-800A		Product Name:8" Center Wall Mounted Faucet
359	TAP-800		Product Name:4" Deck Mounted Faucet
360	WCB-1501 WCB-1801 WCT-2001		Product Name:Working Cabinet Dimensions(mm): 1500*700*850 1800*700*850 2000*700*850
361	WCB-1501B WCB-1801B WCT-2001B		Product Name:Working Cabinet with Back Dimensions(mm): 1500*700*950 1800*700*950 2000*700*950
362	WCB-1531 WCB-1831 WCB-2031		Product Name:Working Cabinet with Drawers Dimensions(mm): 1500*700*950 1800*700*950 2000*700*950
363	WCB-1541B WCB-1841B		Product Name:Working Cabinet with Drawers Dimensions(mm): 1500*700*950 1800*700*950

364	WT-1531		<p>Product Name:Working Table with Drawers Dimensions(mm): 1200*700*800 1500*700*800 1800*700*800</p>
365	HCB-10 HCB-12 HCB-15		<p>Product Name:Wall Hanging Cabinet Dimensions(mm): 1000*400*650 1200*400*650 1500*400*650</p>
366	HD-11		<p>Product Name:Stainless Steel Hood Dimensions(mm): L*1100*500</p>
367	HD-24		<p>Product Name:Stainless Steel Hood Dimensions(mm): L*2400*600</p>
368	EXT-T75C		<p>Product Name:Commercial Kitchen Range Hood Motor: 36#Fully Enclosed All Copper Motor Electrophoresis Wind Wheel: Φ280*150 Air Volume:23m³/min Output Decibels:65dB(A) Body Size(mm):750*750*550</p>
369	EXT-T15C		<p>Product Name:Commercial Kitchen Range Hood Motor: 36#Fully Enclosed All Copper Motor Electrophoresis Wind Wheel: Φ280*150 Air Volume:23m³/min Output Decibels:65dB(A) Body Size(mm):1500*750*550</p>

370	EXT-T18C	<ul style="list-style-type: none"> • LED Touch Sensing • Smart Gesture Sensing • Easy To Clean Tempered Glass • Large Wind Speed • Strong Wind Pressure • Pure Copper Motor • Stainless Steel 304 Body 	<p>Product Name:Commercial Kitchen Range Hood Motor: 36#Fully Enclosed All Copper Motor Electrophoresis Wind Wheel: Φ280*150 Air Volume:23m³/min Output Decibels:65dB(A) Body Size(mm):1800*750*550</p>
371	EXT-120T		<p>Product Name:Kitchen Range Hood Motor: 32#Fully Enclosed All Copper Motor Electrophoresis Wind Wheel: Φ280*150 Air Volume:18m³/min Output Decibels:70dB(A) Body Size(mm):895*520*650 N/W:23KG</p>
372	EXT-101T		<p>Product Name:Kitchen Range Hood Motor: 32#Fully Enclosed All Copper Motor Electrophoresis Wind Wheel: Φ280*150 Air Volume:18m³/min Output Decibels:70dB(A) Body Size(mm):895*520*650 N/W:21KG</p>
373	EXT-895B		<p>Product Name:Kitchen Range Hood Motor: 32#Fully Enclosed All Copper Motor Electrophoresis Wind Wheel: Φ280*150 Air Volume:18m³/min Output Decibels:70dB(A) Body Size(mm):895*520*650 N/W:20KG</p>
374	EXT-28ARC		<p>Product Name:Kitchen Range Hood Motor: 28#Fully Enclosed All Copper Motor Electrophoresis Wind Wheel: Φ280*150 Air Volume:15m³/min Output Decibels:56dB(A) Body Size(mm):890*480*560</p>
375	MD-201S MD-202S MD-203S		<p>Product Name:Sauce Dispenser Dimensions(mm): 290*186*255 364*186*225 544*186*225</p>

376	CS-03TT		<p>Product Name:Chips Cutter 4-Blades Dimensions(mm):350*260*330</p>
377	CS-04FT		<p>Product Name:Long Chips Cutter Dimensions(mm):21*21*48 N.W(kg):5</p>
378	PS-501		<p>Product Name:Manual Potato Twister Dimensions(mm):250*250*405 N.W(kg):1.5</p>
379	PS-501A		<p>Product Name:Electric Potato Slicer Dimensions(mm):470*200*210 N.W(kg):5</p>
380	R-10		<p>Product Name:Electric Pasta Maker Voltage:220V/50HZ Power(W):135 Dimensions(mm):328*286*253 N.W(kg):9</p>
381	R-200A		<p>Product Name:Electric Pasta Maker Voltage:220V/50HZ Power(W):750 Dimensions(mm):392*325*395 N.W(kg):23</p>
382	WB-08L	 <p style="text-align: center;">8L</p>	<p>Product Name:Electric Water Heater Voltage:220V/50HZ Power(W):1500 Capacity(L):8 Dimensions(mm):250*405</p>

383	WB-16L	 <p>16L</p>	<p>Product Name:Electric Water Heater Voltage:220V/50HZ Power(W):1500 Capacity(L):16 Dimensions(mm):310*465</p>
384	WB-30L	 <p>30L</p>	<p>Product Name:Electric Water Heater Voltage:220V/50HZ Power(W):1500 Capacity(L):30 Dimensions(mm):350*525</p>
385	WB-80A		<p>Product Name:Electric Boiler Voltage:380V/50HZ Power(KW):12 Capacity(L):80 Dimensions(mm):530*415*1040</p>
386	WB-40A		<p>Product Name:Electric Boiler Voltage:380V/50HZ Power(KW):6 Capacity(L):40 Dimensions(mm):455*405*735</p>
387	FR-1R6C		<p>Product Name:Single Pan Fry Ice Cream Machine with Fruit Containers Voltage:220V/50HZ Power(KW):1.45 Refrigerant:R22/R410/R404 Dimensions(mm):1000*600*840 N.W(kg):90</p>
388	FR-2R6C		<p>Product Name:Double Pan Fry Ice Cream Machine with Fruit Containers Voltage:220V/50HZ Power(KW):2.75 Refrigerant:R22/R410/R404 Dimensions(mm):1500*600*840 N.W(kg):150</p>

389	GR-L22A		<p>Product Name:Ice Cream Machine Tabletop 3 Flavors Voltage:220V/50~60HZ Power(KW):1.95 Refrigerant:R22/R404a Productivity:20-25L/H Dimensions(mm):540*720*850 N.W(kg):90</p>
390	GR-L22		<p>Product Name:Ice Cream Machine Freestanding 3 Flavors Voltage:220V/50~60HZ Power(KW):1.95 Refrigerant:R22/R404a Productivity:20-25L/H Dimensions(mm):540*720*1380 N.W(kg):105</p>
391	GR-L48F		<p>Product Name:Ice Cream Machine Freestanding 4 Flavors Voltage:220V/50~60HZ Power(KW):4.2 Refrigerant:R22/R404a Productivity:45-52L/H Dimensions(mm):720*860*1580 N.W(kg):180</p>
392	GR-L42B		<p>Product Name:Large Capacity Ice Cream Machine Voltage:220V/50~60HZ Power(KW):4.2 Refrigerant:R22/R404a Productivity:40-45L/H Dimensions(mm):610*780*1480 N.W(kg):150</p>
393	Corolla-1S	 <p>CE</p>	<p>Product Name:Juice Dispenser Voltage:220V/50~60HZ Power(W):268 Capacity:12L Cylinder:1 Temperature(°C):3~8°C Dimensions(mm):230*430*640 N.W(kg):20</p>
394	Corolla-2S	 <p>CE</p>	<p>Product Name:Juice Dispenser N/W(kg):28 Power(W):291 Capacity(L):2*12 Bowls:2 Temperature:3~8°C Dimensions(mm):430*430*640</p>

395	Corolla-3S		<p>Product Name: Juice Dispenser N/W(kg): 36 Power(W): 356 Capacity(L): 3*12 Bowls: 3 Temperature: 3~8℃ Dimensions(mm): 630*430*640</p>
396	GR-16L		<p>Product Name: Juice Dispenser N/W(kg): 15 Power(W): 145/175 Capacity(L): 16 Bowls: 1 Dimensions(mm): 265*375*700</p>
397	GR-16L-2		<p>Product Name: Juice Dispenser N/W(kg): 26 Power(W): 235/285 Capacity(L): 16L*2 Bowls: 2 Dimensions(mm): 420*450*680</p>
398	GR-16L-3		<p>Product Name: Juice Dispenser N/W(kg): 36 Power(W): 330/450 Capacity(L): 16L*3 Bowls: 3 Dimensions(mm): 620*450*680</p>
399	GR-16L-4		<p>Product Name: Juice Dispenser N/W(kg): 51 Power(W): 590/736 Capacity(L): 16L*4 Bowls: 4 Dimensions(mm): 820*450*680</p>
400	MyGranita-1S		<p>Product Name: Slush Machine N/W(kg): 32.5 Power(W): 530 Capacity(L): 12*1 Bowls: 1 Temperature: -2~-10℃ Dimensions(mm): 270*510*810</p>
401	MyGranita-2S		<p>Product Name: Slush Machine N/W(kg): 50.3 Power(W): 850 Capacity(L): 12*2 Bowls: 2 Temperature: -2~-10℃ Dimensions(mm): 470*515*810</p>

402	MyGranita-3S	 <p>CE</p>	<p>Product Name:Slush Machine N/W(kg):61.9 Power(W):1410 Capacity(L):12*3 Bowls:3 Temperature:-2~-10℃ Dimensions(mm):670*515*810</p>
403	GR-SM112		<p>Product Name:Slush Machine N/W(kg):32 Power(W):570 Capacity(L):12*1 Bowls:1 Temperature:0~-6℃ Dimensions(mm):230*550*800</p>
404	GR-SM212		<p>Product Name:Slush Machine N/W(kg):40 Power(W):850 Capacity(L):12*2 Bowls:1 Temperature:-2~-10℃ Dimensions(mm):430*550*800</p>
405	GR-SM312		<p>Product Name:Slush Machine N/W(kg):60 Power(W):900 Capacity(L):12*3 Bowls:1 Temperature:-2~-10℃ Dimensions(mm): 650*600*860</p>
406	GR-114		<p>Product Name:Ice Crusher N/W(kg):8 Power(W):200 Dimensions(mm):410*250*430</p>
407		 <p>SS</p>	<p>Product name:Ice Crusher (Stainless steel) Type:Electric Material:Stainless Steel Input Power:180W Dimensions (mm):450*270*310 N/W (kg):8 Power(W):180 Volts/V:220</p>
408	GR-106		<p>Product name:Ice Crusher (4 colors) Type:Electric Material:Stainless Steel Input Power:180W Dimensions (mm):450*270*310 N/W (kg):8 Power(W):180 Volts/V:220</p>

409	ZY-SB130		<p>Product name:Ice crusher with Acrylic Ice Storage Box Material:Stainless Steel Power:200 W Container Volume:650mL Quantity/min:2kg/min Control:Semi-automatic Dimensions (mm):500*410*660 N/W (kg):15 G/W (kg):18 Volts/V:220V/50-60HZ Rotate Speed:1400R/min</p>
410	GR-189		<p>Product Name:Ice Shaver Power(kw):0.35 Volts(V):220 Capacity(kg):2.4kg Productivity:90kg/hour Dimensions(mm):300*611*680</p>
411	GR-95		<p>Product Name:Cold Drinks Dispenser N/W(kg):55 Power(kw):0.25 Ke Bank(kg):8 Capacity:95 glasses Dimensions(mm):400*635*700</p>
412	GR-800BU		<p>Product Name:Soda Water Maker Material:ABS+304 stainless steel N/W(kg):3 Capacity(L):1 Dimensions(mm):160*210*450</p>
413	GR-901		<p>Product Name:Blender motor Power(kw):1.68 Volts(V):220V/50Hz 110V/60Hz N/W(kg):5.4 Dimensions(mm):290*190*530 100% copper Capacity: 2.5 L</p>
414	GR-521		<p>Product Name:Blender motor Power(kw):1.68 Volts(V):220V/50Hz 110V/60Hz N/W(kg):5.4 Dimensions(mm):290*190*530 100% copper Capacity: 2.5 L / 4L</p>
415	GR-1280		<p>Product Name: Soundproof Blender with Cover motor Power(w):1680 Volts(V):220V/50Hz 110V/60Hz N/W(kg):5.4 Dimensions(mm):230*230*540 100% copper Capacity: 2.5 L</p>

416	GR-1280C		<p>Product Name: Soundproof Blender with Cover Pannel/ 100% copper motor Capacity: 2.5 L Power(w): 1680 Volts(V):220V/50Hz 110V/60Hz N/W(kg):5.4 Dimensions(mm):230*230*540 size (mm):340*302*598</p> <p style="text-align: right;">Digital Packing Capacity: 2.5 L</p>
417	GR-MS1S		<p>Product Name:Milk Shaker Single Power(kw):0.32 Volts(V):220V/50-60Hz N/W(kg):5.5 Dimensions(mm):185*185*520</p>
418	GR-MS2S		<p>Product Name:Milk Shaker Double Power(kw):0.64 Volts(V):220V/50-60Hz N/W(kg):10 Dimensions(mm):230*230*520</p>
419	GR-813		<p>Name: Milk Tea Machine Power(w):300 Volts(V):220V/50Hz N/W(kg):30 Dimensions(mm):345*375*176MM</p>
420	GR-203		<p>Product Name:Orange Juicer Power(kw):0.18 Volts(V):220 N/W(kg):5 Dimensions(mm):348*245*395</p>
421	GR-SC60		<p>Product Name:Multi-function Juicer Power(kw):0.8 Volts(V):220 N/W(kg):4.8 Dimensions(mm):310*255*420</p>
422	GR-103		<p>Product Name:Manual Juicer Color:Metal</p>

423	GR-107		<p>Product Name:Manual Juicer Color:Orange</p>
424	GR-104		<p>Product Name:Manual Juicer Color:Black</p>
425	GR-S2		<p>Product Name:Half-automatic Bowl Sealer Power(kw):0.35 Volts(V):220V/50Hz Output:300-400cup/h Dimensions(mm):270*380*340</p>
426	GR-D6		<p>Product Name:Half-automatic Cup Sealer Power(kw):0.3 Volts(V):220V/50Hz Output:300-400cup/h Dimensions(mm):230*350*340</p>
427	GR-Q7		<p>Product Name:Full-automatic Cup Sealer Power(kw):0.36 Volts(V):220V/50Hz Output:300-400cup/h Dimensions(mm):282*370*540</p>
428	GR-A5000		<p>Product Name:Stainless Steel Multi-function Juicers N/W(kg):7 Power(kw):0.18 Volts(V):220V/50Hz Output:65~80kg Dimensions(mm):358*220*300</p>
429	GR-A3000		<p>Product Name:Stainless Steel Multi-function Juicers N/W(kg):12 Power(kw):0.37 Volts(V):220V/50Hz Output:80~100kg Dimensions(mm):340*270*360</p>

430	GR-B2000		<p>Product Name:Stainless Steel Multi-function Juicers N/W(kg):19 Power(kw):0.55 Volts(V):220V/50Hz Output:100~120kg Dimensions(mm):430*350*450</p>
431	GR-2000E-2		<p>Product Name:Auto Orange Juicer N/W(kg):40 Power(kw):0.12 Power Supply:220V/50Hz;110V/60Hz Orange Size(mm):40-80(Diameter) Output:20pcs/min Dimensions(mm):400*300*600</p>
432	GR-2000E-4		<p>Product Name:Auto Orange Juicer N/W(kg):55 Power(kw):0.12 Power Supply:220V/50Hz;110V/60Hz Orange Size(mm):40-80(Diameter) Output:20pcs/min Dimensions(mm):400*480*900</p>
433	GR-2000E-3		<p>Product Name:Auto Orange Juicer N/W(kg):43 Power(kw):0.12 Power Supply:220V/50Hz;110V/60Hz Orange Size(mm):40-80(Diameter) Output:20pcs/min Dimensions(mm):420*450*680</p>
434	GR-2000A-1		<p>Product Name:Deluxe Auto Orange Juicer N/W(kg):92 Power(kw):0.37 Power Supply:220V/50Hz;110V/60Hz Orange Size(mm):60-90(Diameter) Output:40-80pcs/min Dimensions(mm):665*500*1760</p>
435	SC-TT		<p>Product Name:Automatic Sugar Cane Juicer Power(kw):0.35 Volts(V):240 N/W(kg):57 Output:300kg/h Dimensions(mm):480*390*600</p>
436	SC-FT		<p>Product Name:Automatic Sugar Cane Juicer Power(kw):1.1 Volts(V):220 N/W(kg):62 Output:300kg/h Dimensions(mm):480*390*770</p>


437	H-S530A H-S540A H-S550A	 <p>+40°C~+75°C</p>	<p>Product Name:H-S5*A Countertop Hot Pastry Showcase(+40~+75°C) Power(W):765 /805 / 845 Layer:2 Capacity(L):115 /155 /200 Weight(kg):90 /115 /120 Dimensions(mm):900*540*790 /1200*540*790 /1500*540*790</p>
438	Q3-0.9 Q3-1.2 Q3-1.5 Q3-1.8 Q3-2.4	 <p>+2°C~+8°C</p>	<p>Product Name:Q3 Cold Deli Freestanding Showcase(+2~+8°C) Power(W):733 /874 / 968 /1145 /1384 Layer: 4 Capacity(L):340 /470 /600 /730 /990 Weight(kg):240 /285 /325 /370/ 460 Dimensions(mm):900*810*1370 /1200*810*1370 1500*810*1370 /1800*810*1370 2400*810*1370</p>
439	C2-380 C2-480 C2-580 C2-680	 <p>+2°C~+8°C</p>	<p>Product Name:C2 Hot&Cold Freestanding Showcase(+2~+8°C) Power(kw):0.73 /0.85 /1.2 /1.4 Volts:220V Dimensions(mm):1200*800*1320 /1500*800*1320 1800*800*1320 /2000*800*1320</p>
440	SFC-480A SFC-580A SFC-680A SFC-780A	 <p>+2°C~+8°C</p>	<p>Product Name:SFC Cold Deli Freestanding Showcase (+2~+8°C) Power(kw):0.48 /0.56 /0.68 /0.78 Volts:220V Dimensions(mm):1200*830*1250 /1500*830*1250 1800*830*1250 /2000*830*1250</p>
441	DBW-1.2 DBW-1.5 DBW-1.8	 <p>-17°C~-22°C</p>	<p>Product Name:Ice Cream Gelato Showcase(-17~-22°C) Power(kw):1.48 /1.56 /2.6 Volts:220V Dimensions(mm):1200*1130*1260 /1500*1130*1260 1800*1130*1260</p>
442	A3-0.9 A3-1.2 A3-1.5 A3-1.8 A3-2.4	 <p>+2°C~+8°C</p>	<p>Product Name:A3 Cold Deli Showcase(+2~+8°C) Power(W):626 /769 /923 /990 /1314 Layer:3 Capacity(L):285 /390 /500 /610 /825 Weight(kg):215 /260 /300 /345 /435 Dimensions(mm):900*680*1200 /1200*680*1200 1500*680*1200/1800*680*1200 2400*680*1200</p>
443	GR-VRX1500		<p>Product Name:Salad Bar Net Capacity(L):5*GN1/4 Climate Rating:32°C Temperature:2~ 8°C Dimensions(mm):1200*335*435</p>

444	GR-VRX1115 GR-VRX1295 GR-VRX1475 GR-VRX1655 GR-VRX1835 GR-VRX2015		Product Name:Salad Bar Power(kw):0.3 N/W(kg):38 /45 /50 /57 /64 /72 Temperature:2~ 8℃ Compressor:Embraco Note(1/3pan):4 /5 /6 / 7 / 8 /9 Dimensions(mm):1115*395*425 /1295*385*425 1475*395*425 /1655*395*425 1835*395*425 /2015*395*425
445	GR-BF5		Product Name:Blast Freezer 5 Layers Voltage(V):220V/50Hz Dimensions(mm):870*850*1260 Size(mm): 700*420*500 400*600*50 Power: 1960W Refrigerant: R404 Air Cooling Inner Container Size(mm): Inner temperature: ~40 ℃
446	GR-BF10		Product Name:Blast Freezer 10 Layers Voltage(V):220V/50Hz Dimensions(mm):870*850*1660 Size(mm): 700*420*920 400*600*50 Power: 1960W R404 Inner Container Size(mm): Inner temperature: ~40 ℃ Refrigerant: Air Cooling
447	GR-C30		Product Name:Mini Fridge N/W(kg):8.3 Power(kw):0.5KWh/24hr Capacity:30L Volts(V):220V/50Hz Temperature:6.5~ 15℃ Dimensions(mm):400*430*428
448	GR-C30G		Product Name:Mini Fridge N/W(kg):11 Power(kw):0.5KWh/24hr Capacity:30L Volts(V):220V/50Hz Temperature:10~ 18℃ Dimensions(mm):400*480*398
449	GR-C226		Product Name: Undercounter Beverage Chiller Single Door Black Color Voltage: 220V/ 50Hz Power: 0.18KW Temperature Range: 0-10 C Capacity: 28L Dimensions(mm):450*540*900
450	GR-C227		Product Name: Undercounter Beverage Chiller Double Door Black Color Voltage: 220V/ 50Hz Power: 0.18KW Temperature Range: 0-10 C Capacity: 58L Dimensions(mm):900*540*900


451	GR-C228		<p>Product Name: Undercounter Beverage Chiller Triple Door Black Color Voltage: 220V/ 50Hz Power: 0.18KW Temperature Range: 0-10 C Capacity: 90L Dimensions(mm):1350*540*900</p>
452	GR-80SM		<p>Product Name:Wine Cooler N/W(kg):65 Power(W):95 Capacity:75bottle Temperature:5~ 22℃ Dimensions(mm):595*600*1260</p>
453	GR-168SM		<p>Product Name:Wine Cooler N/W(kg):93 Power(W):185 Capacity:166bottle Temperature:5~ 22℃ Dimensions(mm):595*680*1800</p>
454	GR-300C		<p>Product Name:Cigar Cooler Capacity:300 Temperature:12~ 22℃ Dimensions(mm):430*450*745</p>
Air cooling			
455	GR-C61A		<p>Product Name:2-door Chiller Voltage(V):220V/50Hz Cooling Method: Temperature:0~5℃ Dimensions(mm):610*700*1970</p>
456	GR-F61A		<p>Product Name:2-door Freezer Voltage(V):220V/50Hz Cooling Method: Air Cooling Temperature:-12~0℃ Dimensions(mm):610*700*1970</p>


457	GR-CF12A		<p>Product Name:4-door Freezer Voltage(V):220V/50Hz Cooling Method: Air Cooling Left room temperature:0~-12℃ Right room temperature:0~-5℃ Dimensions(mm):1220*700*1970</p>
458	GR-CF12A		<p>Product Name:2-door Freezer Voltage(V):220V/50Hz Cooling Method: Air Cooling Left room temperature:0~-12℃ Right room temperature:0~-5℃ Dimensions(mm):1220*700*1970</p>
459	GR-G12A		<p>Product Name:2- glass door Chiller Voltage(V):220V/50Hz Cooling Method: Air Cooling temperature:0~10℃ Dimensions(mm):1220*700*1970</p>
460	GR-CF18A		<p>Product Name:6- door Chiller and Freezer Voltage(V):220V/50Hz Cooling Method: Air Cooling Left 4 room temperature:0~-12℃ Right 2 room temperature:0~-5℃ Dimensions(mm):1840*700*1970</p>
461	GR-FB1200A		<p>Product Name:Worktop Freezer with Back(2 door) Voltage(V):220V/50Hz Cooling Method: Air Cooling Temperature:-12~0℃ Dimensions(mm):1200*760*800+150</p>
462	GR-FB1500A		<p>Product Name:Worktop Freezer with Back(2 door) Voltage(V):220V/50Hz Cooling Method: Air Cooling Temperature:-12~0℃ Dimensions(mm):1500*760*800+150</p>


463	GR-FB1800A		<p>Product Name:Worktop Freezer with Back(2 door) Voltage(V):220V/50Hz Cooling Method: Air Cooling Temperature:-12~0℃ Dimensions(mm):1800*760*800+150</p>
464	GR-CB1200A		<p>Product Name:Worktop Chiller with Back(2 door) Voltage(V):220V/50Hz Cooling Method: Air Cooling Temperature:0~10℃ Dimensions(mm):1200*760*800+150</p>
465	GR-CB1500A		<p>Product Name:Worktop Chiller with Back(2 door) Voltage(V):220V/50Hz Cooling Method: Air Cooling Temperature:0~10℃ Dimensions(mm):1500*760*800+150</p>
466	GR-CB1800A		<p>Product Name:Worktop Chiller with Back(2 door) Voltage(V):220V/50Hz Cooling Method: Air Cooling Temperature:0~10℃ Dimensions(mm):1800*760*800+150</p>
467	GR-G1200A		<p>Product Name:Worktop Chiller(2 glass door) Voltage(V):220V/50Hz Cooling Method: Air Cooling Temperature:0~10℃ Dimensions(mm):1200*760*800+150</p>
468	GR-G1500A		<p>Product Name:Worktop Chiller(2 glass door) Voltage(V):220V/50Hz Cooling Method: Air Cooling Temperature:0~10℃ Dimensions(mm):1500*760*800+150</p>
469	GR-G1800A		<p>Product Name:Worktop Chiller(2 glass door) Voltage(V):220V/50Hz Cooling Method: Air Cooling Temperature:0~10℃ Dimensions(mm):1800*760*800+150</p>


470	GR-3D1200A		<p>Product Name:Three door pig cabinet (Two refrigerated doors on the left, and one refrigerated door on the right.) Voltage(V):220V/50Hz Temperature:0~10/-6~-12℃ Dimensions(mm):1210*710*1930</p>
-----	------------	--	---


Direct Cooling

471	GR-C61		<p>Product Name:Upright Chiller Voltage(V):220V/50Hz Temperature:0~10℃ Dimensions(mm):610*710*1930</p>
-----	--------	---	---

472	GR-F61		<p>Product Name:Upright Freezer Voltage(V):220V/50Hz Temperature:-6~-12℃ Dimensions(mm):610*710*1930</p>
-----	--------	--	---

473	GR-CF12G		<p>Product Name:4-door Fridge and Freezer with 2 glass door Voltage(V):220V/50Hz Cooling Method: Direct Cooling 直冷 Upper temperature:0~10℃ Bottom temperature:0~-12℃ Dimensions(mm):1220*700*1970 备注: 客户如要和图片一样的此款式上玻璃下不锈钢只能做直冷, 客户如果需要做玻璃+不锈钢+风冷 只有是左边玻璃+右边不锈钢</p>
-----	----------	---	---




474	GR-F12		<p>Product Name:4 door Upright Freezer Voltage(V):220V/50Hz Temperature:-6~-12℃ Dimensions(mm):1210*710*1930</p>
-----	--------	---	---

475	GR-C12		<p>Product Name:4 door Upright Chiller Voltage(V):220V/50Hz Temperature:0~10℃ Dimensions(mm):1210*710*1930</p>
-----	--------	---	---







476	GR-C12G		<p>Product Name:2 door Upright Chiller Voltage(V):220V/50Hz Temperature:0~10℃ Dimensions(mm):1210*710*1930</p>
477	GR-C12		<p>Product Name:2 door Upright Chiller Voltage(V):220V/50Hz Temperature:0~10℃ Dimensions(mm):1210*710*1930</p>
478	GR-F12		<p>Product Name:2 door Upright Freezer Voltage(V):220V/50Hz Temperature:-6~-12℃ Dimensions(mm):1210*710*1930</p>
479	GR-CF12		<p>Product Name:4 door Upright Chiller&Freezer Voltage(V):220V/50Hz Temperature:0~10/-6~-12℃ Dimensions(mm):1210*710*1930</p>
480	GR-CF18		<p>Product Name:6 door Upright Chiller&Freezer Voltage(V):220V/50Hz Temperature:0~10/-6~-12℃ Dimensions(mm):1810*710*1930</p>
481	GR-C1800		<p>Product Name:2 door Chiller Voltage(V):220V/50Hz Temperature:5~-5℃ Dimensions(mm):1800*700*850</p>
482	GR-F1200		<p>Product Name:2 door Freezer Voltage(V):220V/50Hz Temperature:-6~-12℃ Dimensions(mm):1200*700*850</p>

483	GR-F1500		<p>Product Name:2 door Freezer Voltage(V):220V/50Hz Temperature:-6~-12℃ Dimensions(mm):1500*700*850</p>
484	GR-F1800		<p>Product Name:2 door Freezer Voltage(V):220V/50Hz Temperature:-6~-12℃ Dimensions(mm):1800*700*850</p>
485	GR-BG1200		<p>Product Name:2 glass door Chiller Voltage(V):220V/50Hz Temperature:5~-5℃ Dimensions(mm):1200*700*850+150</p>
486	GR-BG1500		<p>Product Name:2 glass door Chiller Voltage(V):220V/50Hz Temperature:5~-5℃ Dimensions(mm):1500*700*850+150</p>
487	GR-BG1800		<p>Product Name:2 glass door Chiller Voltage(V):220V/50Hz Temperature:5~-5℃ Dimensions(mm):1800*700*850+150</p>
488	GR-G1200		<p>Product Name:2 glass door Chiller Voltage(V):220V/50Hz Temperature:5~-5℃ Dimensions(mm):1200*700*850</p>

489	GR-G1500		<p>Product Name:2 glass door Chiller Voltage(V):220V/50Hz Temperature:5~-5℃ Dimensions(mm):1500*700*850</p>
490	GR-G1800		<p>Product Name:2 glass door Chiller Voltage(V):220V/50Hz Temperature:5~-5℃ Dimensions(mm):1800*700*850</p>
491	GR-P1500		<p>Product Name:1.5m pizza table (Refrigerate upper and lower, separated in the middle) Voltage(V):220V/50Hz Temperature:5~-5℃ Dimensions(mm):1500*800*850+Salad bar</p>
492	GR-PC1800		<p>Product Name:1.8m pizza table (Refrigerate upper and lower, separated in the middle) Voltage(V):220V/50Hz Temperature:5~-5℃ Dimensions(mm):1800*800*850+Salad bar</p>
493	GR-TC1500		<p>Product Name:1.5m trapezoidal cabinet (Table top refrigerate, box refrigerate) Voltage(V):220V/50Hz Temperature:5~-5℃ Dimensions(mm):1500*800*850+Salad bar</p>
494	GR-TC1800		<p>Product Name:1.8m trapezoidal cabinet (Table top refrigerate, box refrigerate) Voltage(V):220V/50Hz Temperature:5~-5℃ Dimensions(mm):1800*800*851+Salad bar</p>







495	GR-3D1200		<p>Product Name:Three door meat cabinet (Two refrigerated doors on the left, and one refrigerated door on the right.) Voltage(V):220V/50Hz Temperature:0~10/-6~-12℃ Dimensions(mm):1210*710*1930</p>
496	GR-360L1		<p>Product Name:Upright Chiller&Freezer Voltage(V):220V/50Hz Power(W):175 Capacity:0.36m³ Temperature:0~8℃ Dimensions(mm):625*600*2030</p>
497	GR-868L2		<p>Product Name:Upright Chiller&Freezer Voltage(V):220V/50Hz Power(W):360 Capacity:0.868m³ Temperature:0~8℃ Dimensions(mm):1220*680*2100</p>
498	GR-1380L3		<p>Product Name:Upright Chiller&Freezer Volts(V):220V/50Hz Power(W):480 Capacity:1.38m³ Temperature:0~8℃ Dimensions(mm):1825*680*2100</p>
499	GR-60P		<p>Product Name:Ice Maker Productivity(kg):26 Power(W):280/300/360 Volts:220V/50Hz/1N Cooling Type:Air Cooling Dimensions(mm):500*450*800</p>
500	GR-80P GR-120P		<p>Product Name:Ice Maker Productivity(kg):36/55 Power(W):300/360 Volts:220V/50Hz/1N Cooling Type:Air Cooling Dimensions(mm):500*450*800/500*590*890</p>
501	GR-210P GR-280P GR-350P GR-420P		<p>Product Name:Ice Maker Productivity(kg):95/127/160/190 Power(W):580/850/1000/1100 Volts:220V/50Hz/1N Cooling Type:Air Cooling Dimensions(mm):660*685*920 660*830*1718 560*830*1718</p>








502	GR-500P GR-700P GR-1000P		Product Name:Ice Maker Productivity(kg):215/315/455 Power(W):1240/1420/2300 Volts:220V/50Hz/1N Cooling Type:Air Cooling Dimensions(mm): 760*830*1893/	760*830*1893/ 760*830*1893
503	GR-120 GR-160		Product Name:Snowflakes Ice Maker Power(kw):1.6kw/hour Volts(V):220/50HZ Net Weight: 63KG Productivity:220kg/day Dimensions(mm):560*380*500/600*400/560	
504	GR-068F		Product Name:Snowflakes Ice Maker Power(kw):0.3 Volts(V/hZ):220V/50~60Hz N/W(kg):37 Output:60kg/24h Dimensions(mm):520*550*960	
505	GR-098F		Product Name:Snowflakes Ice Maker Power(kw):0.33 Volts(V/hZ):220V/50~60Hz N/W(kg):37 Output:90kg/24h Dimensions(mm):520*550*960	
506	GR-258F		Product Name:Snowflakes Ice Maker Power(kw):0.9 /0.99 Volts(V):220V/50Hz~60Hz N/W(kg):106 /136 Output:250kg/24h 350kg/24h Dimensions(mm):560*830*1765 /560*830*1815	
507	GR-358F		Product Name:Snowflakes Ice Maker Power(kw):0.99 Volts(V):220V/50Hz~60Hz N/W(kg):136 Output: 350kg/24h Dimensions(mm):560*830*1815	
508	GR-301		Product Name: Chocolate Fountain Dimensions(mm):163*163*293	








509	GR-302		<p>Product Name:Chocolate Fountain N/W(kg):3 Power(w):40+25 Dimensions(mm):210*210*550</p>
510	GR-4F		<p>Product Name:Commercial Use 4-layer stainless steel Chocolate Fountain N/W(kg):6 Power(w):200+65 Volts:220V 50Hz/110V 60Hz Temperature Range:0~85℃ Maximum Diameter(cm):33 Maximum Height(cm):60</p>
511	GR-5F		<p>Product Name:Commercial Use 5-layer stainless steel Chocolate Fountain N/W(kg):8 Power(w):215+95 Volts:220V 50Hz/110V 60Hz Temperature Range:0~110℃ Maximum Diameter(cm):37 Maximum Height(cm):80</p>
512	GR-7F		<p>Product Name:Commercial Use 7-layer stainless steel Chocolate Fountain N/W(kg):9 Power(w):215+95 Volts:220V Temperature Range:0~150℃ Maximum Diameter(cm):44 Maximum Height(cm):100</p>
513	GR-5FA		<p>Product Name:Commercial Chocolate Fountain N/W(kg):17 Power(w):498+80 Volts:220V Maximum Diameter(cm):49 Maximum Height(cm):100</p>
514	Chocofairy-10L		<p>Product Name:Chocofairy Power(w):1006 Capacity(L):10 N/W(kg):8 Dimensions(mm):410*280*580</p>
515	Chocofairy-5L		<p>Product Name:Chocofairy Power(w):1006 Capacity(L):5 N/W(kg):7.3 Dimensions(mm):410*280*465</p>

516	GR-109		<p>Product Name:Chocolate Melter N/W(kg):1.4 Power(w):40 Capacity(L):1.25kg Dimensions(mm):230*170*110</p>
517	GR-110		<p>Power: 220V/80W Capacity: 2kg Temperature Range: 30-85C° Weight: 2.5/3KG Dimensions: 350*230*110</p>
518	JD-1S		<p>Product Name:Single Juice Dispenser Capacity(L):8 Dimensions(mm):260*350*550</p>
519	JD-2S		<p>Product Name:Double Juice Dispenser Capacity(L):2*8 Dimensions(mm):520*350*550</p>
520	JD-3S		<p>Product Name:Three Juice Dispenser Capacity(L):3*8 Dimensions(mm):720*350*550</p>
521	JVS-1A		<p>Product Name:Single Cereal Dispenser Capacity(L):3.5 Dimensions(mm):215*240*650</p>
522	JVS-2A		<p>Product Name:Double Cereal Dispenser Capacity(L):2*3.5 Dimensions(mm):335*240*650</p>
523	JVS-3A		<p>Product Name:Three Cereal Dispenser Capacity(L):3*3.5 Dimensions(mm):500*240*650</p>

524	GR-01		Product Name:Coffee Pot Power(w):400 Volts:220V Dimensions(mm):193*260*245
525	GR-02		Product Name:Turkish Coffee Pot Power(w):850 Volts:220V Dimensions(mm):280*130*175
526	GR-80251		Product Name:Smart Tea Machine Power(kw):3 Voltage(V):220 Water Yield:20L/h Dimensions(mm):635*260*660
527	GR-COB10		Product Name:Coffee&Tea Machine Power(kw):1.56/2.6 Voltage(V):110-120V/220-240V N/W(kg):8.8 Dimensions(mm):230*480*520
528	GR-UB288		Product Name:HongKong Red Tea Machine Power(kw):2.1 Capacity(L):1.8 Dimensions(mm):215*350*520
529	GR-YT8(F) GR-YT10(F) GR-YT20(F) GR-YT30(F)		Product Name:Microcomputer Rapid Electric Water Boiler Color:Rose Gold/Black/Silver Voltage:220V Power(kw):2.5 /2.4 /3 /3 Capacity(L):8 /10 /15 /20 Productivity:25 /30 /35 /45 Dimensions(mm):385*260*615 /385*260*635 /385*260*685 /415*260*785
530	GR-CRM3122		Waterbox capacity: 1.7L 2700W 50HZ Weight: 26kg Dimensions(mm): 326*455*522 Power: Voltage : 220V-

531	GR-MK2		<p>2Groups Espresso Coffee Machine Voltage: 220V/50-60HZ Power: 6200W Boiler Capacity: 11L Coffee Extraction Boiler: 1L Body Materail : ABS+304stainless steel Boiler material: Stainless steel Package size: 900*470*1000mm N.W.: 78kg G.W.: 95.8kg</p>
532	LHH- 80251		<p>Smart tea brewing machine Voltage: 220V Power: 3000W Water output: 20L/Hour Size: 635*260*660nn</p>
533	GR-GK2		<p>Smart tea brewing machine Voltage: 220V/50-60HZ Power: 6200W Capacity: 11L Boiler: 1L*2 Stainless Steel Size: 830*400*820mm size: 900*470*1000mm N.W.: 78kg Gross: 95.8kg</p> <p style="text-align: right;">Power: Steam Boiler Coffee Extraction Boiler material: Body Material: ABS Package</p>
534	GR-FT3-2		<p>Mulit Bolier Espresso Coffee Machine Voltage: 220V/50-60Hz Power: 6200W Boiler capacity: 12L Mirco-boiler capacity: 1L*2 Boiler material: Copper Body material: 304 stainless steel+ABS Size: 780*mm N.W.: 78kg G.W.: 95.8kg</p>
535	GR-F1-1		<p>Single Group Espresso Coffee Machine Voltage: 220V/50-60Hz Power: 2400W capacity: 6L Boiler material: Copper Body material: 304 stainless steel+ABS Size: 595*645*600mm Package size: 780*750*800mm N.W.: 53kg G.W.: 66kg</p> <p style="text-align: right;">Power: Boiler</p>
536	GR-F1-2		<p>2Groups Espresso Coffee Machine Voltage: 220V/50-60Hz Power: 3500W Boiler capacity: 12L Boiler material: Copper Body material: 304 stainless steel+ABS Size: 805*645*600mm Package size: 870*710*750mm N.W.: 74kg G.W.: 88kg</p>
537	GR-F3-3		<p>3Groups Espresso Coffee Machine Voltage: 220V/50-60Hz Power: 4200W Boiler capacity: 15L Boiler material: Copper Body material: 304 stainless steel+ABS Size: 1015*645*600mm Package size: 1120*790*790mm N.W.: 95kg G.W.: 110kg</p>

538	GR-LE-1		<p>Single Group Espresso Coffee Machine Voltage: 220V/50-60Hz Power: 2400W Boiler capacity: 6L Boiler material: Copper Body material: 304Stainless steel+baking finishing Size: 460*590*570mm Package size: 590*730*740mm N.W.: 45kg G.W.: 58kg</p>
539	GR-LE-2		<p>2Groups Espresso Coffee Machine Voltage: 220V/50-60Hz Power: 3500W Boiler capacity: 12L Boiler material: Copper Body material: 304Stainless steel+baking finishing Size: 730*590*570mm Package size: 860*740*760mm N.W.: 68kg G.W.: 85kg</p>
540	GR-T1		<p>Single Groups Espresso Coffee Machine Voltage: 220V/50-60Hz Power: 2400W Boiler capacity: 6L Boiler material: Stainless steel Body material: 304Stainless steel+baking finishing Size: 460*590*570mm Package size: 730*590*740mm N.W.: 44kg G.W.: 58kg</p>
541	GR-T2		<p>2Groups Espresso Coffee Machine Voltage: 220V/50-60Hz Boiler capacity: 11L material: Stainless steel 304Stainless steel+baking finishing Package size: 860*740*760mm 58g G.W.: 70kg</p> <p style="text-align: right;">Voltage: 220V/50-60Hz Power: 2400W Boiler capacity: 11L Body material: 304Stainless steel+baking finishing Size: 730*590*570mm N.W.: 58kg G.W.: 70kg</p>
542	GR-T3		<p>3 Groups Espresso Coffee Machine Voltage: 220V/50-60Hz 2400W Boiler material: Stainless steel Body material: 304Stainless steel+baking finishing 930*590*570mm size: 1070*730*760mm</p> <p style="text-align: right;">Power: 2400W Boiler capacity: 15L Size: 930*590*570mm Package size: 1070*730*760mm N.W.: 72 G.W.: 84kg</p>
543	GR-E1		<p>Single Group Espresso Coffee Machine Blue, Black, Yellow, Silver Red Voltage: 220V/50Hz Boiler capacity: 5L Boiler material: Stainless steel 445*525*510mm Rotary pump lue,white,b lack,yellow</p> <p style="text-align: right;">Color: Blue, Black, Yellow, Silver Red Power: 2600W Size: 445*525*510mm Pump: Rotary Color:red,b lack,yellow</p>
544	GR-DZ2		<p>2 Groups Espresso Coffee Machine Voltage: 220V/50-60Hz 3500W Boiler material: Stainless steel Body material: 304Stainless steel+baking finishing Size: 722*520*495mm N.W.: 58kg G.W.: 70kg</p> <p style="text-align: right;">Power: 3500W Boiler capacity: 11L</p>

545	GR-600AB		<p>Product Name:Professional Grinder Machine Power(kw); 0.35 Speed:1350r/min Capacity: 1.2 N/W(kg):12.7 Dimensions(mm):300*210*560</p>
546	GR-740		<p>Product Name:Professional Grinder Machine Power(kw); 0.45 Speed:1400r/min Capacity: 1.5 N/W(kg):14 Dimensions(mm):330*240*640</p>
547	GR-700AC		<p>Product Name:Professional Grinder Machine Power(kw); 0.35 Speed:1350r/min Capacity: 1.2 N/W(kg):11 Dimensions(mm):331*217*586</p>
548	GR-A689W		<p>Product Name:Electric Coffee Grinder(White/Black) Power(kw); 0.15 Capacity: 0.5lb Output: 2.6/g Dimensions(mm):360*220</p>
549	YM8521		<p>Product Name:Manual Coffee Grinder Packing:24pcs/carton</p>
550	YM3505		<p>Product Name:Manual Coffee Grinder Packing:12pcs/carton</p>
551	YM3509		<p>Product Name:Manual Coffee Grinder Packing:8pcs/carton</p>

Remarks:

1, **Payment Terms: 30% advance payment, 70% balance payment before delivery.**

2, **Lead Time: 30 days after order confirmed**

3, **Valid for price list: 30 days**

4, **Packing: Export standard packing with setting cotton foam**

5, Orgin: China

6, Plug: British Plug/ 220V/ 50 HZ

7, Online after-sales service and training provided