


















































LED WORK LIGHT & LED LIGHT BAR

Product Nos	Model	Description	Size (Inch)	Package (pcs)	Color	Picture	Price (\$) pieces
W-01	16W Square work light	1. Voltage: 10-30V DC 2. Waterproof rating: IP 67 3. Light source: Dehao 4. Shell color: black / white	80*75*82 (3.15 inch)	20PCS/CTN 0.45KG/PCS	white		4.3
W-02	24W Square work light	5. Color temperature: 6000K-7000K 6. Material: Die-cast aluminum	80*75*82 (3.15 inch)	20PCS/CTN 0.45KG/PCS	white		4.3
W-03	16W Square work light (embedded)	7. Panel: PMMA (acrylic) 8. Accessories: bracket with screws 9. Light type: spotlight / floodlight	122*92*80 (4.8 inch)	20PCS/CTN 0.48KG/PCS	white		4.3
W-04	24W Square work light (embedded)	10. Life: 30,000 hours	122*92*80 (4.8 inch)	20PCS/CTN 0.48KG/PCS	white		4.3
W-05	72W 5inchs	LED Power: 72W led work light Operating Voltage: DC10-30V Waterproof rate: IP 67 LED Number: 24LED	5 Inch	40PCS/CTNS 0.32KG/PCS	BLUE YELLOW RED WHITE		Normal:3.2 Better:4.4 Yellow/red/blue:5
W-06	60W 20LED Double colors	Features: Power: 60W LED Count: 20PCS high intensity LEDs LED Quantity: 20 Light Color: White Lifespan: Over 30,000 hours Power: 60W	6 inchs	50PCS/CTNS 0.25KG/PCS	white+Yellow		4
W-07	60W 20LED	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	6 inchs	50PCS/CTNS 0.22KG/PCS	white		3.23
W-08	18W 6led	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	6 inchs	50PCS/CTNS 0.22KG/PCS	white		2.76
W-09	SLIM 18W 6led	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	7INCHS	50PCS/CTNS 0.24KG/PCS	white		3.8
W-10	72W 5inchs Double colors	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	5 Inch	40PCS/CTNS 0.3KG/PCS	white+Yellow		6.15
W-11	36W 4inchs Double colors	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	4 inchs	50PCS/CTNS 0.3KG/PCS	5 Styles in one light in your favor: 1. White Beam 2. Yellow Beam 3. White strobe 4. Yellow Strobe 5. White/Yellow		5.38
W-12	120W 7INCHS	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	7INCHS	50PCS/CTNS 0.52KG/PCS	white		5.69
W-13	60W 4 inchs	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	4 inchs	50PCS/CTNS 0.27KG/PCS	white		3.53
W-14	72W 4inchs	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	4 inchs	50PCS/CTNS 0.25KG/PCS	white		Normal:2, 23 Better:3.85
W-15	84W 5 inchs	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	5 Inch	40PCS/CTNS 0.27KG/PCS	white		5.23
W-16	30W 5inchs	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	5 Inch	40PCS/CTNS 0.35KG/PCS	white		5.99
W-17	18W 4inchs	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	4 inchs	50PCS/CTNS 0.25KG/PCS	white		Normal:2.29 Better:3.07
W-18	6 inch 18W 8D Lens LED	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	6 inchs	50PCS/CTNS 0.25KG/PCS	white		3.5
W-19	4inchs 36W Double Side Flash	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	4 inchs	20PCS/CTNS 0.35KG/PCS	white BLUE RED YELLOW With FLASH		6.46
W-20	4inchs 20W	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	4 inchs	50PCS/CTNS 0.27KG/PCS	white BLUE RED YELLOW		4
Side light/warning light/Emergency light	12SMD	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	112*45mm	100pcs/CTNS 0.257KG/SET (2 pieces)	DUAL COLOR & SINGLE COLOR (white/blue/green/yellow/pink/red/ice blue/amber/purple)		3.07
	6SMD	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	112x10x28mm	100pcs/CTNS 0.207KG/SET (2 pieces)	DUAL COLOR & SINGLE COLOR (white/blue/green/yellow/pink/red/ice blue/amber/purple)		2.61
	4SMD	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	86 x 28 x 10mm 3.39 x 1.10 x 0.39"	100pcs/CTNS 0.197KG/SET (2 pieces)	DUAL COLOR & SINGLE COLOR (white/blue/green/yellow/pink/red/ice blue/amber/purple)		2.46
YT-Y18ET	18W work light	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	159.8*45.2*63 (6.3 inch)	40PCS/CTN 0.35KG/PCS	white		2.4
YT-Y27ER	27W Round shape work light	Item Name: LED Car Work Light Operating Voltage: DC 12V-24V LED Qty: 6LEDs Power: 18W(6pcs x 3W) LED Power: 18W(6pcs High Intensity LEDs) Working Voltage: 10-30V DC Waterproof Rate: IP 68 Light Source: 3030 24LED	110*110*48 (4.3 inch)	20PCS/CTN 0.45KG/PCS	white		Normal:2.54 Better:3











YT-Y27ES	27W Square work light	6. Material: Die-cast aluminum 7. Panel: PMMA (acrylic) 8. Accessories: bracket with screws 9. Light type: spotlight / floodlight 10. Life: 30,000 hours	110*110*48 (4.3 inch)	20PCS/CTN 0.45KG/PCS	white		Normal:2.54 Better:3
YT-Y42ER	42W Round shape work light		110*110*55 (4.3 inch)	20PCS/CTN 0.55KG/PCS	white		3.84
YT-Y48ES	48W Square work light		110*110*58 (4.3 inch)	20PCS/CTN 0.65KG/PCS	white		3.84
CS1-ER	51W Spotlight	Yellow/black/red	175*195*65 (7.7 inch)	6PCS/CTN 1.1KG/PCS	white		10.76
CS3-ER	63W Spotlight	Yellow/black/red	175*195*65 (7.7 inch)	6PCS/CTN 1.1KG/PCS	white		17
A1 Model led light bar (Epistar)							\$
YT-A136E	1. Voltage: 10-30V DC	252.2*86.5*78.4mm (7.5 inch)	1.15KG/Per pcs size: 30.5*11.5*11.5cm	10pcs/ctn 62*32*28.5cm 12 kg			10.9
YT-A172E	2. Waterproof rating: IP 67 3. Light source: wafer / light macro (3W)	405.2*86.5*78.4mm (13.5 inch)	1.6KG/Per pcs size: 46.5*11.5*11.5cm	10pcs/ctn 62*46.5*26cm 16.5 kg			21.2
YT-A1120E	4. Shell color: black / white 5. Color temperature: 6000K-7000K	609.2*86.5*78.4mm (21.5 inch)	2.35KG/ pcs size: 66*11.5*11.5cm	6pcs/ctn 68*26*38cm 15.25 kg			29.84
YT-A1180E	6. Material: Aluminum 7. Panel: PMMA (acrylic)	864.2*86.5*78.4mm (31.5 inch)	3.4KG/ pcs size: 92*11.5*11.5cm	4pcs/ctn 94*26*26cm 14.3 kg			45.83
YT-A1240E	8. Accessories: bracket with screws 9. Light type: concentrated / flood / mixed light 10. Life: 30,000 hours	1119.2*86.5*78.4mm (41.5 inch)	4.2kg/pcs size: 118*11.5*11.5cm	4pcs/ctn 120*26*26cm 17.75kg			69.69
YT-A1288E		1249.2*86.5*78.4mm (48inch)	4.8kg/pcs size: 143*11.5*11.5cm	4pcs/ctn 145*26*26cm 20kg			64.6
YT-A1300E		1300.2*86.5*78.4mm (50 inch)	5.1kg/pcs size: 143*11.5*11.5cm	4pcs/ctn 145*26*26cm 21.5kg			69.23
B1 Model led light bar Epistar							\$
YT-B136E	1. Voltage: 10-30V DC	252.2*86.5*78.4mm (7.5 inch)	1.15kg/pcs size: 30.5*11.5*11.5cm	10pcs/ctn 62*32*28.5cm 12 kg			11.38
YT-B172E	2. Waterproof rating: IP 67 3. Light source: Crystal / Dehao (3W)	405.2*86.5*78.4mm (13.5 inch)	1.6kg/pcs size: 46.5*11.5*11.5cm	10pcs/ctn 62*46.5*26cm 16.5 kg			21.23
YT-B1120E	4. Shell color: black / white 5. Color temperature: 6000K-7000K	609.2*86.5*78.4mm (21.5 inch)	2.35kg/pcs size: 66*11.5*11.5cm	6pcs/ctn 68*26*38cm 15.25 kg			29.84
YT-B1180E	6. Material: Aluminum 7. Panel: PMMA (acrylic)	864.2*86.5*78.4mm (31.5 inch)	3.4kg/pcs size: 92*11.5*11.5cm	4pcs/ctn 94*26*26cm 14.3 kg			48.61
YT-B1240E	8. Accessories: bracket with screws 9. Light type: concentrated / flood / mixed light 10. Life: 30,000 hours	1119.2*86.5*78.4mm (41.5 inch)	4.2kg/pcs size: 118*11.5*11.5cm	4pcs/ctn 120*26*26cm 17.75kg			62.76
YT-B1288E		1249.2*86.5*78.4mm (48 inch)	4.8kg/pcs size: 143*11.5*11.5cm	4pcs/ctn 145*26*26cm 20kg			67.2
YT-B1300E		1300.2*86.5*78.4mm (50 inch)	5.1kg/pcs size: 143*11.5*11.5cm	4pcs/ctn 145*26*26cm 21.5kg			69.23
B2 Model led light bar PHILIPS							\$
YT-B236D	1. Voltage: 10-30V DC	252.2*86.5*78.4mm (7.5 inch)	1.15kg/pcs size: 30.5*11.5*11.5cm	10pcs/ctn 62*32*28.5cm 12 kg			11.66
YT-B272D	2. Waterproof rating: IP 67 3. Light source: 3030 lamp beads / Dehao 2525 (3W)	405.2*86.5*78.4mm (13.5 inch)	1.6kg/pcs size: 46.5*11.5*11.5cm	10pcs/ctn 62*46.5*26kg			21.78
YT-B2120D	4. Shell color: black / white 5. Color temperature: 6000K-7000K	609.2*86.5*78.4mm (21.5 inch)	2.35kg/pcs size: 66*11.5*11.5cm	6pcs/ctn 68*26*38cm 15.25 kg			32.61
YT-B2180D	6. Material: Aluminum 7. Panel: PMMA (acrylic)	864.2*86.5*78.4mm (31.5 inch)	3.4kg/pcs size: 92*11.5*11.5cm	4pcs/ctn 94*26*26cm 14.3 kg			54.15
YT-B2240D	8. Accessories: bracket with screws 9. Light type: concentrated / flood / mixed light	1119.2*86.5*78.4mm (41.5 inch)	4.2kg/pcs size: 118*11.5*11.5cm	4pcs/ctn 120*26*26cm			66.46
YT-B2288D		1249.2*86.5*78.4mm (48 inch)	4.8kg size: 143*11.5*11.5cm	4pcs/ctn 145*26*26cm 20kg			76.1
C1 Model led light bar PHILIPS							
YT-C118P		96*73*70mm (3.5 inch)	0.49kg/pcs size: 17*11*10cm	40pcs/ctn 58.5*36*21.5cm 22KG			Normal:2.85 Better:3.38
YT-C136P		162*73*70mm (6.3 inch)	0.92kg/pcs size: 17*11*10cm	20pcs/ctn 58.5*36*21.5cm 19.2KG			5.38
YT-C154P		230*73*70mm (9 inch)	1.32kg/pcs size: 30.5*11.5*11.5	10pcs/ctn 62*32*28.5cm 8KG			8.3
YT-C172P	1. Voltage: 10-30V DC 2. Waterproof rating: IP 67	328*73*70mm (13 inch)	1.7kg/pcs size: 46.5*11.5*11.5	10pcs/ctn 62*46.5*26cm 10.25KG			11.4
YT-C190P	3. Light source: 3030 / Dehao	370*73*70mm (14.5 inch)		pcs/ctn cm KG			14.15

YT-C1108P	2525 (3W) 4. Shell color: black / white 5. Color temperature: 6000K-7000K 6. Material: Aluminum 7. Panel: PC 8. Accessories: bracket with screws 9. Light type: concentrated / flood / mixed light 10. Life: 30,000 hours	431*73*70mm (17 inch)	2.1kg/pcs size: 46.5*11.5*11.5cm	10pcs/ctn 62*46.5*26cm 12.5KG		16.83
YT-C1126P		498*73*70mm (19.5 inch)	2.45kg/pcs size: 66*11.5*11.5cm	6pcs/ctn 68*26*38cm 19KG		20.12
YT-C1144P		575*73*70mm (22.6 inch)	4.1kg/pcs size: 66*11.5*11.5cm	6pcs/ctn 68*26*26cm 21KG		23
YT-C1180P		710*73*70mm (28 inch)	4.8kg/pcs size: 91*11.5*11.5cm	4pcs/ctn 93*26*26cm 21KG		27.53
YT-C1198P		778*73*70mm (30.5 inch)	4kg/pcs size: 92*11.5*11.5	4pcs/ctn 94*26*26cm 16.8KG		32.5
YT-C1234P		915*73*70mm (inch)	6.2kg/pcs size: 118*11.5*11.5cm	4pcs/ctn 120*26*26cm 25.8KG		41.1
YT-C1288P		1118*73*70mm (43.5 inch)	5.5kg/pcs size: 118*11.5*11.5cm	4pcs/ctn 120*26*26cm 23KG		53.9

C2 Model led light bar PHILIPS

YT-C218D		96*73*70mm (3.5 inch)	0.49kg/pcs size: 17*11*10cm	40pcs/ctn 58.5*36*21.5cm 22KG/CTN		3.23
YT-C236D		162*73*70mm (6.3inch)	0.92kg/pcs size: 17*11*10cm	20pcs/ctn 58.5*36*21.5cm 19.2KG/CTN		7.1
YT-C254D		230*73*70mm (inch)	1.32kg/pcs size: 30.5*11.5*11.5	10pcs/ctn 62*32*28.5cm 38KG/CTN		9.2
YT-C272D		328*73*70mm (13 inch)	1.7kg/pcs size: 46.5*11.5*11.5cm	10pcs/ctn 62*46.5*26cm 10.25KG/CTN		12.27
YT-C190P		378*73*70mm (14.5inch)	kg/pcs	pcs/ctn cm KG		16.87
YT-C2108D	1. Voltage: 10-30V DC 2. Waterproof rating: IP 67 3. Light source: 3030 / Dehao 2525 (3W) 4. Shell color: black / white 5. Color temperature: 6000K-7000K 6. Material: Aluminum 7. Panel: PC 8. Accessories: bracket with screws 9. Light type: concentrated / flood / mixed light 10. Life: 30,000 hours	431*73*70mm (17 inch)	2.1kg/pcs size: 46.5*11.5*11.5cm	10pcs/ctn 62*46.5*26cm 12.5KG/CTN		19.17
YT-C126D		498*73*70mm (19.5inch)	2.45kg/pcs size: 66*11.5*11.5cm	6pcs/ctn 68*26*38cm 19KG/CTN		23.78
YT-C1144P		575*73*70mm (22.6inch)	4.1kg/pcs size: 66*11.5*11.5cm	6pcs/ctn 68*26*26cm 21KG/CTN		27.61
YT-C2180D		710*73*70mm (28inch)	4.8kg/pcs size: 91*11.5*11.5cm	4pcs/ctn 93*26*26cm 21KG/CTN		32.21
YT-C2198D		778*73*70mm (30.5inch)	4kg/pcs size: 92*11.5*11.5	4pcs/ctn 94*26*26cm 16.8KG/CTN		39.88
YT-C2234D		915*73*70mm (英寸)	6.2kg/pcs size: 118*11.5*11.5cm	4pcs/ctn 120*26*26cm 25.8KG/CTN		42.18
YT-C2288D		1118*73*70mm (43.5 inch)	5.5kg/pcs size: 118*11.5*11.5CM	4pcs/ctn 120*26*26cm 23KG/CTN		55.23

C3 led light bar (仿CREE 10W/pcs)










YT-C320C		113*71*100mm	0.95kg/pcs size: 17*11*10cm	20pcs/ctn 58.5*36*21.5cm 19.2KG/CTN		10.76
YT-C340C		203*71*100mm	1.35kg/pcs size: 30.5*11.5*11.5	10pcs/ctn 62*32*28.5cm 14KG/CTN		23.85
YT-C360C		293*71*100mm	1.85kg/pcs size: 46.5*11.5*11.5cm	10pcs/ctn 62*46.5*26cm 19/CTN		34.61
YT-C380C		383*71*100mm	2.25kg/pcs size: 46.5*11.5*11.5cm	10pcs/ctn 62*46.5*26cm 23KG/CTN		49.23
YT-C3120C	1. Voltage: 10-30V DC 2. Waterproof rating: IP 67 3. Light source: XPES50 lamp beads (10W / piece) 4. Shell color: black / white 5. Color temperature: 6000K-7000K 6. Material: Aluminum 7. Panel: PC 8. Accessories: bracket with screws 9. Light type: concentrated / flood / mixed light 10. Life: 30,000 hours	563*71*100mm	3.3kg/pcs size: 66*11.5*11.5cm	6pcs/ctn 68*26*38cm 20.8KG/CTN		64.61
YT-C3160C		743*71*100mm	4.2kg/pcs size: 92*11.5*11.5	4pcs/ctn 94*26*26cm 17.8KG/CTN		89.23
YT-C3180C		835*71*100mm	单个重量: kg/pcs size: 110mm	装箱数量: pcs/ctn 外包装尺寸: cm 每箱重量: KG		99
YT-C3200C		923*71*100mm	5kg/pcs size: 118*11.5*11.5CM	4pcs/ctn 120*26*26cm 21KG/CTN		110.76
YT-C3240C		1100*71*100mm	单个重量: kg/pcs size: 110mm	装箱数量: pcs/ctn 外包装尺寸: cm 每箱重量: KG		130.76
YT-C3260C		1193*71*100mm	6.5kg size: 143*11.5*11.5CM	4pcs/ctn 145*26*26cm 27KG/CTN		140

单排C4款led light bar (仿CREE5W)

YT-C430C	1. Voltage: 10-30V DC 2. Waterproof rating: IP 67 3. Light source: 3535 lamp beads (5W / piece) 4. Shell color: black / white 5. Color temperature: 6000K-7000K 6. Material: Aluminum 7. Panel: PC 8. Accessories: bracket with screws 9. Light type: concentrated / flood / mixed light 10. Life: 30,000 hours	size:100*42*80mm (7.5 inch)	27.7*11.6*8.3cm	8pcs/ctn 57.4*25.2*18.6cm		10.76
YT-C450C		size:256*42*80mm (10inch)	37.8*11.6*8.3cm	8pcs/ctn 77.5*25.2*18.6cm		21.76
YT-C4100C		size:508*42*80mm (20 inch)	62.9*11.6*8.3cm	4PCS/ctn 64.4*25.2*18.6cm		40.46
YT-C4150C		size:759*42*80mm (30 inch)	88.3*11.6*8.3	4PCS/ctn 90*25.2*18.6cm		60.69
YT-C4200C		size:1010*42*80mm (40 inch)	113.5*11.6*8.3CM	4PCS/ctn 115.5*25.2*18.6cm		79.38
YT-C4250C		size:1262*42*80mm (49.5inch)	138.8*11.6*8.3CM	4PCS/ctn 140.9*25.2*18.6cm		101.15

D3 单排led light bar (Epistar)

120W/180W

YT-D330E		size:156.2*50*65mm (6.2 inch)	27.7*11.6*8.3cm	8pcs/ctn 57.4*25.2*18.6cm		10.76	
YT-D360E	1. Voltage: 10-30V DC 2. Waterproof rating: IP 67	size:211*50*65mm (12.3 inch)	37.8*11.6*8.3cm	8pcs/ctn 77.5*25.2*18.6cm		23.66	
YT-D390E	3. Light source: imitation lumens (5W / piece)	size:66*50*65mm (18.4inch)	62.9*11.6*8.3cm	4Pcs/ctn 64.6*25.2*18.6cm		33.18	
YT-D3120E	4. Shell color: black / white	size:620*50*65mm (24.5 inch)	88.3*11.6*8.3	4pcs/ctn 90*25.2*18.6cm		37.37	
YT-D3150E	5. Color temperature: 6000K-7000K 6. Material: Aluminum	size:775*50*65mm (30.5 inch)	88.3*11.6*8.3	4pcs/ctn 90*25.2*18.6cm		54.53	
YT-D3180E	7. Panel: PC 8. Accessories: bracket with screws	size:928*50*65mm (36.5 inch)	138.8*11.6*8.3CM	4pcs/ctn 140.5*25.2*18.6cm		63.3	
YT-D3210E	9. Light type: concentrated / flood / mixed light 10. Life: 30,000 hours	size:1082*50*65mm (42.6inch)	138.8*11.6*8.3CM	4pcs/ctn 140.5*25.2*18.6cm		75.73	
D4 小单排led light bar (仿Cree3W)							
YT-D418C	1. Voltage: 10-30V DC 2. Waterproof rating: IP 67	size:184*30*45mm (7.2inch)	27.7*11.6*8.3cm	40pcs/ctn 47.4*33.2*17.5cm 14KG/CTN			3.53
YT-D436C	3. Light source: Dehao 2525 (3W / piece)	size:343*30*45mm (13.5 inch)	37.8*11.6*8.3cm	20pcs/ctn 38.2*33.2*17.5cm 12KG/CTN			6.15
YT-D454C	4. Shell color: black / white	size:542*30*45mm (21.5 inch)	62.9*11.6*8.3cm	20Pcs/ctn 54.4*33.2*17.5cm 15KG/CTN			9.23
YT-D472C	5. Color temperature: 6000K-7000K 6. Material: Aluminum	size:660*30*45mm (26inch)	88.3*11.6*8.3	20Pcs/ctn 70.2*33.2*17.5cm 18KG/CTN		12.27	
YT-D490C	7. Panel: PC 8. Accessories: bracket with screws	size:820*30*45mm (32.3 inch)	88.3*11.6*8.3	12Pcs/ctn 85*17*20.5cm 4.8KG/CTN		16.1	
YT-D4108C	9. Light type: concentrated / flood / mixed light 10. Life: 30,000 hours	size:954*30*45mm (37.5 inch)	138.8*11.6*8.3CM	12Pcs/ctn 101*17*20.5cm 12.5KG/CTN		19.17	
YT-D4144C		size:1312*30*45mm (51.5inch)	138.8*11.6*8.3CM	12Pcs/ctn 130*17*20.5cm 18KG/CTN		25.99	

