
Dalian River Lake Fishing Tackle Co.,LTD

Fishing Glow Stick



Name: Emma Li

Email:rlteam2@dlrlfishing.com

Address: No.1, middle 2nd Road, Liaohe, Dalian economic and Technologica
Development Zone.116600

Website: <https://www.dlrlfishing.com/>



1.Product Description

Little girl lightstick

海洋沃的®
Haiyang World
稳定 · 发光时间长 · 亮度强

小女孩发光棒(干粉)

LITTLE GIRL LIGHTSTICK(Dry powder)



HY-G1 $\Phi 3.0 \times 25 \text{mm} / 2 \text{PCS}$

HY-G2 $\Phi 4.5 \times 37 \text{mm} / 2 \text{PCS}$



神奇发光棒 (干粉)

MAGIC LIGHTSTICK(Dry powder)



HY-M1 $\Phi 3.0 \times 25 \text{mm} / 2 \text{PCS}$

HY-M2 $\Phi 4.5 \times 37 \text{mm} / 2 \text{PCS}$






Japanese diamond lightstick

Steady · Long lasting · Strong luminance

Haiyang World®
glostick

日文钻石发光棒(干粉)

DIAMOND LIGHTSTICK(Dry powder)



- | | |
|-------|----------------|
| HY-J1 | Φ2.0x20mm/2PCS |
| HY-J2 | Φ2.2x20mm/2PCS |
| HY-J3 | Φ2.5x20mm/2PCS |
| HY-J4 | Φ3.0x25mm/2PCS |
| HY-J5 | Φ3.5x30mm/2PCS |
| HY-J6 | Φ4.0x37mm/2PCS |
| HY-J7 | Φ4.5x37mm/2PCS |
| HY-J8 | Φ6.0x50mm/2PCS |
| HY-J9 | Φ7.5x75mm/1PC |





Five pcs per bag lightstick

Steady · Long lasting · Strong luminance

Haiyang World[®]
glustick

五只装发光棒 (干粉)

FIVE PCS PER BAG (Dry powder)



- HY-F1 $\Phi 3.0 \times 25 \text{mm} / 5 \text{PCS}$
- HY-F2 $\Phi 3.5 \times 30 \text{mm} / 5 \text{PCS}$
- HY-F3 $\Phi 4.5 \times 37 \text{mm} / 5 \text{PCS}$





English Diamond Lightstick

海洋沃的®
Haiyang World

稳定 · 发光时间长 · 亮度强

英文钻石发光棒(干粉)
ENGLISH DIAMOND LIGHTSTICK(Dry powder)

		HY-ZS1	Φ3.0x20mm / 2 PCS
		HY-ZS2	Φ3.0x25mm / 2 PCS
		HY-ZS3	Φ3.5x30mm / 2 PCS
		HY-ZS4	Φ4.5x37mm / 2 PCS
	RED	HY-R-ZS1	Φ4.5x37mm / 2 PCS
	RED	HY-R-ZS2	Φ3.0x25mm / 2 PCS



Classical lightstick

Steady · Long lasting · Strong luminance

Haiyang World[®]
glostick

经典发光棒(干粉)

CLASSICAL LIGHTSTICK(Dry powder)



- | | |
|-------|----------------|
| HY-C1 | Φ3.0x25mm/2PCS |
| HY-C2 | Φ3.5x30mm/2PCS |
| HY-C3 | Φ4.0x37mm/2PCS |
| HY-C4 | Φ4.5x37mm/2PCS |





U Series Lightstick

海洋沃的®
Haliyang World

稳定 · 发光时间长 · 亮度强

U型发光棒 (干粉)

U SERIES LIGHTSTICK(Dry powder)

HY-U-L Φ 2.9-2.4mm/1PC
HY-U-2L Φ 3.5-3.0mm/1PC
HY-U-3L Φ 4.1-3.6mm/1PC








Bulb Lightstick

Steady · Long lasting · Strong luminance **Haiyang World®**
glostick

灯泡发光棒(干粉)

BULB LIGHTSTICK(Dry powder)



HY-Q1 $\Phi 3.0 \times 25 \text{mm}$ / 2 PCS



HY-Q2 $\Phi 4.5 \times 37 \text{mm}$ / 2 PCS



HY-D1 $\Phi 3.0 \times 25 \text{mm}$ / 2 PCS






2. Product Information

Type	Fishing Light Stick
Material	Eco-friendly PE
Product Compositions	Polyvinyl chloride plastic pipe 50%
	Oxalate 20%
	Dimethyl phthalate 30%
Glowing Time	12 Hours
Direction	Crumb the pellet in the tube put it on the float pole end and the parts under the water
Preservation Method	Keep out of the sun for 18 months
Notice	<ol style="list-style-type: none">1.If there is liquid spilled from the tube and splashed on the skin, wash it with clean water.2.Not suitable for children under 36months due to choking hazard.

3.Production Process



Special instructions: Our factory has a special workshop for making glass tubes. A series of processes, from pipe making to batching and packaging, are completed by the factory itself. There is no need for external procurement, which can save costs and enhance quality control. Other manufacturers do not have glass tube production workshops, so



materials need to be purchased and wholesale by ton, resulting in less charge and short luminescence time. Our factory products are full of materials, mature formula, packaging exquisite, to bring you a wonderful fishing experience!

4.About Us



Company Profile

Dalian River Lake Fishing Tackle Co.,Ltd. is an enterprise integrating R&D, design, production and sales. We have nearly 10 years of successful experience in online trading. Our products sell well in North America, South America, Europe, Australia, Southeast Asia and other countries and regions. Advanced production equipment, professional r & D team, so that we in the industry both price and product performance are very competitive.

Our certificate

