

上海川奔电动工具有限公司

SHANGHAI CHUANBEN POWER TOOLS CO., LTD.

Catalogue2015/2016



川奔精品工具

Professional power tools



品质承载未来



免费加盟热线

400-6388-010

地址:上海市松江区中山中路219-229号

电话/传真:021-39651428

手机:013506797545

Http://www.chuanbentools.com

E-mail:sales@chuanbentools.com

制造商:浙江省永康市川奔电动工具有限公司

地址:浙江省永康市城西工业区

电话:0579-87071255

传真:0579-87071535



Electric Drill



Mod.6010A

J1Z-CB-10 电钻

钻孔直径/Drill Capacity: ϕ 10mm
空载转速/No-Load Speed: 0-2800r/min
输入功率/Rated Input Power: 500W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Drill



Mod.61006

J1Z-CB-10 电钻

钻孔直径/Drill Capacity: ϕ 10mm
空载转速/No-Load Speed: 0-2800r/min
输入功率/Rated Input Power: 600W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Drill



Mod.6010B

J1Z-CB-10 电钻

钻孔直径/Drill Capacity: ϕ 10mm
空载转速/No-Load Speed: 0-3000r/min
输入功率/Rated Input Power: 600W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Drill



Mod.60013

Mod.60010

J1Z-CB-10 电钻

钻孔直径/Drill Capacity: ϕ 10/13mm
空载转速/No-Load Speed: 0-3100r/min
输入功率/Rated Input Power: 750W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Drill



Mod.61010

J1Z-CB-10 电钻

钻孔直径/Drill Capacity: ϕ 10mm
空载转速/No-Load Speed: 0-2800r/min
输入功率/Rated Input Power: 550W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Drill



Mod.62010

J1Z-CB-10 电钻

钻孔直径/Drill Capacity: ϕ 10mm
空载转速/No-Load Speed: 0-2900r/min
输入功率/Rated Input Power: 580W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Drill



Mod.63010

J1Z-CB-10 电钻

钻孔直径/Drill Capacity: ϕ 10mm
空载转速/No-Load Speed: 0-3100r/min
输入功率/Rated Input Power: 710W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Drill



Mod.64010

J1Z-CB-10 电钻

钻孔直径/Drill Capacity: ϕ 10mm
空载转速/No-Load Speed: 0-3100r/min
输入功率/Rated Input Power: 710W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Drill



Mod.65010

J1Z-CB-10 电钻

钻孔直径/Drill Capacity: ϕ 10mm
空载转速/No-Load Speed: 0-2800r/min
输入功率/Rated Input Power: 650W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Drill



Mod.66010

J1Z-CB-10 电钻

钻孔直径/Drill Capacity: ϕ 10mm
空载转速/No-Load Speed: 0-3100r/min
输入功率/Rated Input Power: 750W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Drill



Mod.68010

J1Z-CB-10 电钻

钻孔直径/Drill Capacity: ϕ 10mm
空载转速/No-Load Speed: 0-3100r/min
输入功率/Rated Input Power: 750W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Impact Drill



Mod.61013

J1Z-CB-13 冲击钻

钻孔直径/Drill Capacity: ϕ 13mm
空载转速/No-Load Speed: 0-3100r/min
输入功率/Rated Input Power: 800W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Drill

Mod.61113

J1Z-CB-13 电钻

钻孔直径/Drill Capacity: ϕ 13mm
 空载转速/No-Load Speed: 550r/min
 输入功率/Rated Input Power: 860W
 额定电压/Rated Voltage: 110/220V~
 额定频率/Rated Frequency: 50/60Hz



Electric Drill

Mod.61213

J1Z-CB-13 电钻

钻孔直径/Drill Capacity: ϕ 13mm
 空载转速/No-Load Speed: 550r/min
 输入功率/Rated Input Power: 650W
 额定电压/Rated Voltage: 110/220V~
 额定频率/Rated Frequency: 50/60Hz



Electric Drill

Mod.61016

J1Z-CB-16 电钻

钻孔直径/Drill Capacity: ϕ 16mm
 空载转速/No-Load Speed: 850r/min
 输入功率/Rated Input Power: 1200W
 额定电压/Rated Voltage: 110/220V~
 额定频率/Rated Frequency: 50/60Hz



Electric Drill

Mod.61019

J1Z-CB-19 电钻

钻孔直径/Drill Capacity: ϕ 19mm
 空载转速/No-Load Speed: 330r/min
 输入功率/Rated Input Power: 1000W
 额定电压/Rated Voltage: 110/220V~
 额定频率/Rated Frequency: 50/60Hz



Electric Mixer

Mod.61130

J1Z-CB-12 搅拌机

搅拌杆直径/Whisk shaft: ϕ 12mm
 空载转速/No-Load Speed: 0-550r/min
 输入功率/Rated Input Power: 950W
 额定电压/Rated Voltage: 110/220V~
 额定频率/Rated Frequency: 50/60Hz



Electric Polisher

Mod.72180

S1P-CB-180 抛光机

最大圆片直径/Max Disc Diameter: ϕ 180mm
 空载转速/No-Load Speed: 500-3000r/min
 输入功率/Rated Input Power: 1650W
 额定电压/Rated Voltage: 110/220V~
 额定频率/Rated Frequency: 50/60Hz



Electric Polisher

Mod.73180

S1P-CB-180 抛光机

最大圆片直径/Max Disc Diameter: ϕ 180mm
 空载转速/No-Load Speed: 500-3000r/min
 输入功率/Rated Input Power: 1400W
 额定电压/Rated Voltage: 110/220V~
 额定频率/Rated Frequency: 50/60Hz



Angle Grinder

Mod.9523A 长/短柄

S1M-CB-100 角向磨光机

最大直径/Max Disc Diameter: ϕ 100mm
 圆片孔径/Hole Diameter of Disc: 16mm
 空载转速/No-Load Speed: 11000r/min
 输入功率/Rated Input Power: 700W
 额定电压/Rated Voltage: 110/220V~
 额定频率/Rated Frequency: 50/60Hz



Angle Grinder

Mod.70100

S1M-CB-100 角向磨光机

最大直径/Max Disc Diameter: ϕ 100mm
 圆片孔径/Hole Diameter of Disc: 16mm
 空载转速/No-Load Speed: 11000r/min
 输入功率/Rated Input Power: 680W
 额定电压/Rated Voltage: 110/220V~
 额定频率/Rated Frequency: 50/60Hz



Angle Grinder

Mod.72100

S1M-CB-100 角向磨光机

最大直径/Max Disc Diameter: ϕ 100mm
 圆片孔径/Hole Diameter of Disc: 16mm
 空载转速/No-Load Speed: 11000r/min
 输入功率/Rated Input Power: 850W
 额定电压/Rated Voltage: 110/220V~
 额定频率/Rated Frequency: 50/60Hz



Angle Grinder

Mod.73100

S1M-CB-100 角向磨光机

最大直径/Max Disc Diameter: ϕ 100mm
 圆片孔径/Hole Diameter of Disc: 16mm
 空载转速/No-Load Speed: 11000r/min
 输入功率/Rated Input Power: 850W
 额定电压/Rated Voltage: 110/220V~
 额定频率/Rated Frequency: 50/60Hz



Angle Grinder

Mod.74100

S1M-CB-100 角向磨光机

最大直径/Max Disc Diameter: ϕ 100mm
 圆片孔径/Hole Diameter of Disc: 16mm
 空载转速/No-Load Speed: 11000r/min
 输入功率/Rated Input Power: 850W
 额定电压/Rated Voltage: 110/220V~
 额定频率/Rated Frequency: 50/60Hz



Angle Grinder



Mod.75100

S1M-CB-100 角向磨光机

最大直径/Max Disc Diameter: ϕ 100mm
圆片孔径/Hole Diameter of Disc: 16mm
空载转速/No-Load Speed: 11000r/min
输入功率/Rated Input Power: 760W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Angle Grinder



Mod.76100A

S1M-CB-100 角向磨光机

最大直径/Max Disc Diameter: ϕ 100mm
圆片孔径/Hole Diameter of Disc: 16mm
空载转速/No-Load Speed: 11000r/min
输入功率/Rated Input Power: 760W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Angle Grinder



Mod.7-100

S1M-CB-100 角向磨光机

最大直径/Max Disc Diameter: ϕ 100mm
圆片孔径/Hole Diameter of Disc: 16mm
空载转速/No-Load Speed: 11000r/min
输入功率/Rated Input Power: 850W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Angle Grinder



Mod.78100

S1M-CB-100 角向磨光机

最大直径/Max Disc Diameter: ϕ 100mm
圆片孔径/Hole Diameter of Disc: 16mm
空载转速/No-Load Speed: 11000r/min
输入功率/Rated Input Power: 760W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Angle Grinder



Mod.70125

S1M-CB-125 角向磨光机

最大直径/Max Disc Diameter: ϕ 125mm
圆片孔径/Hole Diameter of Disc: 22mm
空载转速/No-Load Speed: 8500r/min
输入功率/Rated Input Power: 1400W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Angle Grinder



Mod.70150

S1M-CB-150 角向磨光机

最大直径/Max Disc Diameter: ϕ 150mm
圆片孔径/Hole Diameter of Disc: 22mm
空载转速/No-Load Speed: 7000r/min
输入功率/Rated Input Power: 1400W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Angle Grinder



Mod.71180

S1M-CB-180 角向磨光机

最大直径/Max Disc Diameter: ϕ 180mm
圆片孔径/Hole Diameter of Disc: 22mm
空载转速/No-Load Speed: 6500r/min
输入功率/Rated Input Power: 2000W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Rotary Hammer



Mod.80020

Z1C-CB-20 电锤

钻孔直径/Drill Capacity: ϕ 20mm
空载转速/No-Load Speed: 1000r/min
输入功率/Rated Input Power: 750W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Rotary Hammer



Mod.80024

Z1C-CB-24 电锤

钻孔直径/Drill Capacity: ϕ 24mm
空载转速/No-Load Speed: 1000r/min
输入功率/Rated Input Power: 850W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Rotary Hammer



Mod.80026A

Z1C-CB-26 电锤

钻孔直径/Drill Capacity: ϕ 26mm
空载转速/No-Load Speed: 1000r/min
输入功率/Rated Input Power: 1000W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Rotary Hammer



Mod.80026

Z1C-CB-26 电锤

钻孔直径/Drill Capacity: ϕ 26mm
空载转速/No-Load Speed: 850r/min
输入功率/Rated Input Power: 960W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Rotary Hammer



Mod.80126

Z1C-CB-26 电锤

钻孔直径/Drill Capacity: ϕ 26mm
空载转速/No-Load Speed: 850r/min
输入功率/Rated Input Power: 960W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Rotary Hammer

Mod.80226

Z1C-CB-26 电锤

钻孔直径/Drill Capacity: ϕ 26mm
空载转速/No-Load Speed: 850r/min
输入功率/Rated Input Power: 1000W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Rotary Hammer

Mod.80226A

Z1C-CB-26 电锤

钻孔直径/Drill Capacity: ϕ 26mm
空载转速/No-Load Speed: 850r/min
输入功率/Rated Input Power: 1000W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Rotary Hammer

Mod.80326

Z1C-CB-26 电锤

钻孔直径/Drill Capacity: ϕ 26mm
空载转速/No-Load Speed: 850r/min
输入功率/Rated Input Power: 1000W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Rotary Hammer

Mod.80230

Z1C-CB-26 电锤

钻孔直径/Drill Capacity: ϕ 30mm
空载转速/No-Load Speed: 850r/min
输入功率/Rated Input Power: 1000W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Demolition Hammer

Mod.80040

Z1C-CB-38 电锤

钻孔直径/Drill Capacity: ϕ 40mm
空载转速/No-Load Speed: 400r/min
输入功率/Rated Input Power: 1600W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Demolition Hammer

Mod.80810

Z1G-CB-38 电镐

锤击次数/Max Impact pastes: 3500min⁻¹
输入功率/Rated Input Power: 1200W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Demolition Hammer

Mod.80811

Z1G-CB-38 电镐

锤击次数/Max Impact pastes: 3000min⁻¹
输入功率/Rated Input Power: 1300W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Demolition Hammer

Mod.80845

Z1G-CB-45 电镐

锤击次数/Max Impact pastes: 3000min⁻¹
输入功率/Rated Input Power: 1400W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Demolition Hammer

Mod.80065

Z1G-CB-65 电镐

锤击次数/Max Impact pastes: 1400r/min⁻¹
输入功率/Rated Input Power: 2000W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Demolition Hammer

Mod.80085

Z1G-CB-85 电镐

锤击次数/Max Impact pastes: 1600r/min⁻¹
输入功率/Rated Input Power: 2400W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Marble Cutter

Mod.6261A

Z1E-CB-110 石材切割机

锯片直径/Blade Diameter: ϕ 110mm
空载转速/No-Load Speed: 13500r/min
输入功率/Rated Input Power: 1400W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Marble Cutter

Mod.6261A-1

Z1E-CB-110 石材切割机

锯片直径/Blade Diameter: ϕ 110mm
空载转速/No-Load Speed: 13000r/min
输入功率/Rated Input Power: 1400W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Marble Cutter

Mod.6261B

Z1E-CB-110 石材切割机

锯片直径/Blade Diameter: ϕ 110mm
空载转速/No-Load Speed: 13000r/min
输入功率/Rated Input Power: 1400W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Marble Cutter

Mod.6261C

Z1E-CB-110 石材切割机

锯片直径/Blade Diameter: ϕ 110mm
空载转速/No-Load Speed: 13500r/min
输入功率/Rated Input Power: 1300W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Marble Cutter

Mod.6261E

Z1E-CB-110 石材切割机

锯片直径/Blade Diameter: ϕ 110mm
空载转速/No-Load Speed: 13500r/min
输入功率/Rated Input Power: 1400W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Marble Cutter

Mod.6261F

Z1E-CB-110 开槽机

锯片直径/Blade Diameter: ϕ 110mm
空载转速/No-Load Speed: 5700r/min
输入功率/Rated Input Power: 1500W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Circular Saw

Mod.52185

M1Y-CB-185 电圆锯

锯片直径/Blade Diameter: ϕ 185mm
空载转速/No-Load Speed: 5500r/min
输入功率/Rated Input Power: 1350W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Circular Saw

Mod.53185

M1Y-CB-185 电圆锯

锯片直径/Blade Diameter: ϕ 185mm
空载转速/No-Load Speed: 5500r/min
输入功率/Rated Input Power: 1350W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Circular Saw

Mod.50235

M1Y-CB-235 电圆锯

锯片直径/Blade Diameter: ϕ 235mm
空载转速/No-Load Speed: 4100r/min
输入功率/Rated Input Power: 1800W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Circular Saw

Mod.50255

M1Y-CB-255 台锯

锯片直径/Blade Diameter: ϕ 255mm
空载转速/No-Load Speed: 5500r/min
输入功率/Rated Input Power: 2280W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Sander

Mod.4510

S1B-CB-110x100 砂光机

垫子尺寸/Pad Size: 110x100mm
空载转速/No-Load Speed: 12000r/min
输入功率/Rated Input Power: 220W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Sander

Mod.9035

S1B-CB-93x185 砂光机

垫子尺寸/Pad Size: 93x185mm
空载转速/No-Load Speed: 12000r/min
输入功率/Rated Input Power: 300W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Jig Saw

Mod.5065

M1Q-CB-65 曲线锯

切割能力/Cutting Capacity: ϕ 65mm
空载转速/No-Load Speed: 500-3100r/min
输入功率/Rated Input Power: 750W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Jig Saw

Mod.5285

M1Q-CB-85 曲线锯

切割能力/Cutting Capacity: ϕ 85mm
空载转速/No-Load Speed: 500-3000r/min
输入功率/Rated Input Power: 850W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz




Trimmer

Mod.3701

M1P-CB-6 修边机

夹头直径/Max Outer-die: ϕ 6mm
空载转速/No-Load Speed: 30000r/min
输入功率/Rated Input Power: 600W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Trimmer

Mod.3703

M1P-CB-6 修边机

夹头直径/Max Outer-die: ϕ 6mm
空载转速/No-Load Speed: 30000r/min
输入功率/Rated Input Power: 600W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Die Grinder

Mod.6031

S1J-CB-3 模具电磨

夹头直径/Max Outer-die: ϕ 3mm
空载转速/No-Load Speed: 0-28000r/min
输入功率/Rated Input Power: 320W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Die Grinder

Mod.6062

S1J-CB-6 模具电磨

锯片直径/Blade Diameter: ϕ 6mm
空载转速/No-Load Speed: 500-28000r/min
输入功率/Rated Input Power: 550W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Mod.6025A

Die Grinder

Mod.6025

S1J-CB-25 模具电磨

锯片直径/Blade Diameter: ϕ 25mm
空载转速/No-Load Speed: 25000r/min
输入功率/Rated Input Power: 650W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Vibrator

Mod.635

Z1D-CB-35 振动器

插孔直径/Jack Diameter: ϕ 35mm
空载转速/No-Load Speed: 13000r/min
输入功率/Rated Input Power: 1000W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Router

Mod.3612

M1R-CB-12 雕刻机

刀头直径/Chuck Diameter: ϕ 12mm
空载转速/No-Load Speed: 23000r/min
输入功率/Rated Input Power: 2000W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Blower

Mod.9016

Q1B-CB-25 吸吹风机

风量/Conducting Length: 2.8m³/min
空载转速/No-Load Speed: 16000r/min
输入功率/Rated Input Power: 500W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Blower

Mod.9216

Q1B-CB-25 吸吹风机

风量/Conducting Length: 2.8m³/min
空载转速/No-Load Speed: 0-16000r/min
输入功率/Rated Input Power: 750W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Blower

Mod.9116

Q1B-CB-35 吸吹风机

风量/Conducting Length: 3.5m³/min
空载转速/No-Load Speed: 0-13000r/min
输入功率/Rated Input Power: 850W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Planer

Mod.3182

M1B-CB-82x1 电刨

刨刀宽度/Width Of Cutter: 82mm
空载转速/No-Load Speed: 15000r/min
输入功率/Rated Input Power: 720W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Planer

Mod.3282

M1B-CB-82x1 电刨

刨刀宽度/Width Of Cutter: 82mm
空载转速/No-Load Speed: 15000r/min
输入功率/Rated Input Power: 850W
额定电压/Rated Voltage: 110/ 220V~
额定频率/Rated Frequency: 50/60Hz



Electric Planer

Mod.3190

M1B-CB-90x2 电刨

刨刀宽度/Width Of Cutter: 90mm
 空载转速/No-Load Speed: 16000r/min
 输入功率/Rated Input Power: 1000W
 额定电压/Rated Voltage: 110/ 220V~
 额定频率/Rated Frequency: 50/60Hz



Electric Sander

Mod.9901

S1B-CB-76x533 砂带机

砂带尺寸/Sade Size: 76x533mm
 空载转速/No-Load Speed: 500r/min
 输入功率/Rated Input Power: 1000W
 额定电压/Rated Voltage: 110/ 220V~
 额定频率/Rated Frequency: 50/60Hz



Electric Sander

Mod.9902

S1B-CB-110x610 砂带机

砂带尺寸/Sade Size: 110x610mm
 空载转速/No-Load Speed: 500r/min
 输入功率/Rated Input Power: 1200W
 额定电压/Rated Voltage: 110/ 220V~
 额定频率/Rated Frequency: 50/60Hz



Chain Saw

Mod.5016

M1R-CB-405 电链锯

切割长度/Cutteng Length: 405mm
 空载转速/No-Load Speed: 400r/min
 输入功率/Rated Input Power: 2800W
 额定电压/Rated Voltage: 110/ 220V~
 额定频率/Rated Frequency: 50/60Hz



Chain Saw

Mod.6018

M1R-CB-400 电链锯

切割长度/Cutteng Length: 400mm
 空载转速/No-Load Speed: 400r/min
 输入功率/Rated Input Power: 2800W
 额定电压/Rated Voltage: 110/ 220V~
 额定频率/Rated Frequency: 50/60Hz



Chain Saw

Mod.7016

M1R-CB-405 电链锯

切割长度/Cutteng Length: 405mm
 空载转速/No-Load Speed: 400r/min
 输入功率/Rated Input Power: 2800W
 额定电压/Rated Voltage: 110/ 220V~
 额定频率/Rated Frequency: 50/60Hz



Chain Saw

Mod.4500/5200

汽油锯

导板长度/Bar Length: 20"
 切割长度/Cutteng Length: 450mm
 排量/Engine Displacement: 45cc/52cc
 额定功率/Rated Output Power: 3.0KW
 怠速/Iding Sspeed: 2600rpm



Cut-off Machine

Mod.83551

J1G-CB-355 型材切割机

锯片直径/Blade Diameter: ϕ 355mm
 空载转速/No-Load Speed: 3800r/min
 输入功率/Rated Input Power: 2200W
 额定电压/Rated Voltage: 110/ 220V~
 额定频率/Rated Frequency: 50/60Hz



Cut-off Machine

Mod.83552

J1G-CB-355 型材切割机

锯片直径/Blade Diameter: ϕ 355mm
 空载转速/No-Load Speed: 3800r/min
 输入功率/Rated Input Power: 2200W
 额定电压/Rated Voltage: 110/ 220V~
 额定频率/Rated Frequency: 50/60Hz



Cut-off Machine

Mod.83553

J1G-CB-355 型材切割机

锯片直径/Blade Diameter: ϕ 355mm
 空载转速/No-Load Speed: 3700r/min
 输入功率/Rated Input Power: 2500W
 额定电压/Rated Voltage: 110/ 220V~
 额定频率/Rated Frequency: 50/60Hz



Miter Saw

Mod.82551

J1L-CB-255 锯铝机

锯片直径/Blade Diameter: ϕ 255mm
 空载转速/No-Load Speed: 4800r/min
 输入功率/Rated Input Power: 2000W
 额定电压/Rated Voltage: 110/ 220V~
 额定频率/Rated Frequency: 50/60Hz



Miter Saw

Mod.82552

J1G-CB-355 型材切割机

锯片直径/Blade Diameter: ϕ 255mm
 空载转速/No-Load Speed: 4800r/min
 输入功率/Rated Input Power: 2200W
 额定电压/Rated Voltage: 110/ 220V~
 额定频率/Rated Frequency: 50/60Hz

