



Canca

2017

PRODUCT CATALOGUE

EXCELLENT DESIGN, EXTRAORDINARY QUALITY



CANCA HI-TECH PARK



COMPANY ENVIRONMENT

Creating World-class Enterprise
Building World-renowned Brand

COMPANY PROFILE



Chinese export brand for priority cultivation and development



Top 10 brand for television China



Green Achievement Award Energy Star



National level of energy efficiency standards



Energy-efficiency star



Established in 1996, CANCA is a national key hi-tech enterprise which located in the National Famous Historic City and Famous Hometown of Overseas Chinese, Chaozhou. Involving in research and production, sales and service for high-end color television, CANCA also works on multiple developments in microelectronic and photoelectron including assembly and testing for semiconductor integrated circuit and high power transistor, chip development, research and manufacture in Satellite navigation civilian terminal.

CANCA insists that quality is the foundation of the brand, during these years, it keep to innovation in order to improve the quality of the products. The whole company is operated according to the ISO9001 Quality Control System and ISO14001 Environment Management System. In the efforts of all staffs, CANCA has established the sales network all over China and has exported its products to some developed areas including Europe, America, Middle East and Oceania, bringing widespread high praise of consumers and a number of awards. For example, it was awarded 10 Chinese Annual Brand (Home Appliance) in World Market by the World Productivity Congress Top , awarded Chinese Export Brand for Priority Cultivation and Development by the national commerce ministry, awarded Top Innovation of the Flat Panel TV Industry by China Video Industry Association, awarded Energy-Efficiency Star and Green Achievement Award Energy Star by China Ministry of Industry and Information Technology, awarded AAA Grade Credit Customer and Golden Customer by Agricultural Bank of China, etc. Moreover, CANCA TV has obtained a series of national and international authoritative certificates such as CCC, CE, CB, SASO, which attributes to its high technology content, high quality and high level.

As ever, based on the principle Produce best products for consumers, offer best space for customers, Create best environment for employees, CANCA will persevere in development and innovation and persist in the management idea that business comes from diligence and lays root in sincerity and credit. By continuously enhancing the market competition ability and improving domestic and overseas cooperation, CANCA is working towards its long-term aim: to become an international top enterprise and famous brand.



Contents

New Launching TV	ECS88M	06-09
	AM76 (DT28)	10
	ECS22A (DT30)	11
	TO5P	12-13
SMART TV	ECS10A (DT20)	14
	ECS11A (DT20B)	14
LED TV	HZE9500 MG17 (ET7)	15
	HZE9500 MG17 (ET7)	15
	HZE9500 MG16 (ET5)	15
	HZE9500 MG17 (ET24)	15
	HME5000 CP64 (ET27)	15
	HME5000 CP62 (ET23)	15
4K TV	HZE9500 MG17 (DT29)	16
	HZE9500 MG18 (DT26)	16
	HZE9500 MG19 (DT18)	16
	HZE9500 MG18 (DT25)	17
LED/LCD TV	HDSL 50M	18
	HDSL 66M	18
	HDSL 80M	19
	HDSL 99M	19
Intelligent Toilet Seat Cover	Products Feature List	20-22
	Loading Quantity	23

4K definition 85 Inch

Bring you super scope experience

CANCA 4K TV has a resolution of 3840*2160, including 3840 horizontal pixels and 2160 vertical pixels. Totally, CANCA 4K TV has more than 8 million pixels, which is 4 times of 2K Full HD TV.



ECS88M Series 85"

Multi-image Mode OSD:Multi Language Available





4K Ultra Narrow
Frame

ECS88M Series 85"

Canca 4K Ultra HD TV, large and clear enough to put you into the screen.



Fashion encounter color

Colourful frame Fashion attack

Elaborate the Surround-Sound with waving shocks,
Omni-directional Stereo Surround Sound System,creates the theater stereo sound for you.



ECS88M Series 32"/39"/40"/42"/43"/49"

Multi-image Mode OSD:Multi Language Available





ECS88M Series 32"/39"/40"/42"/43"/49"



Fast and convenient , Intelligent control

ECS22A Series 32"(DT30)

Multi-image Mode OSD:Multi Language Available





High definition display, Excellent thin

AM76 Series 39"/ 43"/ 55"/ 65" (DT28)

Multi-image Mode OSD:Multi Language Available



Remark:Specification shall be subject to the latest product description



Interactive whiteboard

TO5P Series 55"/65"/75"/85"

4K Ultra High Definition bring you comfortable and realistic
 Canca develops the latest interactive touch technology for 4K display



Accessories (Option)



Moveable bracket



Writing pen



Power cord



Sound identification



Camera



Wireless transfer screen

Only writing pen and power cord are free accessories.



Adapt to various devices included local disk, USB etc all kinds of mobile device.



Convenient to write and erase by finger.



Easy to read, write, comparison, document saving and email sending.

ECS10A Series 32"(DT20)
ECS11A Series 32"(DT20B)

- screen size : 32 inch
- Energy Efficiency Class : Class 1
- Best viewing distance : above 2 meters
- Rating power : 28W
- Standby Power : less than 0.5w
- Brightness : 250cd/m2
- Backlight : LED
- Refresh rate : 60Hz
- Scanning mode : progressive scan
- Response time : 6.5ms
- Horizontal/vertical View Angle : 178
- Resolution : 1366*768
- LED Backlight : Direct



	Dimension with stand (mm)	Dimension without stand (mm)	Distance for wall mounting hole (mm)
DT20	728.1*457*191	728.1*426.1*62	200*100
DT20B	726.6*459.1*191	726.6*429.7*62	200*100

Multi-image Mode OSD:Multi Language Available





HZE9500 MG17 Series
32"LED TV(ET7)



HZE9500 MG17 Series
32"LED TV(ET7)



HZE9500 MG16 Series
32" LED TV(ET5)



HZE9500 MG17 Series
19"/22"/24"LED TV(ET24)
(High Gloss / Inferior Smooth)



HME5000 CP64 Series
19"/22"/24" LED TV(ET27)



HME5000 CP62 Series
19"/22"/24" LED TV(ET23)

Multi-image Mode OSD:Multi Language Available



Remark:Specification shall be subject to the latest product description



HZE9500 MG17 Series 39" / 40" / 42" / 55" / 65" (DT29)



HZE9500 MG19 Series 43" / 50" / 55" (DT18)



HZE9500 MG18 Series 40" / 43" / 50" / 55" / 65" (DT26)



CANCA 4K TV has a resolution of 3840*2160, including 3840 horizontal pixels and 2160 vertical pixels.

Multi-image Mode OSD: Multi Language Available





Unparalleled beyond imagination

HZE9500 MG18 Series 65" (DT25)

Multi-image Mode OSD: Multi Language Available





HDSL50M Series 19"/24"/40" LED/LCD TV



HDSL50M Series 22"/26"/32"/42" LED/LCD TV



HDSL66M Series 19"/24"/40" LED/LCD TV



HDSL66M Series 22"/26"/32"/42" LED/LCD TV

Multi-image Mode OSD:Multi Language Available





HDSL80M Series 19"/24"/40" LED/LCD TV



HDSL80M Series 22"/26"/32"/42" LED/LCD TV



HDSL99M Series 19"/24"/40" LED/LCD TV



HDSL99M Series 22"/26"/32"/42" LED/LCD TV

Multi-image Mode OSD:Multi Language Available



Remark:Specification shall be subject to the latest product description

FEATURE LIST

4K							
	Size	42"	43"	49"	55"	65"	85"
Basic Features	Contrast Ratio	5000:1	5000:1	4000:1	4000:1	5000:1	5000:1
	Resolution	3840×2160	3840×2160	3840×2160	3840×2160	3840×2160	3840×2160
	Brightness	300cd/m ²	300cd/m ²	300cd/m ²	300cd/m ²	400cd/m ²	300cd/m ²
	Response Time	6.5ms	6.5ms	6.5ms	6.5ms	6.5ms	6.5ms
	View Angle	178°/178°	178°/178°	178°/178°	178°/178°	176°/176°	178°/178°
Terminal	Show Color	1.07G	1.07G	1.07G	1.07G	1.07G	1.07G
	Av Out	Option	Option	Option	Option	Option	Option
	Av In(one/two)	Yes	Yes	Yes	Yes	Yes	Yes
	Scart For Europe	Option	Option	Option	Option	Option	Option
	Component(ypbpr/ycbcr)	Yes	Yes	Yes	Yes	Yes	Yes
	VGA(d-sub15pin)	Yes	Yes	Yes	Yes	Yes	Yes
	Pc Audio	Yes	Yes	Yes	Yes	Yes	Yes
HDMI	Yes	Yes	Yes	Yes	Yes	Yes	
Color System	PAL/SECAM/NTSC	Option	Option	Option	Option	Option	Option
Sound System	DK/BG/I/M/N	Option	Option	Option	Option	Option	Option
Video Frequency	Multi-Mode	Option	Option	Option	Option	Option	Option
	Color Temperature	Warm/Cool/Normal	Warm/Cool/Normal	Warm/Cool/Normal	Warm/Cool/Normal	Warm/Cool/Normal	Warm/Cool/Normal
Channel Number	Tuning Mode	Multiplicate	Multiplicate	Multiplicate	Multiplicate	Multiplicate	Multiplicate
	South America/Asia/Europe	181/200	181/200	181/200	181/200	181/200	181/200
Sound Effect	Multi-audio Mode	Yes	Yes	Yes	Yes	Yes	Yes
	Sound Balance	Yes	Yes	Yes	Yes	Yes	Yes
	Surround	Yes	Yes	Yes	Yes	Yes	Yes
	Sound Efficiency	Option	Option	Option	Option	Option	Option
	Embedded Speakers Maximum Power(w)	≥5W×2	≥5W×2	≥5W×2	≥5W×2	≥8W×2	≥8W×2
	Outside Speakers(Optional)	Option	Option	Option	Option	Option	Option
Eles feature	Semipermeable Menu	Yes	Yes	Yes	Yes	Yes	Yes
	OSD Language	Option	Option	Option	Option	Option	Option
	16:9/4:3 Mode	Yes	Yes	Yes	Yes	Yes	Yes
	Auto Search	Yes	Yes	Yes	Yes	Yes	Yes
	Time/Time Sleep	Yes	Yes	Yes	Yes	Yes	Yes
South America	V-chip	Option	Option	Option	Option	Option	Option
	CCD	Option	Option	Option	Option	Option	Option
	Child Lock	Option	Option	Option	Option	Option	Option
Accessories	Instructions	Yes	Yes	Yes	Yes	Yes	Yes
	Remote Control	Yes	Yes	Yes	Yes	Yes	Yes
	Stand	Option	Option	Option	Option	Option	Option
	Wall Bracker	Option	Option	Option	Option	Option	Option
Choice Accessional Function	AV Stereo	Option	Option	Option	Option	Option	Option
	NICAM/BTSC	Option	Option	Option	Option	Option	Option
	USB	Yes	Yes	Yes	Yes	Yes	Yes
	Teletext for Europe	Option	Option	Option	Option	Option	Option
Power	Power Supply	AC100-240V	AC100-240V	AC100-240V	AC100-240V	AC100-240V	AC100-240V
	Rating Power	70W	70W	100W	120W	200W	280W
	Standby Power	≤0.5W	≤0.5W	≤0.5W	≤0.5W	≤0.5W	≤0.5W

LED FEATURE LIST (2-1)

	Size	19"	22"	24"	32"	39"	40"
Basic Features	Contrast Ratio	3000:1	3000:1	3000:1	3000:1	5000:1	5000:1
	Resolution	1366×768	1920×1080	1366×768/1920×1080	1366×768	1920×1080	1920×1080
	Brightness	200cd/m ²	200cd/m ²	250cd/m ²	250cd/m ²	250cd/m ²	250cd/m ²
	Response Time	5ms	5ms	5ms	5ms	6ms	6ms
	View Angle	170°/160°	170°/160°	178°/178°	178°/178°	178°/178°	178°/178°
Terminal	Show Color	16.7m	16.7m	16.7m	16.7m	16.7m	16.7m
	Av Out	Option	Option	Option	Option	Option	Option
	Av In(one/two)	Yes	Yes	Yes	Yes	Yes	Yes
	Scart For Europe	Option	Option	Yes	Yes	Yes	Yes
	Component(ypbpr/ycbcr)	Yes	Yes	Yes	Yes	Yes	Yes
	VGA(d-sub15pin)	Yes	Yes	Yes	Yes	Yes	Yes
	Pc Audio	Yes	Yes	Yes	Yes	Yes	Yes
HDMI	Yes	Yes	Yes	Yes	Yes	Yes	
Color System	PAL/SECAM/NTSC	Option	Option	Option	Option	Option	Option
Sound System	DK/BG/I/M/N	Option	Option	Option	Option	Option	Option
Video Frequency	Multi-Mode	Yes	Yes	Yes	Yes	Yes	Yes
	Color Temperature	Warm/Cool/Normal	Warm/Cool/Normal	Warm/Cool/Normal	Warm/Cool/Normal	Warm/Cool/Normal	Warm/Cool/Normal
Channel Number	Tuning Mode	Option	Option	Option	Option	Option	Option
	South America/Asia/Europe	181/200	181/200	181/200	181/200	181/200	181/200
Sound Effect	Multi-audio Mode	Yes	Yes	Yes	Yes	Yes	Yes
	Sound Balance	Yes	Yes	Yes	Yes	Yes	Yes
	Surround	Yes	Yes	Yes	Yes	Yes	Yes
	Sound Efficiency	Option	Option	Option	Option	Option	Option
	Embedded Speakers Maximum Power(w)	≥2W×2	≥2W×2	≥2W×2	≥3W×2	≥5W×2	≥5W×2
	Outside Speakers(Optional)	Option	Option	Option	Option	Option	Option
Eles feature	Semipermeable Menu	Yes	Yes	Yes	Yes	Yes	Yes
	OSD Language	Option	Option	Option	Option	Option	Option
	16:9/4:3 Mode	Yes	Yes	Yes	Yes	Yes	Yes
	Auto Search	Yes	Yes	Yes	Yes	Yes	Yes
	Time/Time Sleep	Yes	Yes	Yes	Yes	Yes	Yes
South America	V-chip	Option	Option	Option	Option	Option	Option
	CCD	Option	Option	Option	Option	Option	Option
	Child Lock	Option	Option	Option	Option	Option	Option
Accessories	Instructions	Yes	Yes	Yes	Yes	Yes	Yes
	Remote Control	Yes	Yes	Yes	Yes	Yes	Yes
	Stand	Yes	Yes	Yes	Yes	Yes	Yes
	Wall Bracket	Option	Option	Option	Option	Option	Option
Choice Accessional Function	DVB-T/DVB-T2/DVB-S/DVB-S2/ISDB-T/ATSC	Option	Option	Option	Option	Option	Option
	AV Stereo	Option	Option	Option	Option	Option	Option
	NICAM/BTSC	Option	Option	Option	Option	Option	Option
	USB	Yes	Yes	Yes	Yes	Yes	Yes
	Teletext for Europe	Option	Option	Option	Option	Option	Option
Power	Power Supply	AC100-240V	AC100-240V	AC100-240V	AC100-240V	AC100-240V	AC100-240V
	Rating Power	21W	24W	25W	45W	75W	40W
	Standby Power	≅0.5W	≅0.5W	≅0.5W	≅0.5W	≅0.5W	≅0.5W

FEATURE LIST

LED FEATURE LIST (2-2)							
	Size	42"	43"	49"	50"	55"	65"
Basic Features	Contrast Ratio	6000:1	4000:1	4000:1	5000:1	4000:1	5000:1
	Resolution	1920×1080	1920×1080	1920×1080	1920×1080	1920×1080	1920×1080
	Brightness	250cd/m ²	250cd/m ²	250cd/m ²	250cd/m ²	250cd/m ²	250cd/m ²
	Response Time	4.5ms	6.5ms	5.5ms	6.5ms	6.5ms	5ms
	View Angle	176°/176°	178°/178°	178°/178°	176°/176°	178°/178°	176°/176°
Terminal	Show Color	16.7m	16.7m	16.7m	16.7m	16.7m	16.7m
	Av Out	Option	Option	Option	Option	Option	Option
	Av In(one/two)	Yes	Yes	Yes	Yes	Yes	Yes
	Scart For Europe	Yes	Yes	Yes	Yes	Yes	Yes
	Component(ypbpr/ycbcr)	Yes	Yes	Yes	Yes	Yes	Yes
	VGA(d-sub15pin)	Yes	Yes	Yes	Yes	Yes	Yes
	Pc Audio	Yes	Yes	Yes	Yes	Yes	Yes
HDMI	Yes	Yes	Yes	Yes	Yes	Yes	
Color System	PAL/SECAM/NTSC	Option	Option	Option	Option	Option	Option
Sound System	DK/BG/I/M/N	Option	Option	Option	Option	Option	Option
Video Frequency	Multi-Mode	Yes	Yes	Yes	Yes	Yes	Yes
	Color Temperature	Warm/Cool/Normal	Warm/Cool/Normal	Warm/Cool/Normal	Warm/Cool/Normal	Warm/Cool/Normal	Warm/Cool/Normal
	Tuning Mode	Option	Option	Option	Option	Option	Option
Channel Number	South America/Asia/Europe	181/200	181/200	181/200	181/200	181/200	181/200
Sound Effect	Multi-audio Mode	Yes	Yes	Yes	Yes	Yes	Yes
	Sound Balance	Yes	Yes	Yes	Yes	Yes	Yes
	Surround	Yes	Yes	Yes	Yes	Yes	Yes
	Sound Efficiency	Option	Option	Option	Option	Option	Option
	Embedded Speakers Maximum Power(w)	≥5W×2	≥5W×2	≥5W×2	≥5W×2	≥5W×2	≥8W×2
	Outside Speakers(Optional)	Option	Option	Option	Option	Option	Option
Eles feature	Semipermeable Menu	Yes	Yes	Yes	Yes	Yes	Yes
	OSD Language	Option	Option	Option	Option	Option	Option
	16:9/4:3 Mode	Yes	Yes	Yes	Yes	Yes	Yes
	Auto Search	Yes	Yes	Yes	Yes	Yes	Yes
	Time/Time Sleep	Yes	Yes	Yes	Yes	Yes	Yes
South America	V-chip	Option	Option	Option	Option	Option	Option
	CCD	Option	Option	Option	Option	Option	Option
	Child Lock	Option	Option	Option	Option	Option	Option
Accessories	Instructions	Yes	Yes	Yes	Yes	Yes	Yes
	Remote Control	Yes	Yes	Yes	Yes	Yes	Yes
	Stand	Yes	Yes	Yes	Yes	Yes	Yes
	Wall Bracker	Option	Option	Option	Option	Option	Option
Choice Accessional Function	DVB-T/DVB-T2/DVB-S/DVB-S2/ISDB-T/ATSC	Option	Option	Option	Option	Option	Option
	AV Stereo	Option	Option	Option	Option	Option	Option
	NICAM/BTSC	Option	Option	Option	Option	Option	Option
	USB	Yes	Yes	Yes	Yes	Yes	Yes
	Teletext for Europe	Option	Option	Option	Option	Option	Option
Power	Power Supply	AC100-240V	AC100-240V	AC100-240V	AC100-240V	AC100-240V	AC100-240V
	Rating Power	70W	70W	70W	100W	120W	200W
	Standby Power	≅0.5W	≅0.5W	≅0.5W	≅0.5W	≅0.5W	≅0.5W

LOADING QUANTITY				
Type	Size	Model	40"HQ(PCS)	20"GP(PCS)
LED TV	19	SL Series	1904	804
		19ET23	3512	1456
		19ET24	3512	1456
	22	SL Series	1904	804
		22ET23	2394	990
		22ET24	2394	990
	24	SL Series	1316	544
		24ET23	2176	942
		24ET24	2176	942
	32	SL Series	1012	432
		32ET14	1390	560
		32ET5	1370	559
		32ET7	1286	540
		32DT20	1344	556
	39	32DT30	1344	556
		39ET14	939	408
		39ET13	688	292
	40	39DT29	920	386
		40ET17	720	293
		40ET14	960	424
	42	40DT26	720	293
		SL Series	567	213
		42ET14	788	345
		42ET16	576	244
		42DT17	676	275
	43	42DT29	676	279
		43DT26	684	287
49	49DT20	648	270	
	50ET14A	540	228	
50	50ET14	363	162	
	50DT26	399	185	
	50DT18	399	185	
55	55DT26	331	135	
	55DT18	258	102	
65	65ET14	212	88	
	65DT26	188	74	
85	85ET25	60	20	
Whiteboard	55	TO5P	116	54
	65	TO5P	102	51
	75	TO5P	40	19
	85	TO5P	25	10

TV appearance and pictures are for reference only, Specifications are subject to change without prior notice.

Canca

CHAOZHOU CHUANG JIA ELECTRONIC CO.,LTD



Add:Hi-tech Zone,Economic Development Area,ChaoZhou,G.D.,China

Tel:86-768-3998871/3998873/3998894/3998772

Http://www.canca.com

Fax:86-768-3998876/3998780

E-mail:canca@pub.chaozhou.gd.cn market@canca.com