

Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Number	Handlinger.	Distance	Main Eurotions	Unit Pric	:e	Daakina	Link	Domonik
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing	LIST	Remark
			* Central locking with built in GPS chip * Smart car alarm	≥5000 pcs:	\$29	Main unit	1pc	GSM Frequencies:
			* Free online GPRS tracking platform /APP	2000~4999 pcs:	\$30			850/900/1800/1900Mhz
l w			* Real time tracking vehicle * Manually trigger the Lock/unlock via remote	1000~1999 pcs:	\$31			(Quad-band)
VIE.			control / tracking platform / APP / SMS command	500~999 pcs:	\$32			
			* Over speed alarm, Geo fence alarm,	51~499 pcs:	\$33			
	Headlines:		movement alarm * Electronic anti-theft alarm lock	1-50 pcs:	\$35			Supported Center:
C1 200	* Fleet		* 1 master lock control 3 sub lock or 2 master		Optional	Free web-based GPRS tracking		
GL200	management * Vehicle tracking		lock control 2 sub lock * Siren output function	12V/24V relay: \$1.5				platform:
Central locking with GPS	& security * Traffic		* Open trunk function * Directional light output function	Microphone: \$1				Platform: www.track-car.com User: officetest
	management	O COR O	* LED indicator light (Optional) * Pure copper wires	SOS button: \$2				Pass: 123
			* Universal features, suitable for any cars					_Packing:
			* External GSM antenna * Independent industry GSM/GPS		Availa	able Ports		Neutral color or white box (23*16*6cm)
			module,Industrial grade CPU	Input port	0	USB port	Yes	Unit weight: 0.6Kg
		Built in GPS chip	* Full certification (FCC,CE,Rohs) * Legal IMEI code	Output port	0	Microphone	N/A	20 units/Carton
			* Working voltage: 9VDC -24VDC	Analog port	0	Earphone port	N/A	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Noveless	Haradilla a a a	Distant	Main Europhana	Unit Pric	e	De alsissas I	1.1-4	Damanik
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing I	LIST	Remark
				≥1000 pcs:	\$25	Main unit	1рс	GSM Frequencies:
				501~999 pcs:	\$26	GSM antenna	1pc	850/900/1800/1900Mhz
The T				301~500 pcs:	\$27	GPS antenna	1pc	(Quad-band)
MEN			* external GPS & GSM antenna * Independent industry GSM/GPS	101~300 pcs:	\$28	Wiring	1pc	
	Headlines: * Fleet		module,Industrial grade CPU * Full certification (FCC,CE,Rohs)	50~100 pcs:	\$28.5	SOS button	Yes	850/900/1800/1900Mhz
		* Legal IMEI code	MOQ >= 10 pcs:	\$29	Relay	1pc	Supported Center:	
GT103			* Working voltage: 9VDC -24VDC * Support voice listening in function			Microphone	1pc	
	management		(wiretapping) * Engine ON/OFF detection		Optional	l Accessories		
Cost-effective and competitive Vehicle GPS Tracker	* Vehicle tracking & security * Traffic management	SIM GPS ONOGE	* Support remote to cut off engine (immobilizing the vehicle) * Real time tracking via SMS/GPRS(web server) * Track by time interval /distance interval/ course interval * Geo fence setting and alarm * Over speed alarm			N/A		User: officetest Pass: 123
			* SOS alarm * Odometer report		Availa	able Ports		Neutral color or white box
			Submission report	Input port	2	USB port	Yes	Unit weight: 0.6Kg
				Output port	1	Microphone	Yes	20 units/Carton
				Analog port	0	Earphone port	N/A	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Number	Haadlinaaa	Disture	Main Functions	Unit Pric	e:e	Dooking	Lint	Damauk
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing	LIST	Remark
				≥1000pcs:	\$15	Main unit	1pc	GSM Frequencies:
			* Fast/Seconds GPS positioning * 100% made of industrial-grade component,GSM	500~999pcs:	\$16	wiring harness	1рс	850/900/1800/1900Mhz
			module have full certified(CE, RoHS,FCC)and with legal IMEI code.	200~499pcs	\$18			(Quad-band)
			* Mini size:4.8*4.8*1.2(cm) * Slight weight: 30g * Engine ON/OFF status detection (Optional)	50~199 pcs:	\$18.5			
MT06			* Relay for Cut off engine by remotely (optional) * Microphone for Voice monitoring (customizable)	MOQ > = 20 pcs:	\$19			Supported Center:
Matchbox size Motorcycle GPS	Headlines: *Motorcycle tracking & security		* Integrated internal GPS & GSM antenna * Waterproof, mini match-box size, easy installation:		Optional	Accessories		Free web-based GPRS tracking platform:
Tracker	aradiming at decarity	4	* Industrial design to work in hard conditions for motorcycle/car,	Relay: \$1.5 battery: \$1				Platform: www.track-car.com
			* Working voltage: 9VDC -24VDC, suitable for cars and motorcycles * Real time tracking by SMS/GPRS (Web		Availa	able Ports		Pass: 123
			platform/Android App) * Locate by SMS with Google map's link;	Input port	1	USB	Inbuilt	
	* Support Geo-fence, over-speed alert; * Odometer report; Output port	1	MIC port	1	Packing: Gift box (15*16*4.7cm) 0.06KG/unit			
						Analog port	N/A	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Model Number	Headliness	Picture	Main Functions	Unit Pric	e	Dooking	Lint	Remark
woder Number	пеаиппеѕѕ	Picture	Main Functions	Quantity	USD	Packing I	List	Remark
				≥3000pcs:	\$9.9	Main unit	1pc	GSM Frequencies:
				1000~4999pcs:	\$10.9	wiring harness	1pc	850/900/1800/1900Mhz
			* LBS tracking * Mini size, suitable for motorcycles	500~999pcs	\$12			(Quad-band)
TK02			* Position coordiates, not single Cell ID / MIC / MNC	50~499 pcs:	\$14			(Quad-band) Supported Center: Free web-based GPRS tracking platform: Platform: www.track-car.com User: officetest Pass: 123
	Headlines:		* 100% certificated and legal IMEI * Standard version only tracking function * Waterproof, mini match-box size, easy installation.	MOQ > = 20 pcs:	\$15			
Matchbox size Motorcycle GSM Tracker	*Motorcycle		* Working voltage: 9VDC -24VDC, suitable for cars and motorcycles		Optional	Accessories		
Hacker	tracking & security		* Industrial design to work in hard conditions for motorcycle/car * Real time tracking by SMS/GPRS (Web			N/A		Pass: 123
			platform/Android App) * Auto tracking by time interval		Availa	able Ports		
			* Locate by SMS with Google map's link	Input port	N/A	USB	Inbuilt	
	Output port N/A MIC port	MIC port	N/A	Packing: Gift box (15*16*4.7cm) 0.03KG/unit				
						Analog port	N/A	



Guangzhou TopShine Electronic Technology Co., Limited

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

www.gztopshine.com

Madel Nivesbau	He calling a c	Distance	Main Eurotions	Unit Price		Dooking	Link	Damank
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing	LIST	Remark
			* Super cost-effective GPS tracker + smart car	≥3000pcs:	\$38	Main unit	1pc	GSM Frequencies:
			alarm + two way locator + GSM Jamming detector + driver identifier	1000~2999pcs:	\$39	5pin wiring	1pc	850/900/1800/1900Mhz
NEW			* Driver ID identification by smart phone, illegal driver can't drive * Automatically arm/disarm without carrying any	200~499pcs	\$41			(Quad-band)
			remoter or ID tags * Compatible with original car remoter, easy installation	50~199 pcs:	\$43			Supported Center:
			* GSM jamming detection, anti jamming * Trigger alarm when door is open or engine is	1~49pcs:	\$45			Free web-based GPRS tracking
MT08B Matchbox size	Headlines: - Mini size		started or movement illegally * Integrated internal GPS & GSM antenna, sift3 GPS chip, high sensitivity with -162dB		Optional	Accessories		platform: -Platform: www.track-car.com
Motorcycle & Vehicle GPS Tracker (Free use tracking platform software in our server)	- Cheap but cost effective - For motorcycle - Wide input voltage range: 9~36V DC		* Waterproof, mini match-box size, easy installation; * Industrial design to work in hard conditions for motorcycle/car, wide working voltage: 9 -36V DC * Power saving design with 250mAh backup battery * Real Time tracking by SMS/GPRS (Web platform) * Auto tracking by time / distance / course interval	Relay (12/24VDC): \$ Fuel sensor: \$55 to \$ Microphone: \$1	\$80 accord	SOS button: \$2 ing to sensor types nfiguration Cable: \$2		User: officetest Pass: 123
			* Support remote immobilizing the car by mobile phone * Check street address name / Google Map Address link via SMS		Availa	able Ports		Packing: Neutral color box(14.5*14*4.5cm) or Neutral white box(15*16*4.7cm)
			* Geo-fence/over-speed/external power cut-off alert * Support voice listen-in monitoring * Engine ON/OFF detecting or Fuel monitoring	Input port	2	USB port(RS-232)	Inbuilt	Unit weight: 0.45Kg 30 units/Carton
			(alternative) * SOS emergency button for calling help or door status detecting (alternative)	Output port	1	Microphone port	customized	
			* Odometer report function * No data logger (customizable on demand)					
				Analog port	custom	Earphone port	N/A	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Neusban	Handlinger	Distance	Main Eurotions	Unit Pric	e	Packing List		Domark	
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing	LIST	Remark	
		0.014.05	*Support two way positioning, still show position on	≥1000 pcs:	\$48	Main unit	1pc		
			map when there is no GPS signal or GPS antenna is cut	500~999 pcs:	\$49	SOS button	1pc	GSM Frequencies:	
			*Support limit the vehicle speed within the controllable range	200~499 pcs:	\$51	Relay(12V/24V)	1pc	850/900/1800/1900Mhz	
			*Support harsh braking / acceleration alarm *Support OTA (over the air upgrading)	100-199 pcs:	\$53	Wiring (SOS incl.)	1set	(Quad-band)	
	Headlines:		*Support read data out from car ECU via OBD2 connector (optional)	10~99 pcs:	\$55				
	*For car/truck/motorcyc		*Support smart phone RFID/passive RFID for anti- theft alert and driver identification (optional)	1~9pcs:	\$57			Supported Center:	
	le positioning and management		*Support remotely immobilizing vehicle *Support fuel sensor (optional)		Optional	Accessories		Free web-based GPRS tracking	
MT100	*Fleet		*Support crash sensor for accident alarm (optional) *Support add microphone and speaker for two way	Fuel Level Sensor: \$	55 to \$80 (types	platform:		
Motorcycle& Vehicle GPS	management *Fuel		communications (optional) *Power saving design, save GPRS data flow	Temperature sensor	: \$10 F	ingerprint reader: \$30)	Platform: www.track-car.com User: officetest	
Tracker	management *Suitable for		*SOS panic button for Anti-robbery *Support 6 authorization alarm phone numbers	Passive RFID reader	r: \$10 F	RFID tag: \$1		Pass: 123	
	heavy machines such as gambling		real time tracking by olviorer real (web rilationin)	Speed limiter: \$30	A	Alcohol sensor: \$8			
	machine		installation and concealment	Siren/ Buzzer: \$3	N	licrophone: \$1			
			3	Speaker: \$2	C	DBDii connector: \$16	/ \$25	Packing:	
			number and CE certificate *Get real time street name / Google map link by		Availa	able Ports		Neutral color box(14.5*14*4.5cm) or Neutral white box(15*16*4.5cm)	
			SMS *Movement Alert, Geo-Fence Alert, over-speed	Input port	2	USB port	N/A	Unit weight: 0.6Kg	
			Alert, external power cut off alarm *With 650mAh inbuilt rechargeable battery	Output port	3	MIC port	Reserved	30 units/Carton	
			That seem at mount recting capie battery	Analog port	1	Earphone port	N/A		



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Model Number	Haadlinaaa	Disture	Main Functions	Unit Pric	е	Dooking Li	.4	Domosik
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing Li	ST	Remark
			* VT200B = GPS tracker + smart car alarm + driver ID identify + anti GMS jamming + two	≥1000 pcs:	\$40	Main unit	1pc	GSM Frequencies:
			way location	500~1000 pcs:	\$41	GSM antenna	1pc	850/900/1800/1900Mhz
			* Support smart phone Blutooth for driver identification and anti-theft	200~499 pcs:	\$43	GPS antenna	1pc	(Quad-band)
< HOT			* Support automatically arm/disarm the system * Engine cut-off to stop the car in safe	50~199 pcs:	\$45	Microphone	1pc	
			condition	10~49 pcs:	\$47	SOS button	1pc	
	Headlines:		* Support voice listening in * Support temperature sensor	1~9pcs:	\$49	Wiring	1pc	Supported Center:
& se	*Vehicle tracking & security		* Support crash sensor * Support fuel sensor to monitor fuel value			Relay(12V/24V)	1pc	Free web-based GPRS tracking platform:
VT200 / VT200B	*Fleet Management	ON HIFE	* Support limit the vehicle speed within the		Optional	Accessories		Platform: www.track-car.com
High cost-effective GPS Vehicle	*Equipment		controllable range * Real time tracking via SMS or GPRS	Fuel Sensor: \$55 to \$	\$80 depen	ding on sensor types		User: officetest Pass: 123
Tracker	tracking *Car security anti-		(TCP/UDP) * Auto tracking by Time/Distance/Angle interval	Temperature sensor:	\$10	Siren: \$3		Pass. 123
	theft *Anti Jamming		(Web Platform)	Crash sensor: \$2	USB Cor	nfig Cable: \$2		
	, cag		* Get position Google Map link / street name via SMS	Speed limiter: \$30				
			* Internal 2MB Data logger for GSM/GPRS network blind area					_Packing:
			* Built-in motion sensor for power saving		Availa	ble Ports		Neutral color or white box (23*16*6cm)
			* SOS panic button * Geo-fencing alarm / Over-Speed	Input port	3	USB port	Yes	Unit weight: 0.6Kg
			alert/external power cut off alarm	Output port	2	Microphone	Yes	20 units/Carton
			* Internal 650mAh backup battery	Analog port	1	Earphone port	N/A	





www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Number	Haadlinaaa	Dieture	Main Functions	Unit Pric	е	Packing List		Damank
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing	List	Remark
				≥1000 pcs:	\$47	Main unit	1pc	GSM Frequencies:
			* Support limit the vehicle speed within the controllable range (optional)	500~999 pcs:	\$48	GSM antenna	1pc	(Quad-band)
			* Two way location (GPS + GSM mode)	200~499 pcs:	\$49	SOS button	1pc	GSM 850/900/1800/1900MHz
			* Real time tracking by SMS or by GPRS * High sensitive external Antennas, easy installed	50-199 pcs:	\$50	Wiring	1рс	
			and concealment. * Cut off engine by SMS gradually for safety * Support crash sensor for accident alarm	10~49 pcs:	\$52	Relay(12V/24V)	1рс	
			* Support fuel sensor, fuel management * Anti-robbery with SOS button, call for help	1~9pcs:	\$55			Supported Center:
	Headlines: *For vehicle		* Support 3 authorization alarm phone numbers		Optiona			
VT310N	tracking and security	****	* Power saving / GPRS data saving design, low battery alert * Temperature Sensor/door sensor/alcohol sensor	Fuel Level Sensor: \$	55 to \$80	depending on fuel sens	sor types	Free web-based GPRS tracking platform:
GPS Vehicle Tracker	*Fleet	@ 10	supported	Temperature sensor:	\$10 Mi	icrophone:\$1		Platform: www.track-car.com
Hacker	management		map min via civic	Speed limiter: \$30	US	SB Config Cable: \$2		User: officetest Pass: 123
			* Support movement Alert, Geo-Fence Alert, over- speed alert, external power cut off alarm	Crash sensor: \$2				
			* Suitable for any 9V-36V DC vehicles (12/24V suggested) * Inbuilt 4MB data logger for GSM blind area (save		Availa	able Ports		Packing:
	more than 16,000 way points) * With 850mAh inbuilt rechargeable battery * Ublox 7 / Sirf 3 GPS industrial high sensitive module	more than 16,000 way points) * With 850mAh inbuilt rechargeable battery	Input port	5	USB port	Yes	Neutral color or white box (23*16*6cm)	
			Output port	5	Microphone	Yes	Unit weight: 0.8Kg 20 units/Carton	
				Analog port	2	Earphone port	N/A	





www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile:+86-188-1943-3250

		D: (Unit Pric	e			
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing I	_IST	Remark
			* GPS tracker + RFID car alarm * ARM9 High speed microcontroller	≥1000pcs:	\$50	Main unit	1pc	
			* Ublox7 GPS chip industrial high sensitive module * Support limit the vehicle speed within the	500~999pcs:	\$52	GSM antenna	1pc	GSM Frequencies:
			controllable range(optional) * With 850mAh inbuilt rechargeable battery	300~499pcs:	\$54	GPS antenna	1pc	850/900/1800/1900Mhz
			* Inbuilt 4MB data logger for GSM/GPRS blind areas	100~299 pcs:	\$56	SOS button	1pc	
			* OTA function (Over the air upgrading) * Real time tracking by SMS/GPRS	10~99 pcs:	\$58	Microphone	1pc	(Quad-band)
			* Get Google Map link / physical address name by SMS	1~9pcs:	\$60	Relay (12V/24V)	1pc	
	Headlines:		* Auto tracking (Time/Distance/Angle Interval)			Wiring	1set	Supported Center:
	*For vehicle tracking and		* Support track without GPS signal * Over speed alarm / Geo-fence alarm / movement alarm		Optional	Accessories		Free web-based GPRS tracking
VT900	security *Intelligent fleet		platform:					
Fleet Management	management *Two way	GSM GPS SIM	* Engine ON/OFF, AC ON/OFF detection * Door status detecting	Temperature sensor: \$10 Speaker: \$2				Platform: www.track-car.com
Vehicle Tracker	communication	ON OFF WAR	* External power cut off alarm * Support camera, capture picture when alert	Passive RFID reader	r: \$10 R	:FID tag: \$1		User: officetest Pass: 123
	*Camera		occurs or on demand by SMS or GPRS	Siren/ Buzzer: \$3	SI	peed limiter: \$30		
	monitoring *Anti jamming		speak	Crash sensor: \$2	U	SB Config Cable: \$2		
			* Support Active RFID & passive RFID for anti-theft	Camera: \$15 / \$25				
			and driver (student) ID identification function * Harsh braking and harsh acceleration alarm		Availa	able Ports		Packing:
			* Remote fuel mornitoring (optional) * Camera capture when alarm is triggered or on	Input port	5	USB port	Yes	Neutral color or white box (23*16*6cm)
			demand (SMS/GPRS) (Optional) * Accident alarm (Optional)	Output port	5	Microphone port	Yes	Unit weight: 0.9Kg
			* Fuel steal / leakage alert (Optional) * Excellent fleet management features	Analog port	2	Earphone port	N/A	20 units/Carton
			* Support temperature sensor, speed limiter, door sensor, mileage calculator, etc. * GSM jamming detection	Camera port	1	Speaker Port	Yes	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Negation	lle e dlive e e	Distance	Main Functions	Unit Pric	е	Danking Li	-4	Damank
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing Lis	ST .	Remark
			* Support limit the vehicle speed within the controllable range (optional)	≥1000pcs:	\$55	Main unit	1pc	
			* GPS tracker + RFID car alarm	500~999pcs:	\$56	GSM antenna	1pc	GSM Frequencies:
			* Support OTA(Update software over the air firmware by SMS)	300~499pcs:	\$58	GPS antenna	1pc	850/900/1800/1900Mhz
			*Two way tracking, GPS/intelligent GSM positioning	100~299 pcs:	\$60	SOS button	1pc	030/300/1000/1300WHZ
			*Support SD card data logger * Support OBD2 connector to read DTC data from	10~99 pcs:	\$63	Relay (12V/24V)	1pc	(Quad-band)
			ECU car computer	1~9pcs:	\$65	Microphone	1pc	
	Headlines:		*Support harsh braking / acceleration alarm *Support two way communications, listen in voice			Wiring	1set	Supported Center:
	*For vehicle		and speak		Optional	Accessories		Free web-based GPRS tracking
VT1000	tracking and security		*Support Active RFID / Passive RFID / Smart phone RFID for anti-theft and driver(student) ID	Fuel Level Sensor: \$	55 to \$80 d	platform:		
Most powerful &	*Intelligent fleet management		identification function * Ublox7 GPS industrial high sensitive module	Temperature sensor:	\$10	Speed limiter: \$30		Platform: www.track-car.com User: officetest
multifunctional Vehicle Tracker	*Two way	A	* Get real time vehicle position address street name /Google map link by SMS	Passive RFID reader	: \$10	RFID tag: \$1		Pass: 123
	communication *Camera	8 8 9	* Multiple Goo Fence Setting Movement	Siren/buzzer: \$3	1	fingerprint reader: \$30		
	monitoring		alert etc.	Crash sensor: \$2	5	Speaker: \$2		
	*Anti jamming		* Support max 4 fuel sensors, monitor petrol level *Support fuel stolen alarm	SD card: \$10 if ≤80	6 (Camera: \$15 / \$25		
			* Support max 4 cameras, Photo logger function with location & driving information	USB configuration ca	able: \$2 (OBD2: \$16/ \$25		
			* Support crash sensor for accident alarm		Availa	ble Ports		Packing: Neutral color or white box
			*Support idle alarm * Powerful and multifunctional tracker for	Input port	5	USB port	Yes	(23*16*6cm)
			comprehensive Fleet management	Output port	5	MIC port	Yes	Unit weight: 1Kg 20 units/Carton
			*Inbuilt 4MB data logger for saving position when in GSM/GPRS blind area	Analog port	4	Earphone port	N/A	20 States Out to 11
			* With 850mAh inbuilt rechargeable battery	Camera port	1	Speaker Port	Yes	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Newsbar	He calling a co	Distance	Main Francisco	Unit Pric	e:	De ekiner I	Link	850/900/1800/1900Mhz (Quad-band) Supported Center: Free web-based GPRS tracking platform: Platform: www.track-car.com User: officetest
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing I	LIST	Remark
			* Speed limiter: limit maximum driving speed, ECU speed control	≥1000 pcs:	\$38	Main unit	1pc	GSM Frequencies:
			* Over speed reminding	500~1000 pcs:	\$40	GSM antenna	1pc	850/900/1800/1900Mhz
			* Intelligent speed control * Read speed history record before accident by	200~499 pcs:	\$43	GPS antenna	1pc	(Quad-band)
			computer	50~199 pcs:	\$45	Wiring	1рс	
			* Monitor driver driving behaviors * Fuel level monitor	10~49 pcs:	\$47	SOS button	Yes	
	Headlines:		* Two way locating, can get position on map when GPS antenna is out of signal or GPS	1~9pcs:	\$49			Supported Center:
	* Speed control for vehicle		antenna is cut * Support voice listening in function					Froe web based CRPS tracking
SLT01	* Fleet		(wiretapping)		Optional	Accessories		Supported Center: Free web-based GPRS tracking platform: Platform: www.track-car.com User: officetest Pass: 123 Packing: Neutral color or white box (23*16*6cm) Unit weight: 0.6Kg
GPS Tracker +	management * Vehicle tracking	SIM GD-	* SOS panic alarm * Engine ON/OFF detection	Fuel Sensor: \$55 to	\$80 depen	ding on sensor types		
Speed Limiter (2 in 1)	& security * Traffic	SIM GPS O	* Support remote to cut off engine (immobilizing the vehicle)	Crash sensor: \$2	USB Cor	nfig Cable: \$2		
	management		* Real time tracking via SMS/GPRS(web					
			server) * Track by time interval /distance interval/					
			course interval					Packing:
			* Geo fence setting and alarm * Odometer report	Available Ports				Neutral color or white box
			* External power cut off alarm * Get street name via SMS	Input port	2	USB port	Yes	Unit weight: 0.6Kg
			* Get address map link via SMS	Output port	1	Microphone	Yes	20 units/Carton
				Analog port	1	Earphone port	N/A	





www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Number	Handlinger	Distance	Main Franchisms	Unit Pric	:e	Da akina I	lin4	Domonik
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing I	LIST	Remark
			* Support limit the vehicle speed within the controllable range	≥1000 pcs:	\$55	Main unit	1pc	Frequencies:
			* GSM jamming detection, anti jamming * support 3G network	500~999 pcs:	\$57	Wiring (SOS incl.)	1set	Module E: UMTS/HSDPA 900/2100MHz
			* support harsh acceleration/braking alarm * support active/passive RFID for anti-theft function	200~499 pcs:	\$59	Relay	1pc	Module A: UMTS/HSDPA 850/1900MHz
		4	and driver identification * Support smart phone RFID, connect smart phone	100-199 pcs:	\$61			Module T: UMTS/HSDPA 850/2100MHz
36			and automatically arm/disarm to protect the vehicle * support OTA(update new firmware over the air by	10~99 pcs:	\$63			
	ļ		SMS) *support cut off engine from remote by SMS/GPRS	1~9pcs:	\$65			
	Headlines: *For vehicle		* Real time tracking by SMS/GPRS (Web Platform) * support microphone and speaker customizable for		Optional	Accessories		
	tracking and security		"support crash sensor for accident alarm	Fuel Level Sensor: \$	555 to \$80	depending on fuel sens	sor types	Supported Center:
MT100 - 3G	*Intelligent fleet management		Will Size, waterproof, ball in antennas for easy	Speaker:\$2	N	/licrophone:\$1		Free web-based GPRS tracking platform:
Vehicle Tracker	*Two way			Passive RFID reader	r: \$10 F	FID tag: \$1		platform: Platform: www.track-car.com
	*RFID smart car		•	Smart phone reader:	: \$12 T	emperature sensor: \$1	0	User: officetest Pass: 123
	*3G		* Anti-temper designed * High speed ARM9 microcontroller	Speed limiter: \$30	(OBDii connector: \$16 /	\$25	
			lieih	Crash sensor: \$2	ι	ISB Config Cable: \$2		
			* Power saving design, save GPRS data flow * get real time street address name and Google map link by SMS		Availa	able Ports		
			*support multiple Geo fence setting and in/out fence alarm	Input port	2	USB port	Yes	Packing: Neutral color or white box
			* Over-speed alarm, external power cut off alarm, anti tempered * Suitable for both Motorcycle / Vehicle	Output port	3	Microphone	Yes	(23*16*6cm) Unit weight: 0.6Kg 20 units/Carton
			* Inbuilt 4MB data logger for GSM/GPRS blind area * With 650mAh inbuilt rechargeable battery	Analog port	1	Earphone port	N/A	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Medal Number	Haadlinaaa	Picture	Main Functions	Unit Pric	:e	Deeking L	List Remark	
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing L	IST	Remark
			*support 3G network *Support limit the vehicle speed within the	≥1000 pcs:	\$55	Main unit	1pc	GSM Frequencies:
			controllable range *support RFID for driver identification and	500~1000 pcs:	\$59	GSM antenna	1pc	Module E: UMTS/HSDPA 900/2100MHz
2 36			vehicle anti-theft	200~499 pcs:	\$59	GPS antenna	1pc	Module A: UMTS/HSDPA 850/1900MHz
			*support two way locating, can track on map when there is no GPS signal	50~199 pcs:	\$61	Microphone	1pc	Module T:
	Headlines:		* support crash sensor for slam hit *support temperature sensor	10~49 pcs:	\$63	SOS button	1pc	UMTS/HSDPA 850/2100MHz
	*For vehicle		*support fuel sensor for petrol level monitoring *support immobilize vehicle from remote by SMS or	1~9pcs:	\$65	Wiring	1pc	
VT200 2C	tracking and security		GPRS			Relay(12V/24V)	1pc	
VT200-3G High cost-effective	*Fleet		*support voice listen in for wiretapping * Real time Tracking via SMS or GPRS (TCP/UDP)		Optional	Accessories		Supported Center:
GPS Vehicle Tracker	*Smart RFID auto	ON FEFF	* Auto tracking by Time/Distance/Angle interval (Web Platform)	Fuel Level Sensor: \$	55 to \$80	depending on fuel tank		Free web-based GPRS tracking
Tracker	driver identification *Anti theft	, mg	* get address street name / Google map link via SMS	Temperature sensor	: \$10 C	rash sensor: \$2		platform:
			* Internal 2MB Data logger for mobile network blind area	Crash sensor: \$2	USB Cor	nfig Cable: \$2		Platform: www.track-car.com User: officetest
			* Built-in motion sensor for power saving	Speed limiter: \$30				Pass: 123
			* SOS panic button * support multiple Geo fence setting and in/out		Availa	able Ports		Packing:
			fence alarm * Internal backup li-ion battery 850mAh	Input port	3	USB port	Yes	Neutral color or white box (23*16*6cm)
			* Over-Speed alert * Anti temper. Power cut off alert	Output port	2	Microphone	Yes	Unit weight: 0.6Kg
			* I/O: 2 digital inputs, 1 analog input, and 2 outputs	Analog port	1	Earphone port	N/A	20 units/Carton





www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Newsland	l la a allius a a a	Distance	Main Franctions	Unit Pric	e	Dooleine	. I int	Damade
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing	LIST	Remark
			* Use 3G mobile network	≥1000pcs:	\$68	Main unit	1pc	
			* Support limit the vehicle speed within the	500~999pcs:	\$70	GSM antenna	1pc	GSM Frequencies:
2 36			controllable range * Support OTA (update to new firmware by SMS	300~499pcs:	\$72	GPS antenna	1pc	Module E:
			command) * Support smart phone RFID for driver identification	100~299 pcs:	\$74	SOS button	1pc	UMTS/HSDPA 900/2100MHz Module A:
			/ anti-theft * Support Active RFID & passive RFID for anti-theft	10~99 pcs:	\$76	Relay(12V/24V)	1pc	UMTS/HSDPA 850/1900MHz Module T:
			and driver(student) ID identification function	1~9pcs:	\$78	Microphone	1рс	UMTS/HSDPA 850/2100MHz
			* Have 4 analog inputs, max support 4 fuel sensor for petrol level monitor, support fuel stolen alarm			Wiring	1set	
	Headlines: *For vehicle		* Support max 4 cameras, take photo by time interval		Optiona	l Accessories		
	tracking and		* Support crash/impact sensor for accident alarm * Support temperature sensor / speed limiter / door	Fuel Level Sensor: \$	55 to \$80	depending on needed	d type & length	Supported Center:
VT1000 - 3G	security *Intelligent fleet	6	sensor etc. * Support SD card data logger	Temperature sensor	: \$10	Speed limiter: \$3	30	Free web-based GPRS tracking
Most powerful &	management *Two way		* Support OBD2 connector to read DTC from ECU car computer	Passive RFID reader	·: \$10	RFID tag: \$1		platform:
multifunctional Vehicle Tracker	communication *Camera		* Two way communication, listen in voice and speak	OBD2: \$16 / \$25		Camera: \$15 / \$2	25	Platform: www.track-car.com User: officetest
	monitoring *Anti jamming		* Support harsh braking / acceleration alarm * Inbuilt 4MB flash memory to store position when	Crash sensor: \$2		Speaker: \$2		Pass: 123
	*3G		* ARM9 100MHz microcontroller	Alcohol sensor: \$8				
			* Get real time position street name / Google map link via SMS	SD card: \$10 if ≤8G		USB configuration	on cable: \$2	
			* Support multiple Geo fence setting and in/out fence alarm		Avail	able Ports		Packing:
			* Support movement alarm / over speed alarm / external power cut off alarm	Input port	5	USB port	Yes	Neutral color or white box (23*16*6cm)
			* Support cut off engine/fuel from remote to immobilize vehicle	Output port	5	MIC port	Yes	Unit weight: 1Kg 20 units/Carton
			* Support door automatically lock/unlock * Support buzzer horn to alert/remind	Analog port	4	SD Slot	Yes	20 unito/Carton
			* With 850mAh inbuilt rechargeable battery * Ublox7 GPS industrial high sensitive module	Camera port	1	Speaker Port	Yes	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Model Number	Headliness	Picture	Main Eurotiona	Unit Price		Packing List Remark		Remark
woder Number	пеаиппеѕѕ	Picture	Main Functions	Quantity	USD	Packing L	ist	Remark
			* Bluetooth anti lost alarm / Falling off alarm * Small size, built-in antenna, easy carried and hidden; No installation, necklace/pocket style	≥1000 pcs:	\$54	Main Unit	1рс	GSM Frequencies:
			* For the care & protection & rescue of the elderly, children, patients, wild area explorer, tourists or pets etc.	500~999 pcs:	\$56	Wall Charger	1pc	850/900/1800/1900Mhz
36	36	V.	* Quick dial button for 3 calls, talking as a mobile phone * Ultra low power consumption, continuously work	200~499 pcs:	\$58			(Quad-band)
	Headlines:		40hours by 1 minute interval, standby time more than 7 days	50~199 pcs:	\$59			
3G PT90	*Person Safety (Kids,Elders,	* * *	* support two way locating, can still track on map when there is no GPS signal, especial in buildings or in subway.	10~49 pcs:	\$60			Supported Center:
Personal/Pet/Asset Tracker	Patients, Wild Visitors) *Pet/Animal	sos	* inbuilt 4MB data logger for saving position when there is no GSM/GPRS network coverage * support kid walk-away alert, prevent kid losing	1~9pcs:	\$62			Free web-based GPRS tracking platform:
	Tracking *Asset Tracking		* Tracking via SMS or GPRS(TCP/UDP) * Real time position report		Availa	able Ports		Platform: www.track-car.com
	, and the second		* Get actual location street name via SMS or internet * SOS panic button	Input port	N/A	USB port	Yes	Pass: 123
			* multiple Geo-fence setting and in/out of fence alert * Built-in motion sensor for ultra power saving and	Output port	N/A	Microphone port	N/A	Packing: Neutral color box(14.5*14*4.5cm)
	GPRS saving * movement report, travel history play back	GPRS saving * movement report, travel history play back * With 1950 mAh inbuilt rechargeable battery	Analog port	N/A	Earphone port	N/A	or Neutral white box(15*16*4.5cm) Unit weight: 0.55Kg 30 units/Carton	





www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Marshal Namelana	11	Distance	Main Franchisms	Unit Pric	e	De aldre	. 1 !-4	Demonto
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing	List	Remark
			* Use 4G mobile network	≥1000pcs:	\$76	Main unit	1рс	
			* Support limit the vehicle speed within the	500~999pcs:	\$78	GSM antenna	1pc	
Z AG			controllable range * Support OTA (update to new firmware by SMS	300~499pcs:	\$80	GPS antenna	1pc	
			command) * Support smart phone RFID for driver identification	100~299 pcs:	\$82	SOS button	1pc	
			/ anti-theft * Support Active RFID & passive RFID for anti-theft	10~99 pcs:	\$84	Relay(12V/24V)	1pc	
			and driver(student) ID identification function	1~9pcs:	\$86	Microphone	1pc	
			* Have 4 analog inputs, max support 4 fuel sensor for petrol level monitor, support fuel stolen alarm			Wiring	1set	
	Headlines:		* Support max 4 cameras, take photo by time interval		Optiona	I Accessories		
	*For vehicle tracking and		* Support crash/impact sensor for accident alarm * Support temperature sensor / speed limiter / door	Fuel Level Sensor: \$	55 to \$80	depending on neede	d type & length	Supported Center:
VT1000 - 4G	security *Intelligent fleet		sensor etc. * Support SD card data logger	Temperature sensor:	: \$10	Speed limiter: \$3	30	Free web-based GPRS tracking
Most powerful &	management		* Support OBD2 connector to read DTC from ECU car computer	Passive RFID reader	: \$10	RFID tag: \$1		platform:
multifunctional Vehicle Tracker	*Two way communication		* Two way communication, listen in voice and speak	OBD2: \$16 / \$25		Camera: \$15 / \$.	25	Platform: www.track-car.com User: officetest
	*Camera monitoring		* Support harsh braking / acceleration alarm * Inbuilt 4MB flash memory to store position when	Crash sensor: \$2		Speaker: \$2		Pass: 123
	*4G		out of GSM/GPRS coverage * ARM9 100MHz microcontroller	Alcohol sensor: \$8				
			* Get real time position street name / Google map link via SMS	SD card: \$10 if ≤8G		USB configurati	on cable: \$2	
			* Support multiple Geo fence setting and in/out fence alarm		Avail	able Ports		Packing:
			* Support movement alarm / over speed alarm / external power cut off alarm	Input port	5	USB port	Yes	Neutral color or white box (23*16*6cm)
			* Support cut off engine/fuel from remote to immobilize vehicle	Output port	5	MIC port	Yes	Unit weight: 1Kg
			* Support door automatically lock/unlock	Analog port	4	SD Slot	Yes	20 units/Carton
			* Support buzzer horn to alert/remind * With 850mAh inbuilt rechargeable battery * Ublox7 GPS industrial high sensitive module	Camera port	1	Speaker Port	Yes	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Negation	Handlinger	Distance	Main Functions	Unit Pric	е	Dooking Lie	4	Damank
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing Lis	τ	Remark
				Single SIM car OBI	O tracker	Single SIM truck OBD	tracker	GSM Frequencies:
NEW			* Remote diagnostics vehicle data,for example throttle Open,Engine Speed Averag	>1000pcs:	\$41	>1000pcs:	\$47	850/900/1800/1900Mhz
			Fuel, Temperature, Live Load , Error Code ect data, then generate OBD report in the tracking platform	500~999pcs:	\$43	500~999pcs:	\$48	(Quad-band)
			* Double SIM card tracker can traveling different country consistently	200~499pcs:	\$45	200~499pcs:	\$49	
Dlay and nive			* Detect engine on/ off status * Inbuilt 2MB data logger for GSM/GPRS blind area * LBS/GPS Two way locating, still show position	50~199 pcs:	\$47	50~199 pcs:	\$51	
Play and plug			on map when there is no GPS signal * No battery	10~49 pcs:	\$48	10~49 pcs:	\$53	Supported Center:
one sim card / dual sim card	Headlines: Car tracking &		* Integrated devices of diagnose vehicle and GPS tracking	1~9pcs:	\$50	1~9pcs:	\$55	Free web-based GPRS tracking platform:
OBD tracker	security		* Integrated internal GPS & GSM antenna * Waterproof, mini size, easy installation; * Design for vehicles with OBD port	Double SIM car OB	D tracker	Double SIM truck OBE	O tracker	Platform: www.track-car.com
OGT01			* Working voltage: 9V DC -24V DC; * Real Time tracking by SMS/GPRS (Web platform)	>1000pcs:	\$50	>1000pcs:	\$55	User: officetest Pass: 123
			* Auto tracking by SMS/GPRS (TCP/UDP supported),track by time or distance interval;	500~999pcs:	\$52	500~999pcs:	\$57	
			* Tracking via PC platform or Android APP * Locate by SMS with Google map's link;	200~499pcs:	\$54	200~499pcs:	\$59	Packing: Gift box (15*16*4.7cm)
			* Get actual address name by SMS * Movement alert which can be used as an alarm; * Geo-fence alarm, over-speed alarm	50~199 pcs:	\$56	50~199 pcs:	\$61	0.3KG/unit
			* Odometer report function;	10~49 pcs:	\$58	10~49 pcs:	\$63	
				1~9pcs:	\$60	1~9pcs:	65	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Mardal Namelan	I I a a all'a a a a	Distant	Main Formations	Unit Pric	e	De alsium I		Demont
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing I	LIST	Remark
			* Bluetooth anti lost alarm / Falling off alarm * Small size, built-in antenna, easy carried and hidden; No installation, necklace/pocket style	≥1000 pcs:	\$43	Main Unit	1pc	GSM Frequencies:
			* For the care & protection & rescue of the elderly, children, patients, wild area explorer, tourists or pets etc.	500~999 pcs:	\$44	Wall Charger	1pc	850/900/1800/1900Mhz
		V.	* Quick dial button for 3 calls, talking as a mobile phone * Ultra low power consumption, continuously work	200~499 pcs:	\$45			(Quad-band)
	Headlines:	《精技》	40hours by 1 minute interval, standby time more than 7 days	50~199 pcs:	\$46			
PT90	*Person Safety (Kids,Elders,	***	* support two way locating, can still track on map when there is no GPS signal, especial in buildings or in subway.	10~49 pcs:	\$47			Supported Center:
D = == = = 1/D = 1/A = = = 1	Patients, Wild Visitors) *Pet/Animal	sos	* inbuilt 4MB data logger for saving position when there is no GSM/GPRS network coverage * support kid walk-away alert, prevent kid losing	1~9pcs:	\$49			Free web-based GPRS tracking platform:
	Tracking *Asset Tracking		* Tracking via SMS or GPRS(TCP/UDP) * Real time position report		Availa	able Ports		Platform: www.track-car.com
	, toost madiming		* Get actual location street name via SMS or internet * SOS panic button	Input port	N/A	USB port	Yes	User: officetest Pass: 123
			* multiple Geo-fence setting and in/out of fence alert * Built-in motion sensor for ultra power saving and	Output port	N/A	Microphone port	N/A	Packing: Neutral color box(14.5*14*4.5cm)
			GPRS saving * movement report, travel history play back * With 1950 mAh inbuilt rechargeable battery * Support external power bank/solar battery	Analog port	N/A	Earphone port	N/A	or Neutral white box(15*16*4.5cm) Unit weight: 0.55Kg 30 units/Carton





www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Model Number	Headliness	Diatura	Main Functions	Unit Pric	e	Deeking I	int	Damauk
Model Number	neadiness	Picture	Main Functions	Quantity	USD	Packing L	ist	Remark
			* Support limit the vehicle speed within the	≥1000pcs:	\$60	Main unit	1pc	
			controllable range	500~999pcs:	\$62	GSM antenna	1pc	GSM Frequencies:
			* Support 2 GSM SIM cards, auto/manually switch to best network, max support 5 sim cards * Ublox7 GPS industrial high sensitive module	300~499pcs:	\$64	GPS antenna	1рс	850/900/1800/1900Mhz
			* GPS tracker + RFID driver identification for fleets	100~299 pcs:	\$66	SOS button	1pc	
			* Support OBD2 connector to read out DTC from ECU car computer * support two way locating, can track position when	10~99 pcs:	\$68	Relay (12V/24V)	1pc	(Quad-band)
			there is no GPS signal	1~9pcs:	\$70	Microphone	1pc	
	Headlines: *For vehicle		* support OTA update (update to newest firmware by SMS/GPRS)			Wiring	1set	Supported Center:
	tracking and		* Support SD card * Two way communications, listen in voice and		Optional	Accessories		Free web-based GPRS tracking
Double - five	security *Intelligent fleet	Succession (Control of the Control o	· ·	Fuel Level Sensor: \$	55 to \$80	depending on sensor typ	es	platform:
SIM Card VT1000	management *Two way communication	THE PARTY OF THE P	nhone REID for driver(student) ID identification and	Temperature sensor:	: \$10	Speed limiter: \$30		Platform: www.track-car.com User: officetest
Austa Cusitala	*Camera	27,000,000	* Support max 4 fuel sensors monitor * Support camera, Photo logger function with	Passive RFID reader	: \$10	RFID tag: \$1		Pass: 123
Auto Switch Network	monitoring *Transnational		location & driving information	OBD2 connector: \$10	6/ \$25	Alcohol sensor: \$8		
	tracking * No need to		* support crash sensor for accident alarm * support fuel stealing monitoring	Crash sensor: \$2	;	Speaker: \$2		Packing: Neutral color or white box (23*16*6cm)
	roaming		support harsh braking and harsh acceleration	SD card: \$10 if ≤80	j	Camera: \$15 / \$25		Unit weight: 1Kg
			alarm * get real time address street name/Google map	USB configuration c	able: \$2	OBD2: \$16/ \$25		20 dillo, Galton
			link by SMS * Multiple Geo-Fence Setting and in/out of fence alarm		Availa	able Ports		
			* Movement alert, over speed Alert, main power cut	Input port	5	USB port	Yes	
			off alert etc. * inbuilt 4MB data logger for saving position history	Output port	5	MIC port	Yes	
			GSM blind area	Analog port	4	RS232 COM	Yes	
			* A/C ON/OFF detection	Camera port	1	Speaker Port	Yes	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Number	Headliness	Diatura	Main Functions	Unit Pric	e	Dooking	Liet	Damank
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing	LIST	Remark GSM Frequencies: 850/900/1800/1900Mhz (Quad-band) Supported Center: Free web-based GPRS tracking platform: Platform: www.track-car.com User: officetest Pass: 123
				≥1000 pcs:	\$40	Main unit	1pc	GSM Frequencies:
			* Support installing two SIM cards,	500~999 pcs:	\$41	SOS button	1pc	850/900/1800/1900Mhz
			automatically/manually switch best network * Intelligently switch to foreign network without	200~499 pcs:	\$43	Relay(12V/24V)	1pc	(Quad-band)
Headlines:	roaming * Support cut off engine by SMS/GPRS to	100-199 pcs:	\$45	Wiring (SOS incl.)	1set			
	*For vehicle		immobilize vehicle * Real time tracking by SMS/GPRS (Web Platform)	10~99 pcs:	\$47			
MT210	tracking and MT210 security	1	* Wide voltage supported: 9V - 36V DC * With 650mAh inbuilt rechargeable battery	1~9pcs:	\$49			Supported Center:
Dual SIM	*Intelligent fleet management		* Mini size, waterproof, built-in antenna for easy install and concealment		Optional	Accessories		3
Tracker	*Anti jamming *Transnational		* Support external power cut off alarm * Support microphone for voice listen in	USB-to-Serial cable	\$2 S	Speaker: \$2		Platform: www.track-car.com
	tracking * No need to		* Anti-robbery with SOS button, call for help * Ultra Power Saving	Microphone: \$1				User: officetest
	roaming		* Car alarm function (Arm/Disarm)(customizable) * Check real address name/Google Map link by					Packing:
2 (1) 8		SMS * Geo-Fence Alert, over speed Alert.		Available Ports			Neutral color box(14.5*14*4.5cm) or Neutral white box(15*16*4.5cm)	
		24-	* Engine ON/OFF detecting	Input port	2	USB port	N/A	Unit weight: 0.6Kg
				Output port	1	MIC port	Reserved	30 units/Carton
				Analog port	1	Earphone port	N/A	





www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Number	Haadlinaaa	Disture	Main Functions	Unit Price		Dooking	Liet	Domoule
Model Number	Headliness	Picture	wain Functions	Quantity	USD	Packing	List	Remark
				≥1000 pcs:	\$40	Main unit	1pc	GSM Frequencies:
			* Support two way tracking, when there is no GPS signal, can still track position on map * Support cut off engine from remote by	500~999 pcs:	\$41	Wiring	1рс	850/900/1800/1900Mhz
			SMS/GPRS to immobilize vehicle * SOS button to call for help for emergency	300~499 pcs:	\$42	Relay(12V)	1pc	(Quad-band)
			* Support to set multiple geo fence online and get in/out fence alarm on platform * Waterproof, mini compact size, easy installation	100~299 pcs:	\$43			
	Headlines:		* Integrated GPS & GSM antenna, high sensitivity with -162dB * Real time tracking by SMS/GPSRS (TCP/UDP	10~99 pcs:	\$45			Supported Center:
MT01 Motorcycle &	*Vehicle tracking & security *Motorcycle		supported) * Auto tracking by SMS/GPRS, track by time	1~9 pcs	\$47			Free web-based GPRS tracking platform:
Vehicle Tracker	tracking & security	-	interval or by distance * Locate by SMS with Google map's link		Optional	Accessories		Platform: www.track-car.com
	*Fleet Management		* Movement alert (Optional)	Speaker: \$2		Microphone: \$1		User: officetest Pass: 123
			street, etc.) * Power saving design	USB-to-Serial cable 9	\$2			
			* Industrial design to work in hard conditions for motorcycle/car, working voltage: 6VDC -24VDC * No data logger (can customize on demand)		Availa	able Ports		Packing:
			* With 650mAh inbuilt rechargeable battery * Voice monitoring (Optional)	Input port	2	USB port	Yes	Neutral color box(14.5*14*4.5cm) or
			voice monitoring (Optional)	Output port	1	MIC port	Customized	Neutral white box(15*16*4.5cm) Unit weight: 0.5Kg 30 units/Carton
				Analog port	1			150 dilits/Carton



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile:+86-188-1943-3250

Model Number	Headliness	Picture	Main Functions	Unit Pric	e	Packing Lis	.4	Remark
Woder Number	пеаиппеѕѕ	Picture	Maili Fullctions	Quantity	USD	Packing Lis	ot .	Remark
				≥3000pcs:	\$32	Main unit	1pc	GSM Frequencies:
				1000~2999pcs:	\$33			850/900/1800/1900Mhz
		* Connect with car OBD2 port for simple tracking * Support two way tracking, can still track	500~999pcs	\$34			(Quad-band)	
			position on map when there is no GPS signal * Integrated internal GPS & GSM antenna * Waterproof, mini size, easy installation;	50~499 pcs:	\$35			Supported Center:
OGT100	Headlines:		* Design for vehicles with OBD port * Working voltage: 9V DC -24V DC;	1~49pcs:	\$37			Free web-based GPRS tracking platform:
OBD GPS	Car tracking & security	(CE) CEO	* Real Time tracking by SMS/GPRS (Web platform) * Auto tracking by SMS/GPRS (TCP/UDP		Optional	Accessories		Platform: www.track-car.com
	security	TRACISER Eosy Plug Eosy Ploy	supported), track by time or distance interval; * Tracking via PC platform or Android APP	USB Config Cable		\$2		User: officetest Pass: 123
			* Locate by SMS with Google map's link; * Get actual address name by SMS * Movement alert which can be used as an alarm:		Availa	ble Ports		
			* Geo-fence, over-speed & anti-amber; * Odometer report function;	Input port	N/A	USB port (RS232)	Inbuilt	Packing: Gift box (15*16*4.7cm) 0.3KG/unit
				Output port	N/A	Microphone port	N/A	
				Analog port	N/A	Earphone port	N/A	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Number	Headlinean	Diatura	Main Functions	Unit Pric	e	Dooking Lie		Domonik
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing List		Remark
GP5 version				Retail:	\$420	Basket Bluetooth speaker	\$6 \$30	Open Dimension : 123*40*90(cm) Fold Dimension :
		TOP SHINE	Inertial cruise Pedal Assist (default mode) Twist throttle mechanism + Cruise control Manpower	Wholesale (MOQ>=50)	\$350	rear light	\$5	80*48*60(cm)
EB01 Fold E-BIKE	14"		5 Track postion by real time 6. Online free tracking platform 7. Support remotely adjust and limit speed 8. Remotely switch riding mode (Standard, Student, Sports) 9. Multiple Geo fences can be set: when detecting entry/exit the fence, send reminder by SMS (optional) 10. Support turn off the motor remotely 11. Positioning accuracy: ≤10 meters 12. diagnose ebike function 13. driver recorder function	Battery: Imported LG Motor:250W brushle Maximum climb: 30 d Load-bearing: 100kg Battery rating: 270wh	um alloy fol rmal tires 6 36V 8Ah ss motor w degree I h ns: Europea 40V 1 Aluminum -30km/h (a 0-70KM (Po 3-4 hours	18650 ternary ith inbuilt GPS an / British standard 36V2A n Alloy djustable) ower assisted)	Λ.	Packing: Gift box (76*46*65cmm) 20KG/unit



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Number	He calling a c	Picture	Main Franctions	Unit Pric	e	Packing List		Domork	
Model Number	Headliness	Ficture	Main Functions	Quantity	USD			Remark	
GPS version				Retail:	\$440	Basket Bluetooth speaker	\$6 \$30	Open Dimension: 123*40*90(cm)	
version		TOP(HINE	Inertial cruise Pedal Assist (default mode)	Wholesale	\$370	Rear light	\$5	Fold Dimension : 80*48*60(cm)	
		.0	Twist throttle mechanism + Cruise control Manpower	(MOQ>=50)					
			5 Track postion by real time 6. Online free tracking platform		Spec	ification			
EB02 Fold E-BIKE	20"	GINO	 7. Support remotely adjust and limit speed 8. Remotely switch riding mode (Standard, Student Sports) 9. Multiple Geo fences can be set: when detecting entry/exit the fence, send reminder by SMS (Optional) 10. Support turn off the motor remotely 11. Positioning accuracy: ≤10 meters 12. diagnose ebike function 13. driver recorder function 	Wheel size: 20" Battery: Imported LG Motor:250W brushle: Frame material: 606: Maximum speed: 20- Range per power: 4: Single charge time: suspension Derailleu Brake: Front/rear dis	ss motor w 1 Aluminun -25m/H (ad 0-70KM (P 3-4 hours ır: Shimand	ith inbuilt GPS; n Alloy justable) ower assisted): Front forl	C	Packing: Unit weight: 21Kg Pack carton: 132×23×75CM)	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Number	He calling a c	Unit Price Main Functions			е	Packing List		Remark	
Model Number	Headliness	Picture	Main Functions	Quantity	USD	Packing List		Remark	
GPS version				Retail:	\$490	Basket Bluetooth speaker	\$6 \$30		
		·	Inertial cruise Pedal Assist (default mode) Twist throttle mechanism + Cruise control Manpower	Wholesale (MOQ>=50)	\$470	Front/rear light Dirt mudguard	\$10 \$10		
			5 Track postion by real time 6. Online free tracking platform	Specification					
TSMB01 Mountain E-BIKE	26"		 7. Support remotely adjust and limit speed 8. Remotely switch riding mode (Standard, Student, Sports) 9. Multiple Geo fences can be set: when detecting entry/exit the fence, send reminder by SMS (Optional) 10. Support turn off the motor remotely 11. Positioning accuracy: ≤10 meters 12. diagnose ebike function 13. driver recorder function 	Wheel size: 26" / 2 Motor: 250W /350W Speed: 30KM/h Battery: Imported LG Range per power: 50 Frame: 6061 high de Front fork: suspensic Derailleur: 7/21/24/2; Brake: Front/rear dis Tire: 26*1.95 RIM:Aluminum Alloy Net weight: about 20 LED light of front and speaker (optional) Basket (optional) Rear cushion (option	brushless in lithium 48' and a lithium 48' and a lithium 48' and a lithium and a lithi	motor with inbuilt GPS; V 10Ah inum Alloy ars		Packing: Unit weight: 23Kg Pack carton: 138*23*75cm	



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Number	Headliness	Diatura	Main Functions	Main Functions Unit Price		Dooking Liet		Domark	
Model Number	neadiness	Picture	Main Functions	Quantity	USD	Packing List		Remark	
GPS version TSMB02 Mountain E-BIKE	Headliness	Picture	1. Inertial cruise 2. Pedal Assist (default mode) 3. Twist throttle mechanism + Cruise control 4. Manpower 5 Track postion by real time 6. Online free tracking platform 7. Support remotely adjust and limit speed 8. Remotely switch riding mode (Standard, Student,	Retail: Wholesale (MOQ>=50) Wheel size: 26" Motor: 250W / 350W Speed: 30KM/h Battery: Imported LG Range per power: 40	\$510 \$480 Spec brushless Glithium 48 0-70KM (Po	Front/rear light Dirt mudguard Effication motor with inbuilt GPS	\$6 \$30 \$10 \$10	Packing: Unit weight: 27Kg Pack carton: 142*26*79cm	
Volume 1	 10. Support turn off the motor remotely 11. Positioning accuracy: ≤10 meters 12. diagnose ebike function 13. driver recorder function 	Frame: 6061 Aluming Front fork: Mechanic Derailleur: Shimano 2 Brake: Front/rear dis Tire: 26" *1.95 Kend Net weight: about 20 LED light of front and Speaker (optional) Basket (optional) Rear cushion (optional)	al suspens 21 speed-g c brake la .5KG	ears					



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Madal Number	Headlinean	Dieture	Main Functions	Unit Pric	e	Dooking Liet		Domoule
Model Number	Headiiness	Picture	Main Functions	Quantity	USD	Packing List		Remark
TSMB04 Mountain + folding E-BIKE	Headliness 26"	Picture	 9. Multiple Geo fences can be set: when detecting entry/exit the fence, send reminder by SMS (Optional) 10. Support turn off the motor remotely 11. Positioning accuracy: ≤10 meters 	Quantity Retail: Wholesale (MOQ>=50) Wheel size: 26" Motor: 250W/350W Speed: 25KM/h Battery:Imported LG Range per power: 50	\$530 \$500 \$500 Spec brushless r lithium 48\ 0-100KM ensity Alum on fork	Bluetooth speaker \$ Front/rear light \$ Dirt mudguard \$ cification notor with inbuilt GPS; / 10Ah inum Alloy,rear shock absorbe	\$6 30 10 10	Packing: Unit weight: 21Kg Pack carton: 145*23*75cm
				Brake: Front/rear dis Tire: 26*1.95 RIM:magnesium Allo Net weight: about 22 LED light of front and Speaker (optional) Basket (optional) Rear cushion (option	c brake by A/V cKG d rear (opt			



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Medal Number	Headliness	Dieturo	Main Functions	Unit Pri	ce	Dooking Lie		Domoule
woder number	neadiiness	Picture	Main Functions	Quantity	USD	Packing List	τ	Remark
GPS version TSMB05 Mountain E-BIKE	Headliness	Picture	1. Inertial cruise 2. Pedal Assist (default mode) 3. Twist throttle mechanism + Cruise control 4. Manpower 5 Track postion by real time 6. Online free tracking platform 7. Support remotely adjust and limit speed 8. Remotely switch riding mode (Standard, Student, Sports) 9. Multiple Geo fences can be set: when detecting entry/exit the fence, send reminder by SMS (Optional) 10. Support turn off the motor remotely 11. Positioning accuracy: ≤10 meters 12. diagnose ebike function 13. driver recorder function	Quantity Retail: Wholesale (MOQ>=50) Wheel size: 24"	\$450 \$420 Specific brushless in Gilthium 36' 10-90KM lensity Aluminion forkugears		\$6 \$30 \$10 \$10	Packing: Unit weight: 24Kg Pack carton: 134*27*77cm
				Tire: 24*1.95 RIM:Aluminum Allo Net weight: about 1	•			



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Model Number	Headliness	Picture	Main Functions	Unit Price Packing List R		Remark	
Woder Number	neaumess	Ficture	Maili Fullctions	Quantity	USD	Packing List	Remark
GP5 version				Retail:	\$670	Basket \$6 Bluetooth speaker \$3	
			Inertial cruise Pedal Assist (default mode) Trick the other mode of the control of	Wholesale	\$610	Front/rear light \$1)
		TOPSHINE	Twist throttle mechanism + Cruise control Manpower	(MOQ>=50)		Dirt mudguard \$1)
TSMB06 Fat E-BIKE	26"		entry/exit the fence, send reminder by SMS ((Optional) 10. Support turn off the motor remotely 11. Positioning accuracy: ≤10 meters 12. diagnose ebike function 13. driver recorder function	Wheel size: 26" Motor: 350W brushle Speed: 60KM/h Battery: Imported LG Range per power: 50 Frame: 6061 high de Front fork: suspensic Derailleur: 7/21/24/2' Brake: Front/rear dis Tire: 26*4 RIM:Aluminum Alloy Net weight: about 22 Packing: 145*23*75c LED light of front and speaker (optional) Basket (optional) Rear cushion (optior	ess motor was lithium 48 l-100KM nsity Alumion 7 speed-ge c brake A/V KG	√ 10Ah num Alloy,rear shock absorbe ars	Packing: Unit weight: 35Kg Pack carton: 155*35*84cm



Guangzhou TopShine Electronic Technology Co., Limited

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Tianhe District, Guangzhou, China

Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 Whatsapp/ Mobile: +86-188-1943-3250

Model Number	er Headliness Picture		Main Functions	Unit Price		Dooking Liet	Remark	
Model Number	neadiness	Picture	Main Functions	Quantity U	SD	Packing List	Remark	
				\$1000/set		Server Hardware Requirements		
		ther Name	*Stable and fast response *Support more than 30,000 devices *Multiple languages supported, including English, Spanish, French, Portuguese, Arabic and so on *Live tracking in real time			Quad-core CPU ≥ 4GB memory ≥150GB hard disk	Structure:	
		based	*Remote control the vehicles by sending commands	Special Offer		Software requirements	C#+SQL Server	
	Web server-based (Recommended!)		*Unlimited user accounts for your clients *Flexible vehicle management *Fleet management *Support many kinds of reports *Multiple geo fence setting and alarm *Save history report for at least 3 months *History play back *Take photos from tracking platform	A One-times purchase of 100pcs GPS trackers (For these types: MT08 MT02 OBD tracker, 200pcs is		Windows Server 2008 64bit R2		
				required.), 50% OFF for the platform GPRS01;		Install		
			*Cut off engine to immobilizing vehicle *Mobile App is available *Free accounts in our server Demo link: www.track-car.com Username: officetest Password: 123	A One-times purchas 500pcs GPS trackers (700pcs MT08 MT07 of tracker required), get FREE software GPRS	, OBD : a	Our engineers will install and set up for you		

Notes: This price list is effective to 1st Dec., 2019.

(1) The above prices are in US Dollar, based on FOB Guangzhou, China. The freight, duty or VAT are not included

(2) Payment terms: Bank Transfer, Western Union or Paypal

Payment: (3) Full payment in advance

(4) The remitter is responsible for the remittance charge.

(6) For Paypal Payment, we needs extra 5% of the total amount as the paypal service charge.

MOQ: 1 set

Lead Time: Order <100pcs, delivery is 3 working days upon receipt of the payment; Order >100pcs, delivery is 3-7 working days or according to our production schedule

Warranty: 2 years.

(1) Standard Packing: Neutral color gift box packing in English

ng: (2)To print logo on tracker case in white, MOQ:100pcs is required; To print logo on tracker case in colors, MOQ:300pcs and extra USD200 are required

VE Add

Guangzhou TopShine Electronic Technology Co., LTD

www.gztopshine.com

Address: 1303, 13th Floor, Yuehai Kaixuan Building, 190 Xianlie East Road, Yuexiu District, Guangzhou, China Contact: Jennifer Zhuo Tel/Fax: +86-020-85589366 whatsapp:+86-188-1943-3250

Optional Accessories


Name	Picture	Unit Price USD	Remark	Name	Picture	Unit Price USD	Remark
Microphone		\$1	0.03kg	Speaker		\$2	0.08kg
Camera A	870	\$25	0.18kg 24 infrared lights 7*7cm	Camera B		\$15	0.15kg 6 infrared lights 3*4cm
Crash Sensor	We	\$2	Inbuilt on PCB	Temperature Sensor	86	\$10	0.02kg
Smart phone reader		\$12.0	Connect smart phone with tracker to arm/disarm the system.	Siren / Buzzer		\$3	0.07kg
Active RFID Tag		\$4/each	Auto Anti-theft, responded in 5m	Active RFID Reader		\$6	Auto anti-theft
Passive RFID Tag		\$1/each	Smart Touch card Freqency: 125KHz/13.56MHz	Passive KriD		\$10	Auto anti-theft



Email: sales1@gztopshine.com Skype: topshine.sales1

Optional Accessories

Name	Picture	Unit Price USD	Remark	Name	Picture	Unit Price USD	Remark
Passive RFID Card	0007399407 121,59031	\$1/each	Smart Touch card Freqency: 125KHz/13.56MHz	SD Card	Table 1	\$2 to \$16	2G to 16G selectable
Fingerprint reader		\$30	Smart car alarm and driver ID identify	USB Configuration Cable		\$2	0.04kg
Relay		\$1.5	12V or 24V 0.05kg	SOS Wire	(3F)	\$2	Emergency Alarm
OBD II Connector A		\$16	0.1kg for car	Door Sensor		\$6	Platstic Type or Metal Type Selectable
OBD II Connector B		\$25	For big vehicles with J1939 protocol	Alcohol Sensor		\$8	0.03kg
Cuttable Type Fuel Sensor	Cuttable type final sensor Accuracy Inte	\$55	customized length ≦ 70cm 1kg	Ultrasonic Fuel Sensor	• E. E. E. 2	\$80	No need to drill tank, 1kg



Email: sales1@gztopshine.com Skype: topshine.sales1

Optional Accessories

Name	Picture	Unit Price USD	Remark	Name	Picture	Unit Price USD	Remark
Calibrator for Cuttable type fuel sensor		\$15	To calibrate cccuracy	Speed limiter		\$30	Limit the vehicle speed