

ranpo



WECHAT SCAN

2018

CATALOG
产品目录

Ranpo Lighting Technology Co., Ltd

COMPANY PROFILE



Ranpo Lighting Technology Co., Ltd, established in 2009, is a professional manufacturer and exporter who dedicates to research, manufacture and sales of LED lighting application products. Our factory located in Shenzhen City, Guangdong Province, China.

Our products satisfy CE & RoHS approval which include LED Downlights, LED Spotlights, LED Corn lights ,LED Strip Light and so on. All our products are designed independently with high quality materials because of the first-class quality, unique design, reasonable price and good reputation, they are mainly being sold to Northern America, Northern Europe, Western Europe ,Oceania, Asia and other high-end markets. Our lights are widely used in supermarkets, shops, hotels, restaurants and other places.

Ranpo Lighting makes your life sunny forever. We conform to the requirements of the time, engage in the making perfect habitation for human all over the world.

CONTENTS

目录

- 01 LED Corn Light : 1
- 02 LED Downlight : 6
- 03 LED Panel Light : 8
- 04 LED Spotlight : 10
- 05 LED Strip Light : 17



06 Others

22



RP136

Waterproof IP64 LED Corn Bulb

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP136.001				

Product Detail

Specification:

Base type: E27: 12W - 40W E39/E40: 60W-200W

Waterproof Class: IP64 (white shell) & IP22 (Green Shell)

Voltage: AC85-265V

Lumen: 130LM/W

Dimmable or not : Non-dimmable

LED type: SMD 2835

Wattage:12W 16W 20W 24W 30W 40W 60W 80W 100W 120W 140W 150W 200W

Lifespan:> 50000hours

Color temperature: 6000-6500K (Cool white);4000-4500K (Natural white);2800-3200K (Warm white)



RP184

LED Corn light

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP184.001				

Product Detail

Specification:

Base type: E27 / E14

Voltage: AC110V/220V;

Chip Brand: Epistar

LED type: SMD 5730

LED quantity: 24 pcs/30pcs/42pcs

/64 pcs/80pcs/89pcs/108pcs/136pcs/165pcs

Lumen: 240-1300LM

Lifespan:> 50000hours

Color temperature: 6000-6500K (Cool white); 2800-3500K (Warm white)



RP347

LED Flame Bulb

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP347.001				

Product Detail

Specification:
 Model: LED Flame Bulb
 Base Type: E26/E27/B22
 Wattage:5W
 Voltage: AC 85-265V
 SMD Type:2835 SMD
 Size(H*D):174 *50MM
 Mode: One Mode:Flickering mode Yellow1800-2200K/Blue/Green/Red colors for choosing
 Three Modes: First tum on,flickering mode,Second tum on ,general lighting
 Third tum on,breathing mode Yellow Color

ranpo



RP361

LED Flame Bulb

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP361.001				

Product Detail

Specification:

Model: LED Flame Bulb

Base Type: E12/E14/B22/E26/E27

Wattage:5W

Voltage: AC 85-265V

SMD Type:2835 SMD

Size(H*D):125*46MM

Mode:Three Modes: First turn on,flickering mode,Second turn on ,general lighting Third turn on,breathing mode Yellow Color



RP409

LED Corn Light

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP409.001				

Product Detail

Specification:

Base type: E12/E14/B22/E26/E27

Voltage: AC110V/220V;

Chip Brand: Epistar

LED type: SMD 5730

LED quantity:

24 pcs/46 pcs/57 pcs/69 pcs/84 pcs/108 pcs/108 pcs/126 pcs/162 pcs

Lumen: 320-1120LM

Lifespan: > 50000hours

Color temperature: 6000-6500K (Cool white); 4000-4500K (Natural white); 2800-3500K (Warm white)



RP107

LED Downlight

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP107.001				

Product Detail

Specifications:

Model:LED Downlight Wattage:3W/5W/7W/9W/12W/15W/18W

Voltage:AC 85-265V /AC 110V AC 220V ->(FOR DIMMABLE Only)

Driver: Constant Current Driver

Light Color: Cool White(6000-6500K) ;Netural White(4000-4500k);Warm White(2700-3300k);

Dimmable: Yes/No

Beam Angle:120 Degree

Material: Heat Sink Material Casting Aluminum Alloy

Size:3W(97*25*70mm)/5W(107*25*70mm)/7W(112*25*78mm)/9W(137*30*106 mm)/12W(137*30*106mm)/15W(173*30*136mm)/18W(173*30*136mm)

Work Temperature: -25~+65



RP314

LED Downlight

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP314.001				

Product Detail

Specifications:

Model:LED Downlight Wattage:3W/5W/7W/12W/15W/18W

Voltage:AC 85-265V /AC 110V AC 220V ->(FOR DIMMABLE Only)

Driver: Constant Current Driver

Light Color: Cool White(6000-6500K) ;Net ural White(4 000-4 500k);Warm White(2700-3300k);

Dimmable: No

Bean Angle:120 Degree

Material: Heat Sink Material Casting Aluminum Alloy

Size:3W(100*80mm)/5W(110*90mm)/7W(120*100mm)/12W(145*125mm)/15W(180*160mm)/18W(190*170mm)

Work Temperature: -25~+65



RP159

LED Panel Light

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP159.001				

Product Detail

Specifications:

Model:LED Panel Light

Shape:Square / Round Power: 6W 12W 18W 24W

Voltage:AC 85-265V

Driver: Constant Current Driver

Light Color: Cool White(6000-6500K) ;Netural White(4000-4500k);Warm White(2700-3300k);

Dimmable: No

Bean Angle:120 Degree

Shell Color: White

Material: Heat Sink Material Casting Aluminum Alloy

Work Temperature: -25~+65



RP19

LED Panel Light

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP19.001				

Product Detail

Specifications:

Model:LED Panel Light

Shape:Square/ Round Power:3W/6W/9W/12W/15W/18W

Voltage:AC 85-265V /AC 110V AC 220V ->(FOR DIMMABLE Only)

Driver: Constant Current Driver

Light Color: Cool White(6000-6500K) ;Netural White(4000-4500k);Warm White(2700-3300k);

Dimmable: Yes/No

Bean Angle:120 Degree

Shell Color: White

Material: Heat Sink Material Casting Aluminum Alloy

Work Temperature: -25~+65



RP11

LED Spotlight

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP11.002				

Product Detail

Specifications:

Base Type: E12/E14/GU10/MR16/B22/E27/B15

Wattage: 3W/4W/5W

Color: Natural White(4000-4500k);Warm White(2700-3300k);Cool White(6000-6500k)/Red/Green/Blue/Purple/Yellow

Input Voltage: AC 85-265V /AC110V AC220V /DC12V

Dimmable or not : Dimmable /Non-Dimmable



RP110

LED Spotlight

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP110.001				

Product Detail

Specifications:

Base Type: GU10/MR16/E26/E27

Wattage: 5W

Color: Natural White(4000-4500k);Warm White(2700-3300k);Cool White(6000-6500k)

Input Voltage: AC 85-265V /AC110V AC220V /DC12V

Dimmable or not : Dimmable /Non-Dimmable

Lumen: 85lm/W



RP132

LED Spotlight

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP132.001				

Product Detail

Specification:

Type: PAR30 Spotlight

Base :E26/E27

Styles:Four type

Wattage:35W

Lumen:2800-3400LM

QTY of LEDs:24 LEDs

Brand of LED Chips: Osram

Dimmable:Not Dimmable

Light Color:Warm White 2800-3200K; Neutral White 4000-4500K;Cool White 6000-6500K;

CRI:>80



RP304

LED Spotlight

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP304.001				

Product Detail

Specification:
 Model:LED Spotlight
 Wattage:2W/3W/4W
 Lumen:280-500LM
 Dimmable or Non-dimmable: Non-Dimmable
 Light Color: Cool White 6000-6500K;
 Neutral White 4000-4500K;
 Warm White 2800-3200K;
 CRI:>80
 Voltage: AC110V or AC220V/AC DC 12V-24V



RP351

LED Spotlight

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP351.001				

Product Detail

Specifications:

Base Type: GU10/MR16/E26/E27

Wattage: 5W

Color: Natural White(4000-4500k);Warm White(2700-3300k);Cool White(6000-6500k)

Input Voltage: AC 85-265V /AC110V AC220V /DC12V

Dimmable or not : Dimmable /Non-Dimmable

Lumen: 90lm/W



RP70

LED Spotlight

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP70.001				

Product Detail

Specification
 Base Type:E11/E12/E14/E27/GU10/MR16
 Voltage:AC110V AC110V/AC85-265V
 Wattage: 5W
 Lumen: 95LM/W
 Color Tone: Warm White ,Cool White ,Neutral White
 Dimmable:Non-Dimmable or Dimmable
 Beam Angel: 90 degree
 Certification:CE&RoHS.



RP83

LED Spotlight

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP83.001				

Product Detail

Specifications:

Base Type: E12/E14/GU10/MR16/B22/E27/B15

Wattage: 3W

Color: Natural White(4000-4500k);Warm White(2700-3300k);Cool

White(6000-6500k)/Red/Green/Blue/Purple/Yellow

Input Voltage: AC 85-265V /AC110V AC220V /DC12V

Dimmable or not : Dimmable /Non-Dimmable



RP167

LED Strip Light

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP167.001				

Product Detail

Specification:

1. LED Type: 5050 SMD
2. Color: RGB
3. LED quantity: 60smd / Meter
4. Meters: 1M/2M/3M/4 M/5M
5. Protection class IP60 (Non-Waterproof)
6. Operating voltage: DC 5V
7. Viewing Angle: 120 °
8. Operating temperature: -20 to 50 °
9. Measurements: W1.00cm x T0.25cm
10. PCB width: 10mm

ranpo



RP17

EL Wire

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP17.001				

Product Detail

Name: EL Wire

Light Color: Orange/Sky Blue/Dark Blue/Light Green/Dark Green/White/Red/Purple/Yellow/Pink

Length:1M/2M/3M/4 M/5M/6M/7M/8M/9M/10M/15M/20M/30M/40M/50M/60 M/70M/80M/90M/100M

Controller Type:DC 3V/12V/Sound Activated Controller/USB Controller/Car Cigarette Controller/EU Plug Controler/US Plug Controller

Wire diameter: 2.3mm

Life Span: >50000H

Working temperature: - 30°C ~ 80°C

Controller Type:

1. Sound Activated Battery Pack Controller 3V



RP227

LED String Copper Wire Fairy Light

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP227.001				

Product Detail

Specification:

LED color: Red/Green/Blue/White/Warm White/multi-color/Pink/Purple

LED quantity: 2m/20LEDS 3m/30LEDS 5m/50LEDS 10m/100LEDS

Power Source: AA Battery (Battery not included) / USB / DC12V

Light-weight, just put it onto plants, Christmas tree or table without worry

Made of premium material, no heat generation and durable.

Copper wire is waterproof, place it any place you like

Brand new, Excellent quality. Low power consumption

Flexible copper wire, you can DIY the lights into any shapes you like!



RP24

Full Kit RGB Waterproof LED Strip Light

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP24.001				

Product Detail

Specification:
 5050 Waterproof Led Strip
 Color: RGB (Red Green Blue) Flash SMD IP 60 LED
 View angle: 120°
 Supply voltage: DC 12V
 Operating temperature: -20 to 60 degree
 LED quantity: 60LED/m, 300 LEDs
 Working Current/5Meter: 2A
 Lumens: 900LM
 Lifetime: 50,000+ hours
 44Key Remote Controller
 Working Temperature: -20°C-60°C



RP87

LED Battery String Fairy Light

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP87.001				

Product Detail

Specification:

LED color: Red/Green/Blue/White/Warm White/multi-color/Pink/Purple

LED quantity: 2m/20 pieces 3m/30 pieces 5m/50 pieces 10m/100 pieces

Input voltage: 3*AA(Battery is not Included for customs policy)

Voltage:DC 5V

Material:Silver Copper

Dimmable or Not: Not Dimmable

Length of the silver wire: 2m/6.6ft, 3m/9.84 ft, 5m/16.4ft ,10m/32.8ft



RP257

Wireless Bluetooth Bulb Light

SKU No.	Spec.	Qty/Ctn(PCS)	MOQ	Meas.(cm)
RP257.001				

Product Detail

Remote Control smart led bulb with speaker Base: E27 Color:RGB+White
 Voltage: AC85-265V/50-60Hz
 Shell material: Engineering plastic
 LED RGB Light power: 7W
 Speaker power:3W
 LED White Light Power:5W
 Frequency response: 135Hz - 15KHz ,
 Remote control: 24 keys, built-in 1 x 3V CR2025 lithium button cell



Ranpo Lighting Technology Co., Ltd

地址 : 2nd Floor D Building Jian Jin Industrial Area Dong
g Huan 2nd Road Long Hua Shenzhen China

Add : www.ranpoled.com

Tel : 0755-26038377 Fax : 0755-26038377