



**SAIMENG TOOLS**

**ZHANGJIAGANG  
SAIMENG TOOLS  
赛盟工具**

**[WWW.CARBIDE-BUR.COM](http://WWW.CARBIDE-BUR.COM) [EMAIL:SALES@CARBIDE-BUR.COM](mailto:SALES@CARBIDE-BUR.COM)**

# Tungsten Carbide Burr



SAI MENG



SAI MENG

**Saimeng Tools**

ZHANGJIAGANG SAIMENG TOOLS CO.,LTD

**WWW.CARBIDE-BUR.COM**

# Tungsten Carbide Burr



**Saimeng Tools**



**ZHANGJIAGANG SAIMENG TOOLS CO.,LTD**

**WWW.CARBIDE-BUR.COM**

# Tungsten Carbide Burr



SAIMENG



SAIMENG

**Saimeng Tools**

ZHANGJIAGANG SAIMENG TOOLS CO.,LTD

**WWW.CARBIDE-BUR.COM**

# Tungsten Carbide Burr



**Saimeng Tools**

ZHANGJIAGANG SAIMENG TOOLS CO.,LTD

**WWW.CARBIDE-BUR.COM**

# Tungsten Carbide Burr




**Saimeng Tools**

ZHANGJIAGANG SAIMENG TOOLS CO.,LTD

**WWW.CARBIDE-BUR.COM**

# Tungsten Carbide Burr




**Saimeng Tools**

**ZHANGJIAGANG SAIMENG TOOLS CO.,LTD**

**WWW.CARBIDE-BUR.COM**

# Tungsten Carbide Burr




**Saimeng Tools**

ZHANGJIAGANG SAIMENG TOOLS CO.,LTD

**WWW.CARBIDE-BUR.COM**



# Tungsten Carbide Burr




**Saimeng Tools**

ZHANGJIAGANG SAIMENG TOOLS CO.,LTD

**WWW.CARBIDE-BUR.COM**

# Tungsten Carbide Burr



**Saimeng Tools**

**ZHANGJIAGANG SAIMENG TOOLS CO.,LTD**

**WWW.CARBIDE-BUR.COM**



# Tungsten Carbide Burr



**Saimeng Tools**

**ZHANGJIAGANG SAIMENG TOOLS CO.,LTD**

**WWW.CARBIDE-BUR.COM**

# Tungsten Carbide Burr



SAI MENG



SAI MENG




**Saimeng Tools**




ZHANGJIAGANG SAIMENG TOOLS CO.,LTD

[WWW.CARBIDE-BUR.COM](http://WWW.CARBIDE-BUR.COM)






No.	Color	Code	Price USD
1	■	509201	2
2	■	509001	2
3	■	509101	2
4	■	509901	2.13
5	■	80059	1.63
6	■	80049	1.63
7	■	80031	1.63
8	■	80055	1.63
9	■	80033	1.8
10	■	80090	1.63
11	■	80060	1.63
12	■	80070	1.8
13	■	80080	1.8
14	■	406502	1.63
15	■	406801	2.13
16	■	406901	2.13
17	■	408001	2.13
18	■	407501	2.13
19	■	407701	2.13
20	■	407001	2.13
21	■	407601	2.13
22	■	407201	2.22
23	■	407301	2.55
24	■	407101	2.22
25	■	408101	2.13
26	■	407401	2.22
27	■	407801	2.13
28	■	407901	2.13
29	■	408201	2.46
30	■	406302	1.88
31	■	406202	1.71
32	■	406102	1.71
33	■	406602	1.96
34	■	406402	1.63
35	■	406702	1.63
36	■	405001	1.8
37	■	602102	1.8
38	■	602202	1.8
39	■	602602	1.96
40	■	602402	1.8

No.	Color	Code	Price USD
44	S ■	602103	2.3
45	S ■	602203	2.3
46	S ■	602603	2.55
47	S ■	602403	2.3
48	S ■	64116	1.72
49	R ■	100302	2.05
50	R ■	100202	1.8
51	R ■	100602	2.05
52	R ■	100402	1.8
53	R ■	100801	2.06
54	R ■	101001	2.22
55	R ■	304902	1.8
56	R ■	304802	1.8
57	R ■	304502	1.71
58	R ■	305002	1.8
59	R ■	304602	1.96
60	R ■	305102	1.8
61	R ■	304702	1.8
62	R ■	302302	2.05
63	R ■	302202	1.8
64	R ■	302602	2.05
65	R ■	302402	1.88
66	R ■	302502	1.71
67	R ■	302801	2.22
68	R ■	302901	2.3
69	R ■	303501	2.22
70	R ■	304001	2.22
71	R ■	303101	2.3
72	R ■	303601	2.3
73	R ■	303001	2.3
74	R ■	303801	2.3
75	R ■	303901	2.3
76	R ■	304902 T	1.91
77	R ■	304802 T	1.91
78	R ■	304502 T	1.83
79	R ■	305002 T	1.91
80	R ■	304602 T	2.05
81	R ■	305102 T	1.91
82	R ■	304702 T	1.91
83	R ■	302302 T	2.13

41		602001	2.22
42		602701	2.22
43		602301	2.13

84	R 	302202 T	1.91
85	R 	302602 T	2.08
86	R 	302402 T	2

No.	Color	Code	Price USD
87		302502 T	1.83
88		302801 T	2.3
89		302901 T	2.38
90		303501 T	2.3
91		304001 T	2.3
92		303101 T	2.38
93		303601 T	2.38
94		303001 T	2.38
95		303801 T	2.38
96		303901 T	2.38
97		304103	2.3
98		304203	2.71
99		101102F	1.88
100		118050F	1.88
101		118060F	1.88
102		118070F	1.88
103		118080F	1.88
104		704902F	1.88
105		704802F	1.8
106		702302F	1.8
107		702202F	1.8
108		702402F	1.8
109		702602F	1.8
110		704602F	1.8
111		705002F	1.8
112		705102F	1.8
113		700801F	2.22
114		708001F	2.3
115		904902	2
116		904802	2

No.	Color	Code	Price USD
133	R 	115112	1.88
134	R 	115212	1.88
135	R 	115312	1.88
136	R 	1170109	1.71
137	R 	1170149	1.71
138	R 	1170169	1.63
139	R 	1170239	1.63
140	R 	1140129	1.8
141	R 	1130109	1.8
142	R 	1130149	1.8
143	R 	1130169	1.8
144	R 	1011029	1.88
145	R 	1180109	1.88
146	R 	1180239	1.88
147	Y 	204602	2.13
148	Y 	201202	2.13
149	Y 	201602	1.98
150	Y 	201402	1.96
151	Y 	201801	2.3
152	Y 	203001	2.55
153	Y 	201203	2.55
154	Y 	201603	2.71
155	Y 	201403	2.55
156	Y 	704902S	1.98
157	Y 	704602S	1.98
158	Y 	702202S	1.98
159	Y 	702602S	2.13
160	Y 	705102S	2.05
161	Y 	700801S	2.22
162	Y 	708001S	2.3

No.	Color	Code	Price USD
117	■	905002	2
118	■	904602	2.05
119	■	905102	1.96
120	■	904702	1.96
121	■	902302	2.22
122	■	902202	2
123	■	902602	2.22
124	■	902402	2.05
125	■	902802	2.38
126	■	903001	2.55
127	■	116007	1.76
128	■	116017	1.76
129	■	116117	1.96
130	■	116217	2.05
131	■	115412	2.13
132	■	115012	2.05

No.	Color	Code	Price USD
163	W □	702102	1.88
164	W □	704902	1.88
165	W □	704802	1.88
166	W □	702202	1.88
167	W □	702602	1.88
168	W □	704602	1.88
169	W □	702402	1.88
170	W □	700801	2.3
171	W □	708001	2.38
172	W □	702103	2.3
173	W □	702203	2.3
174	W □	702603	2.38
175	W □	702403	2.38
176	W □	1180508	1.8
177	W □	1180608	1.8
178	W □	1180708	1.8

No.	Color	Code	USD
179	□	1180808	1.8
180	□	117212	1.8
181	□	304402	1.8
182	□	7170027	1.63
183	□	7170031	2.05
184	□	7170040	1.63
185	□	7170050	1.71
186	□	7170060	1.88
187	□	7170080	2.13

No.	Color	Code	Price USD
5pc kit, code: 30008			
188	Y ■	201801	2.3
189	R ■	100801	2.13
190	R ■	302801	2.22
191	G ■	406801	2.22
192	B ■	509201	2.05

Note: "T" - Titanium coating  
 B - black; G - green;  
 S - blue; R - red; W - white



# Tungsten Carbide Burr



FG: 标准型 FGOS: 长型 HP: 低速真车针


柄型号	柄直径	柄长度
FG(Friction Grip)	1.60mm	19.0mm
FGOS(Friction Grip Oval Surgical)	1.60mm	21.0mm
HP(Handpiece)	2.35mm	44.0mm

**Round End Cylinder**



SBT	1155	1156	1157	1158	1159
ISO	006	009	010	012	014
FG	*	*	*	*	*
FGOS				*	*
HP					

**Round**




SBT	1/4	1/2	1	2	3	4	5	6	7	8
ISO	005	009	008	010	012	014	016	018	021	023
FG	*	*	*	*	*	*	*	*	*	*
FGOS										
HP				*	*	*	*	*	*	*

**Round End Cross-Cut Cylinder**



SBT	1556	1557	1558
ISO	009	010	012
FG	*	*	*
FGOS			
HP			

**Pear**




SBT	329	330	331	332	331L	332L	333L
ISO	006	008	010	012	010	012	014
FG	*	*	*	*	*	*	*
FGOS							
HP							

**Cylinder**



SBT	56	57	58	59	60	57L	58L	60L
ISO	009	010	012	014	016	010	012	016
FG	*	*	*	*	*	*	*	*
FGOS								
HP								

**Inverted cone**




SBT	34	35	36	37	38	39	40	41
ISO	008	010	012	014	016	018	021	023
FG	*	*	*	*	*	*	*	*
FGOS								
HP		*	*	*	*	*	*	*

**Cross-Cut Cylinder**



SBT	556	557	558	559	560	561	562	563	557L	558L
ISO	008	010	012	014	016	018	021	023	010	012
FG	*	*	*	*	*	*	*	*	*	*
FGOS										
HP		*	*	*	*	*	*	*	*	*

**Round End Taper**




SBT	1169	1170	1171	1172	1171L	1172L
ISO	009	010	012	016	012	016
FG	*	*	*	*	*	*
FGOS						
HP						

**Taper**




SBT	168	169	170	171	172	170L	171L
ISO	008	009	010	012	016	010	012
FG	*	*	*	*	*	*	*
FGOS							
HP							

**Round End Cross-cut Taper**



SBT	1701	1702	1703	1704
ISO	012	016	021	023
FG	*	*	*	*
FGOS				
HP				

**Cross-Cut Taper**



SBT	699	700	701	702	703	704	700L	701L	702L
ISO	009	010	012	016	021	023	010	012	016
FG	*	*	*	*	*	*	*	*	*
FGOS									
HP		*	*	*	*	*	*	*	*

**Saimeng Tools**















































































ZHANGJIANG SAIMENG TOOLS CO.,LTD

**WWW.CARBIDE-BUR.COM**



# DIAMOND TOOLS



 ISO 801 101 010	 ISO 801 102 012	 ISO 801 103 014	 ISO 801 104 016	 ISO 801 105 018	 ISO 801 106 014	 ISO 801 107 018	 ISO 801 108 014	 ISO 801 109 016	 ISO 801 110 018	 ISO 801 111 023	 ISO 801 112 014	 ISO 801 113 016
SI-45	SI-46	SI-47	SI-48	SI-49	SI-50	SI-51	TF-11	TF-12	TF-13	TF-14	TF-20	TF-21
 ISO 801 101 010	 ISO 801 202 018	 ISO 801 203 016	 ISO 801 204 010	 ISO 801 205 012	 ISO 801 206 014	 ISO 801 207 009	 ISO 801 208 010	 ISO 801 209 012	 ISO 801 210 014	 ISO 801 211 016	 ISO 801 212 018	 ISO 801 213 016
TF-22	TF-23	TF-31	TF-41	TF-42	TF-43	TF-40	TF-07	TF-08	TF-09	TF-10	TF-56	SF-15
 ISO 801 301 014	 ISO 801 302 012	 ISO 801 303 014	 ISO 801 304 016	 ISO 801 305 012	 ISO 801 306 010	 ISO 801 307 014	 ISO 801 308 016	 ISO 801 309 012	 ISO 801 310 018	 ISO 801 311 010	 ISO 801 312 012	 ISO 801 313 014
SF-21	SF-11	SF-12	SF-13	SF-31	SF-41	SF-42	SF-43	SF-05	EX-20	EX-41	DI-41	DI-42
 ISO 801 401 018	 ISO 801 402 045	 ISO 801 403 040	 ISO 801 404 050	 ISO 801 405 042	 ISO 801 406 023	 ISO 801 407 040	 ISO 801 408 050	 ISO 801 409 032	 ISO 801 410 021	 ISO 801 411 014	 ISO 801 412 014	 ISO 801 413 016
WR-43	WR-44	WR-45	WR-46	WR-13	WR-47	WR-48	WR-49	WR-26	EX-21	EX-31	BC-11	BC-12
 ISO 801 501 014	 ISO 801 502 016	 ISO 801 503 018	 ISO 801 504 022	 ISO 801 505 022	 ISO 801 506 014	 ISO 801 507 016	 ISO 801 508 018	 ISO 801 509 014	 ISO 801 510 016	 ISO 801 511 018	 ISO 801 512 020	 ISO 801 513 030
TR-11	TR-12	TR-13	TR-14	TR-15	TR-20	TR-21	TR-24	TR-25	TR-26	TR-23	TR-22	TR-28
 ISO 801 601 012	 ISO 801 602 014	 ISO 801 603 016	 ISO 801 604 018	 ISO 801 605 016	 ISO 801 606 010	 ISO 801 607 012	 ISO 801 608 008	 ISO 801 609 010	 ISO 801 610 012	 ISO 801 611 014	 ISO 801 612 016	 ISO 801 613 018
SR-11	SR-12	SR-13	CR-11	CR-12	TR-08	TR-09	BR-49	BR-45	BR-46	BR-41	BR-40	BR-31

















































































**Saimeng Tools**

ZHANGJIAGANG SAIMENG TOOLS CO.,LTD

**WWW.CARBIDE-BUR.COM**

# DIAMOND TOOLS



 ISO 801 701 015	 ISO 801 702 020	 ISO 801 703 016	 ISO 801 704 014	 ISO 801 705 012	 ISO 801 706 007	 ISO 801 707 010	 ISO 801 106 014	 ISO 801 709 018	 ISO 801 710 014	 ISO 801 711 012	 ISO 801 712 010	 ISO 801 713 020
TR-62	TR-63	TC-11	TC-21	TC-26	TC-57	TC-27	TC-28	BC-31	BC-42	SF-31C	SF-41C	BR-28
 ISO 801 801 016	 ISO 801 802 016	 ISO 801 803 032	 ISO 801 804 035	 ISO 801 805 012	 ISO 801 806 014	 ISO 801 807 016	 ISO 801 808 018	 ISO 801 809 026	 ISO 801 810 032	 ISO 801 811 010	 ISO 801 812 012	 ISO 801 813 014
TC-11C	TC-11F	EX-11	EX-12	FO-11	FO-21	FO-22	FO-32	FO-25	FO-27	SO-19	SO-20	SO-21
 ISO 802 101 014	 ISO 802 102 016	 ISO 802 103 018	 ISO 802 104 014	 ISO 802 105 016	 ISO 802 106 014	 ISO 802 107 016	 ISO 802 108 014	 ISO 802 109 016	 ISO 802 110 014	 ISO 802 111 016	 ISO 802 112 016	 ISO 802 113 016
TF-11CR	TF-12CR	TF-13CR	TF-20CR	TF-21CR	TR-11CR	TR-12CR	TR-20CR	TR-21CR	TR-05	TR-11C	TF-12C	TR-12EF
 ISO 802 201 014	 ISO 802 202 016	 ISO 802 203 018	 ISO 802 204 014	 ISO 802 205 016	 ISO 802 206 014	 ISO 802 207 018	 ISO 802 208 018	 ISO 802 209 012	 ISO 802 210 014	 ISO 802 211 016	 ISO 802 212 012	 ISO 802 213 014
SF-42C	TF-12F	TF-13F	TF-20F	TF-21F	TR-11F	TR-62F	TR-13F	SF-05F	TR-20F	TR-21F	SF-11C	SF-12C
 ISO 802 301 014	 ISO 802 302 014	 ISO 802 303 012	 ISO 802 304 028	 ISO 802 305 012	 ISO 802 306 010	 ISO 802 307 014	 ISO 802 308 012	 ISO 802 309 014	 ISO 802 310 016	 ISO 802 311 018	 ISO 802 312 032	 ISO 802 313 014
BR-41C	TC-21EF	FO-41	FO-25F	TC-11EF	TC-27EF	TC-28EF	FO-11EF	FO-21EF	FO-22EF	FO-32EF	WR-26EF	FO-20
 ISO 802 401 010	 ISO 802 402 012	 ISO 802 403 014	 ISO 802 404 016	 ISO 802 405 018	 ISO 802 406 016	 ISO 802 407 014	 ISO 802 408 012	 ISO 802 409 014	 ISO 802 410 012	 ISO 802 411 014	 ISO 802 412 012	 ISO 802 413 014
TF-S07	TF-S08	TF-S20	TF-S21	TF-S23	TF-S31	TF-S43	TF-S42	TC-S21	SI-S46	SI-S47	BR-S46	BR-S41



















































































**Saimeng Tools**

ZHANGJIAGANG SAIMENG TOOLS CO.,LTD

**WWW.CARBIDE-BUR.COM**

# DIAMOND TOOLS



 ISO 7.0 853/030	 ISO 8.0 853/040	 ISO 9.0 853/050	 ISO 10.0 853/060	 ISO 12.0 853/060	 ISO 13.0 853/100	 ISO 14.0 857/055	 ISO 10.0 853/030C	 ISO 11.0 853/040C	 ISO 12.0 853/050C
 ISO 13.0 853/060C	 ISO 12.0 851/040	 ISO 10.0 852/030	 ISO 11.0 852/040	 ISO 12.0 852/050	 ISO 13.0 852/060	 ISO 14.0 852/080	 ISO 18.0 852/040C	 ISO 11.0 854/030	 ISO 11.0 854/040
 ISO 11.0 854/050	 ISO 2.0 909/060A	 ISO 2.5 909/060B	 ISO 2.5 909/080	 ISO 2.5 909/100	 ISO 2.5 809/040	 ISO 3.0 809/070	 ISO 3.5 809/080	 ISO 4.0 809/100	 ISO 2.0 825/060
 ISO 2.0 825/080	 ISO 2.5 825/100	 ISO 2.5 903/080	 ISO 2.5 903/100	 ISO 3.5 903/135	 ISO 3.5 905/3.5	 ISO 0.3 818/050	 ISO 0.3 818/060	 ISO 0.3 818/070	 ISO 0.3 818/080
 ISO 0.3 818/100	 ISO 0.3 818/135	 ISO 1.5 905/100A	 ISO 1.0 905/100B	 ISO 12.0 A-1/2.8	 ISO 10.0 A-2/2.3	 ISO 10.0 A-3/2.0	 ISO 0.9 A-4/2.3	 ISO 5.0 A-5/1.6	 ISO 4.0 A-6/2.3
 ISO 8.0 A-7/2.0	 ISO 10.0 A-8/2.5	 ISO 12.0 A-9/2.8	 ISO 4.0 A-10/2.5	 ISO 3.5 A-11/2.0	 ISO 3.0 A-12/3.0	 ISO 3.5 A-13/3.5	 ISO 10.0 A-14/2.3	 ISO 8.0 A-15/2.0	 ISO 12.0 A-16/2.5
 ISO 8.0 A-17/2.0	 ISO 12.0 A-18/2.3	 ISO 10.0 A-19/1.5	 ISO 14.0 A-20/2.35	 ISO 8.0 A-21/1.6	 ISO 10.0 A-22/1.8	 ISO 8.0 A-23/1.6	 ISO 10.0 A-24/2.35	 ISO 12.0 A-25/2.35	 ISO 10.0 A-26/2.0
 ISO 1.8 A-27/1.8	 ISO 2.0 A-28/2.0	 ISO 2.5 A-29/2.5	 ISO 3.0 A-30/3.0	 ISO 5.0 A-31/1.8	 ISO 8.0 A-32/2.0	 ISO 5.5 A-33/2.5	 ISO 12.0 A-34/2.5	 ISO 4.0 A-35/1.8	 ISO 6.0 A-36/2.0




**Saimeng Tools**

ZHANGJIAGANG SAIMENG TOOLS CO.,LTD

**WWW.CARBIDE-BUR.COM**

# DIAMOND TOOLS



C01



C02



CM02



C03



CM04



C05



CM05



C06



CM06



C07



C08



CM08



CM09



C10



C11



**Saimeng Tools**

ZHANGJIAGANG SAIMENG TOOLS CO.,LTD

[WWW.CARBIDE-BUR.COM](http://WWW.CARBIDE-BUR.COM)