









安徽省宁国市安科汽车电器有限公司

Anhui Ningguo An Ke Automobile Electric Appliances Co., Ltd.

Anhui Ningguo An Ke Automobile Electric Appliances Co., Ltd.

RECTIFIER	FEATURES	Replaces
REC1001 	For: Bosch 120A IR/IF Alternators Used On: (2005-97) Porsche, Opel, Saturn Dim: 120mm OD M8 x 1.25 Batt. Term. M8 x 1.25 Auxiliary Term. Note: Delta stator application. Features: 6-50A press-fit avalanche diodes	TRANSPO IBR200 CARGO 231714 Bosch F00M133200 F00M133241 F00M133365 0124515001 0124515004 0124515005 0124515006 0124515008 0124515015 0124515016 0124515023 Opel 9117941 93172293 22674549 22674550 Porsche 99660301200 99660301201 Lester 13804 13805 13810
REC1002 	For: Bosch 105-140A IR/IF Alternators Used On: (2005-99) Audi, Dodge Sprinter Van, Mercedes, Oldsmobile, Pontiac, VW, Volvo Dim: 120mm OD M8 x 1.25 Batt. Term. M8 x 1.25 Auxiliary Term. Note: Delta stator application. Features: 6-50A press-fit avalanche diodes	TRANSPO IBR201 CARGO 230075 Bosch F00M133201 F00M133205 F00M133228 F00M133241 F00M133246 038903359 0124515010 0124515011 0124515012 0124515017 0124515019 0124515024 0124515034 0124515039 0124515045 Lester 12383 13770 13801 13802 13853 13884 13904 MOBILETRON RB-119H
REC1003 	For: Bosch 100-105A IR/IF Alternators Used On: Opel, Ford (Europe) Dim: 120mm OD M8 x 1.25 Batt. Term. M8 x 1.25 Auxiliary Term. Note: Delta stator application. Features: 6-50A press-fit avalanche diodes	TRANSPO IBR202 CARGO 230360 Bosch F00M123202 F00M123237 0124415001 0124415002 0124415005 0124415006 0124415008 Opel 9120217 77363564 93172292 1204054 90561168 9117934 9119309 9132653 Lester 11186 11279 11475 11501 21515 21910 21950 MOBILETRON RB-115H
REC1004 	For: Bosch 120A IR/IF Alternators Used On: Audi, VW (Europe) Dim: 120mm OD M8 x 1.25 x 20mm Batt. Term. Note: With W-terminal Features: 6-50A press-fit avalanche diodes (20-24V)	TRANSPO IBR207 CARGO 230374 Bosch F00M133207 F00M133231 F00M133268 0124515035 0124515057 0124515134 VW 038903803H Lester 22821
REC1005 	For: Bosch 125A IR/IF Alternators Used On: (2007-99) Chevrolet, Dodge, Oldsmobile, Pontiac, Saab Dim: 130mm OD M8 x 1.25 Batt. Term. M8 x 1.25 Auxiliary Term. Note: Delta stator application. Features: 6-50A press-fit avalanche diodes	TRANSPO IBR215 CARGO 235218 236821 Bosch F00M133215 F00M133218 F00M133247 F00M133229 F00M133259 0124525016 0124525021 Chrysler 5103887AA 5134205AA 5134205AB Delco 10288764 10344573 10418889 Lester 12384 13771 13952 MOBILETRON RB-929H RB-929HV
REC1006 	For: Bosch 80-110A/24V IR/IF Alternators Used On: Renault Trucks, Volvo Trucks Dim: 120mm OD M8 x 1.25 Batt. Terms. Note: Delta stator application. Features: 6-60A press-fit avalanche diodes (38-43V)	TRANSPO IBR223 CARGO 231524 BOSCH F00M133223 F00M133291 F00M133346 F00M146083 F00M146753 0124655005 0124655006 0124655008 0124655012 38420123 3880416 1450806 1784144 42537054 51261090008 4982318 4892320 4982318 5010589551 20409240 20466317 Lester #s 12493 12589 12591 12594 12599 12724
REC1007 	For: Bosch 80-100A/24V IR/IF Alternators Used On: Mercedes Trucks Dim: 120mm OD M8 x 1.25 Batt. Term. Note: Delta stator application. Features: 6-60A press-fit avalanche diodes	TRANSPO IBR224 CARGO 235051 Bosch F00M133224 F00M133286 0124555007 0124555008 0124555012 0124555016 0124555021 0011543616 2TB903357A 3357747 Scania 0518064 1442788 1475569 1475570 Lester 12387 12389 23528 23833 23887 MOBILETRON RB-117H
REC1008 	For: Bosch 180A IR/IF Alternators Used On: (2008-06) Dodge, Mercedes Dim: 130mm OD M8 x 1.25 Batt. Term. Features: 6-60A press-fit avalanche diodes (20-24V)	TRANSPO IBR257 Bosch F00M133257 F00M133293 0124625023 Chrysler 68011841AA 68011841AB Mercedes 2721540102 Lester 11217

RECTIFIER

REC1009



For: Bosch 120-160A/12-24V IR/IF Alternators
 Used On: Trucks & Industrial Equipment
 Dim: 130mm OD
 M5 x 0.8 Stator Term.
 M6 x 1.0 Batt. Term.
 M8 x 1.25 Batt. Term
 Components: Delta-wound stator applications
 Features: 6-60A press-fit avalanche diodes (20-24V)

Replaces
 TRANSPO IBR279
 Bosch F00M133279 F00M133296 0124525085
 0124525109 0124525168 0124655024
 Volvo 20770016
 Lester 12490 12491

REC1010



For: Bosch 400,489 Series 35-70A ER/EF,IR/EF Alternators
 Used On: (1994-71) Alfa Romeo,Audi,BMW,Fiat,Lancia,Opel,Peugeot,Pontiac,Saab,VW,Volvo
 Dim: 114mm OD,M6 x 1.0 x 33mm Batt. Term.
 Note: Without W-terminal. With diode trio.
 For heavy duty version use IBR304HD(6-50A)

Replaces
 TRANSPO IBR304 IBR304HD
 CARGO 135605 130602
 BMW 12311266720 12311268409 12311268415
 12311279597 12311356060 12311358048
 12311363097 12311706465 1127011117 1127011118
 1127320109 1127320109 42487948 1363914 243949
 243950 692060 694461 046903359
 MOBILETRON RB-02H

REC1011



For: Bosch 489 Series 45-65A IR/EF Alternators
 Used On: (1986-82) Volvo; Case
 Dim: 114mm OD
 M6 x 1.0 x 33mm Batt. Term.
 Note: With W-terminal. With diode trio.
 Features: 6-40A press-fit diodes

Replaces
 TRANSPO IBR301
 CARGO 134341
 Bosch 1127011131 1127320518 0120489069
 0120489070 0120489183 0120489286 0120489296
 0120489475 0120489481
 Lester 14421 14784 14802
 MOBILETRON RB-16H

REC1012



For: Bosch 30-60A IR/EF Alternators
 Used On: Ford,Mercury (Australia); Thermo King
 Dim: 114mm OD
 M8 x 1.25 x 30mm Batt. Term.
 Note: Without diode trio. With P-terminal.
 Features: 8-40A press-fit avalanche diodes

Replaces
 TRANSPO IBR308
 CARGO 234953 136591
 Bosch 9121067067 9121067364 9121067371
 9121067374 9121067375 9121067388 9121067394
 9120060009 9120060023
 Lester 12224
 MOBILETRON RB-84H

REC1013



For: Bosch 488,489 Series 20-65A IR/EF Alternators
 Used On: (1991-86) VW; Case,Thermo King
 Dim: 114mm OD
 M5 x 0.8 x 20mm D+ Term. (Trio)
 M8 x 1.25 x 30mm Batt. Term.
 Note: With W-terminal. With diode trio.
 Features: 6-40A press-fit diodes

Replaces
 TRANSPO IBR311
 CARGO 230361 132667 132668
 1127320664 1127320665 1127320666 1127320926
 1127320934 1127320945 A187917 1318566 21221418
 81261090014 068903359B 068903359C 069903359D
 9130086 0120488134
 Lester 12161 13173 13378 14410 14798 14818 14970
 MOBILETRON RB-04H

REC1014



Diodes: 8-50A Avalanche
 Diameter OD: 112mm
 With M8 Battery Post
 Without Trio
 SUIT FOR IB558

Replaces
 BOSCH 1127319791 1127319792 0123325500
 MAN 81261090025
 WOODAUTO RTF39901

REC1015



For: Bosch 300,339 Series 28-33A ER/EF,IR/EF Alternators
 Used On: Agrifol,Fiat,Lancia,Marshall Tractor,Same,Styer
 Dim: 90mm OD
 Note: With trio,w/ B+ spade terminal.
 Features: 6-25A diodes

Replaces
 TRANSPO IBR318
 CARGO 130597
 Bosch 1127320137 1127320152 1127320192
 1127320212 1127320319 1127320332 1127320527
 1127320570 9121140549 9121140555 UBB414
 FIAT 4474564 929167 9928604 9934756 9934974
 9957575 9959902 16905212 4474564 74986411
 MOBILETRON RB-10H

REC1016



For: Bosch 469 Series 90A IR/EF Alternators
 Used On: DAF,Mercedes,Saab Scania,Volvo-White Truck
 Dim: 125mm OD
 M4 x 0.7 x 22mm D+ Term. (Trio)
 M5 x 0.8 W-Term. M6 x 1.0 x 33mm Grd. Term.
 M8 x 1.25 x 33mm Batt. Term.
 Features: 14-40A press-fit diodes

Replaces
 TRANSPO IBR341
 CARGO 139581
 Bosch 1127320390 1127320959 1127320577
 1127320590 1127320976 1127320977 0120469522
 SCANIA 102644 1344240 362644
 Lester 12167 12293 12586 13198 13207 20978
 MOBILETRON RB-73H RB-62H

RECTIFIER

REC1017



For: Bosch 75-105A/24V IR/EF Alternators
 Used On: MAN Bus
 Dim: 145mm OD M5 x 0.8 x 25mm D+ (Trio)
 M6 x 1.0 x 25mm W-Term.
 M8 x 1.25 x 33mm Batt. Term.
 M8 x 1.25 x 33mm Grd. Term.
 Note: For 12-diode version use IBR550(RB-78H)
 Features: 14-40A press-fit diodes 3-25A diode trio

TRANSP0 IBR547
 CARGO 136581
 1127320547 1127320571 698217 698670 1309660
 8122274 5000809526 419491 696002 698670
 11995018 0001541916 0001544816 0001545116
 0001547716 81261090002 81261090007
 MOBILETRON RB-78 RB-78HA

REC1018



For: Bosch 489 Series 51A IR/EF Alternators
 Used On: (1979-75) VW
 Dim: 88mm OD, M5 x 0.8 x 25mm Batt. Term.
 Note: With diode trio.
 Features: 6-25A diodes

TRANSP0 IBR596
 CARGO 135448
 Bosch 1127320164 0120489565 0120489566
 VW Audi 043903359C 043903023C
 Lester 13080

REC1019



Diodes: 14 - 35A Avalanche
 Diameter OD: 122 mm
 • With M8x20mm Battery Post
 • With M5x8mm -Trio Post
 • With W-Terminal
 • For 115-120 A Alternators
 FOR USE ON:
 Mercedes Benz "S"-Class

TRANSP0 IBR834
 CARGO 135605
 BOSCH 1127319637 1127320834 0123510012
 0123510016 0123510022 0123540002 0123540003
 0123540004 0986037970
 MAGNETI MARELLI 940038214
 MOBILETRON RB-29H

REC1020



For: Bosch 70-90A IR/IF Alternators
 Used On: (2000-91) Mercedes, Saab
 Dim: 112mm OD
 M5 x 0.8 x 20mm D+ Term. (Trio)
 M8 x 1.25 x 33mm Batt. Term.
 Note: With W-terminal & avalanche diodes
 Features: 6-50A press-fit avalanche diodes

TRANSP0 IBR844
 CARGO 137333
 Bosch 1127319510 1127319593 1127319730
 1127320807 1127320844 1127320864 0113320040
 0120485011 0123310005 0123315005 0123320010
 0123325007 0123335002 0123340006 0001549816
 Lester 13376 13610 13613 13811
 MOBILETRON RB-21H RB-121H

REC1021



For: Bosch 468 Series 110-135A IR/EF Alternators
 Used On: Case, International, John Deere
 Dim: 125mm OD
 M4 x 0.7 x 22mm D+ Term. (Trio)
 M5 x 0.8 x 22mm W-Term.
 M6 x 1.0 x 33mm Grd. Term. 7/16-14 Batt. Term.
 Note: With diode trio
 Features: 14-40A press-fit diodes

TRANSP0 IBR954
 CARGO 136737
 Bosch 1127320920 1127320954 0120468028
 0120468055
 IHC 1964732C1
 Lester 12131
 MOBILETRON RB-67H

REC1022



For: Bosch 70-85A IR/IF Alternators
 Used On: Opel, Vauxhall (Europe)
 Dim: 120mm OD
 M8 x 1.25 x 17mm Batt. Term.
 Note: Y-wound stator applications
 Features: 8-40A press-fit avalanche diodes (20-24V)

TRANSP0 IBR1200
 CARGO 139915
 Bosch F00M113200 0124225018 0124225025
 0124225026 0124225027 0124225030
 Opel 9198888 24439409 9133602 9192826 9200956
 Lester 21951
 MOBILETRON RB-118H

REC1023



For: Bosch IR/LC Water Cooled Alternators
 Used On: Mercedes
 Note: For salvaging OE rectifier.

TRANSP0 IBR2201-2
 Bosch 01220AA0B0 01220AA0D0 01220AA0R0
 01220AA1A0 01220AA2A0
 Mercedes 0001500550 0001500650 0001502050
 0001502850 1371500950
 Lester 13975 22952

REC1024



Used on: Bosch 150A IR/IF Alternators
 Specs: 6 Avalanche Press Fit Diodes, 20-24V;
 Welded Diode Terminations
 Diodes: 6-60A Avalanche
 With M8x30mm Battery Post

TRANSP0 IBR2201
 BMW 12311705483 12311705557 12317508052
 12317508054
 Bosch 01220AA0B0 01220AA0R0 01220AA1A0
 01220AA1J0 0122468015
 Mercedes Benz 0001500550 0001540550 0001540650
 0001542050 YLE000040
 Lester 13815 22952

RECTIFIER

REC1025



122mm OD
6-50A Avalanche Diodes
M8 Battery Post

MOBILETRON RB-110H
CARGO 138079
HUECO 139491
AUDI/VW 028903359F
BOSCH
1127319558,1127319562,1127319568,1127319806,1127319534,1127319535,1127319665,1127319696,1127319714,1127319724,1127319732,1127319744

REC1026



Dim: 114mm OD, Features: 6~40A press-fit diodes
Note: Without W-terminal. With diode trio.
Similar to IBR302 except IBR302 w/ W-terminal.
For: Bosch 400,489 Series 35~70A ER/EF,IR/EF Alternators
For heavy duty version use IBR303HD.

TRANSP0:IBR303,IBR303HD
MOBILETRON:RB01HA,MFRX00011
CARGO: 130603
BOSCH:
1127011112,1127011113,1127011114,1127011115,1127011130,1127011135,1127320101,1127320103,1127320105,1127320108,1127320119,1127320120,1127320125,1127320130,1127320134

REC1027



OD: 112MM
Voltage: 12V
M8 Battery Post
6-50A Avalanche Diodes

TRANSP0: IBR852
MOBILETRON: MFRX00221,RB-122H,RB-22H
BOSCH:
1127319552,1127319605,1127319639,1127320852,1127319667,1127320850
CARGO: 138077
AUDI: 028903359B,028903359C,028903359J

REC1028



Dim: 125mm OD
M4 x 0.7 x 22mm D+ Term. (Trio)
M5 x 0.8 x 29mm W-Term.
M6 x 1.0 x 33mm Grd. Term.
M8 x 1.25 x 33mm Batt. Term.
Features: 8-40A press-fit diodes
3-25A diode trio

TRANSP0 IBR904
BOSCH
1127320904,1127320968,1127320961,1127319103
KHD 1321124
MAN 81261090017
SCANIA 1318551,1345630
VOLVO 068092
CARGO 230729

REC2001



Regulator and Rectifier assembly 24V
L Terminals

ISUZU
8973515720 8971701631
HITACHI
LR250-517 LR250510 LR250510B LR250510C
LR250511 LR250517

REC2002



For: Hitachi 50-60A IR/EF Alternators
Used On: (1994-78) Nissan,Subaru
Dim: 111mm OD,M5 x 0.8 x 35mm Batt. Term.
Note: With diode trio.

IHR710HD
Same as IHR710 except heavy duty design
Features: 6-50A diodes,copper heat sink

TRANSP0 IHR710 IHR710HD
CARGO 131600
HITACHI L15013206 L1606320
ISUZU 5812620060 495347601
LUCAS 21511103 UBJ119
MAGNETI MARELLI 940038254
NISSAN 23230W7101 2323020W00
MOBILETRON RH-10(C) RH-03(C)

REC2003



For: Hitachi 35-60A IR/EF Alternators w/ Vacuum Pump

Used On: (1986-83) Nissan (Diesel)
Dim: 111mm OD
Features: 6-50A diodes
IHR723HD
Same as IHR723-1 except heavy duty design
Features: 6-50A diodes,copper heat sink

TRANSP0 IHR723 IHR723HD
CARGO 131603
HITACHI L14013202 L14053202 L15083201
L15083202 L1604320 LR140130P LR140402
ISUZU 8941674110 940038250
LUCAS 21511107 UBJ169
NISSAN 2323209W01 2323210G01 2323216A00
MOBILETRON RH-04(C)




REC2004











For: Hitachi 55A IR/IF Alternators
Used On: Isuzu Gemini (non-USA)
Dim: 100mm OD
Note: With diode trio.
Features: 6-30A diodes

TRANSP0 IHR730
CARGO 137015
HITACHI L15043202 LR155502E LR155504
ISUZU 8944243620 8943627440
MOBILETRON RH-05C









RECTIFIER

	FEATURES	Replaces
REC2005 	For: Hitachi 80A IR/IF Alternators Used On: (1999-97) Nissan Dim: 114mm OD,M8 x 1.25 x 45mm Batt. Term. Features: 6-30A press-fit diodes	TRANSPO IHR745 Hitachi LR180751 LR160727 LR170745 Nissan 231003M200 2310005200 2310005300 Lester 13728 MOBILETRON RH-30
REC2006 	For: Hitachi 70-90A IR/IF Alternators Used On: (1997-95) Nissan Dim: 114mm OD,M8 x 1.25 x 45mm Batt. Term. Note: Without diode trio. Features: 8-30A press-fit diodes	TRANSPO IHR746 CARGO 138732 Hitachi L170G13201 L190G43203 LR170745 LR170748 LR190729 Nissan 232300M000 0W000 Lester 13637 13638 13643 MOBILETRON RH-31
REC2007 	For: Hitachi 60-80A IR/IF Alternators Used On: (1993-90) Infiniti,Nissan Dim: 103mm OD,M5 x 0.8 x 8mm Batt. Term. Note: With diode trio. Features: 6-40A press-fit diodes	TRANSPO IHR752 IHR756 CARGO 135040 Hitachi L16073203 L18013202 LR160723 LR160723B LR180725 LR160724 Nissan 2323064J00 2323080G08 2310080G09R Lester 13287 13329 MOBILETRON RH-23
REC2008 	For: Hitachi 80A IR/IF Alternators Used On: (1994-93) Nissan Dim: 103mm OD,M5 x 0.8 Batt. Term. Note: Without diode trio. Features: 6-40A press-fit diodes	TRANSPO IHR758 Hitachi L180G7320 LR180725B LR180725C Nissan 232301E400 2323056G00 231001E400 Lester 13329 13474 MOBILETRON RH-29
REC2009 	For: Hitachi 70A IR/IF Alternators Used On: (1994-92) Nissan Dim: 103mm OD,M6 x 1.0 x 27mm Batt. Term. Note: Without diode trio. Features: 8-30A press-fit diodes	TRANSPO IHR754 CARGO 135318 HITACHI L170G2320 LR170738C NISSAN 232300E705 231000E700 231000E705 Lester 13334 MOBILETRON RH-25
REC2010 	For: Hitachi 70-100A IR/IF Alternators Used On: Opel (Europe) Dim: 127mm OD,M8 x 1.25 x 38mm Batt. Term. Note: Without diode trio. Features: 8-40A press-fit avalanche diodes	TRANSPO IHR769 CARGO 235729 Hitachi LR170509 LR170509C LR170509E LR170509F LR170509G LR170509H LR1100502E LR1100502F Isuzu 8971891120 8971891122 8971891123 8971891124 Lester 21705 21830 MOBILETRON RH-73 RH-68
REC2011 	For: Hitachi 110-125A IR/IF Alternators Used On: (1999-95) Infiniti,Nissan Dim: 119mm OD,M6 x 1.0 x 8mm Stud for Side-Mount B+ Components: 46-81151 Battery Terminal Features: 8-40A press-fit avalanche diodes	TRANSPO IHR773 CARGO 138718 Hitachi GD213418K L1110G4320 L1125G2320 L1125G7320 LR110705 LR1110705 LR1110707F LR1110707G LR1110709 LR1110709B LR1125702 Nissan 231000L701 2310031U01 2310031U02 Lester 13612 13639 13712 MOBILETRON RH-35
REC2012 	Dim: 114mm OD M6 x 1.0 x 8mm Batt. Term. for Radial B+ Term. Extension 8-30A press-fit diodes	TRANSPO IHR737 Hitachi LR190-737,LR190-737B,LR190-737E Nissan 23100-0W001,23100-0W002 Lester s: 13713 CARGO:234315

RECTIFIER


	FEATURES	Replaces
REC2013	 <p>Hitachi 85A IR/IF Alternators Dim: 114mm OD,M6 x 1.0 x 8mm Batt. Term. 8-40A press-fit avalanche diodes</p>	<p>TRANSPO IHR744 MOBILETRON RH-75 Hitachi L185G-1320,L190G3-3204 Subaru 23830-AA080,23830-AA100,23830-AA140</p>
REC2014	 <p>6-40A press-fit avalanche diodes Dim: 118mm OD,M8 x 1.25 x 36mm Batt. Term. Used For:Hitachi 95A IR/IF Alternators</p>	<p>TRANSPO:IHR772 Mobiletron RH-38 Hitachi L195G-1320 Nissan 23230-97E01,23230-97E02 HINO 84201040</p>
REC2015	 <p>8-30A press-fit diodes Dim: 114mm OD,M6 x 1.0 x 35mm Batt. Term. Note: For version w/ avalanche diodes use IHR780. Used For:Hitachi 70A IR/IF Alternators</p>	<p>TRANSPO IHR779 Mobiletron RH-66 Isuzu 8-97182-959-0</p>
REC2016	 <p>Dim: M5 x 0.8 x 13mm Mtg. Post Note: With diode trio. 6-25A button diodes Used For: Hitachi 35-50A IR/EF Alternators</p>	<p>Transpo:IHR1001 Mobiletron:RH-51 Hitachi:L135N-13201,L150N-13202 Nissan:23230-B9800,23230-P2501 LUCAS:21511119,UBJ111,UBJ156 MAGNETI MARELLI:940038249</p>
REC2017	 <p>Diodes: 8-35 Ampere Diameter OD: 114mm With M6×51mm Battery Post With M5×42.5mm Mounting Bolt With Trio</p>	<p>CARGO 138615 Mobiletron RH-58C Unipoint #: REC-698 HITACHI L250G-1320,L180G-8320 ISUZU 8-97083-286-0,8-97062651-0</p>
REC2018	 <p>Block alternator diode 14V / 120A OD 127 mm ID 48 mm 8-50A Avalanche Diodes</p>	<p>MOBILETRON:VR-K05 Cargo:235522 Application: Kia 37300-27010,37300-27011,37300-27012,37300-27013,37300-27030,37300-27031 Poong Sung 02131-9110,02131-9111,02131-9112,02131-9113,02131-9310,02131-9311</p>
R&R2001	 <p>L Terminals</p>	<p>ISUZU 8973515720 HITACHI LR250-517 OEM REFERENCE HITACHI LR250510,LR250510B,LR250510C,LR250511,LR250517 ISUZU 8971701631</p>
R&R2002	 <p>12V</p>	<p>RECTIFIER IHR723+REGULATOR IH252</p>

RECTIFIER

	FEATURES	Replaces
R&R2003		
	24V	RECTIFIER IHR723+REGULATOR IH253
R&R2004		
	12V/24V	HITACHI LR235-503C LR235-503B For used on: 8970832860 , 8970832710
R&R2005		
		HITACHI LR160-724 LESTER 13531 TRANSPO IHR758+IH762
R&R2006		
		HITACHI LR170-744 LESTER 13334 TRANSPO IHR754+IH761
R&R2007		
		HITACHI LR160-730C LESTER 13745N TRANSPO IHR781+IH772
R&R2008		
		HITACHI LR180-508 TRANSPO IHR769+IH669
R&R2009		
		HITACHI LR1110-705 TRANSPO IHR773+IH766
R&R2010		
		LESTER 13901 TRANSPO IHR771+IH774

RECTIFIER

R&R2011



FEATURES	Replaces
----------	----------

HITACHI	LR1110-713C
TRANSPO	IHR771+IH744

REC3001



Dim: 65mm Mtg. Length, M6 x 1.0 Batt. Term.
 Note: With diode trio
 Features: 8-30A diodes

CARGO	138396
WOODAUTO	RTF40039
MITSUBISHI	A860T40570 A7T02071 A7T02071A
	A7T02077 A7T02077A A7T02491 A7T02591
	A7T02691 A7T 03277
SUZUKI	3162160A10 3162160F30

REC3002



For: Mitsubishi 55A IR/IF Alternators
 Used On: (1988) Subaru
 Dim: 65mm Mtg. Length, M6 x 1.0 Batt. Term.
 Note: With diode trio
 Features: 6-30A diodes

TRANSPO	IMR6540
CARGO	132789
MITSUBISHI	A860T22770 A1T01691 A1T02592
	A1T02952 A7T02077A A7T03277A A7TA0477
SUBARU	23830KA070
CLARK	32A6810200
Lester	14967
MOBILETRON	RM-03 RM-03HV

REC3003



For: Mitsubishi 65A IR/IF Alternators
 Used On: (1985-84) Mitsubishi
 Dim: 75mm Mtg. Length
 Note: With diode trio
 Features: 6-30A diodes

TRANSPO	IMR7542
CARGO	132466
LUCAS	21513132
MAGNETI MARELLI	940038259
MITSUBISHI	A860T13170 A860T16970 A860T22570
	A860T22670 MD607917 MD611256 MD611688
Lester	14447 14693 14697 14706 14709
MOBILETRON	RM-07 RM-07HV

REC3004



For: Mando, Mitsubishi 70-75A IR/IF Alternators
 Used On: (1994-87)
 Dodge, Eagle, Ford, Hyundai, Mazda,
 Mitsubishi, Plymouth
 Dim: 75mm Mtg. Length, M6 x 1.0 Batt. Term.
 Note: With diode trio
 Features: 6-30A diodes

TRANSPO	IMR7556
CARGO	132469
Hyundai	37367-24510 A600C003F
FORD	E8GY10304B E92Z10304A
MAGNETI MARELLI	940038260
MAZDA	B67518W60 F8B118W60
MITSUBISHI	A860T27170 A860T28370 MD611778
MOBILETRON	RM-10 RM-10HV

REC3005



For: Mitsubishi ER/IF Alternators
 Used On: Chrysler
 Dim: 75mm Mtg. Length, M6 x 1.0 Batt. Term.
 Note: With diode trio
 Features: 6-30A diodes

TRANSPO	IMR7564
CARGO	132468
LUCAS	UBJ201
MITSUBISHI	A860T22370 MD611479
	A002T01384 A002T01583 A002T01584 A002T01683
	A2T01483 A2T01583 A2T01683 A2T01783
Lester	12619 12627 12642 22329 23680
MOBILETRON	RM-20 RM-20HV

REC3006



For: Mitsubishi 50-70A IR/IF Alternators
 Used On: (1998-90)
 Chevrolet, Eagle, Geo, Mitsubishi, Suzuki
 Dim: 75mm Mtg. Length, M6 x 1.0 Batt. Term.
 Note: With diode trio
 Features: 6-30A diodes

TRANSPO	IMR7582
CARGO	139195
Mazda	B3C718W60
Mitsubishi	A860T37070 MD618883 A5T03391
	A5T05091 A5T07091 A5T07092 A5TA0391
HONDA	3140060AC1 3140050G10 3140063BD2
Lester	13336 13415 13584 13717
MOBILETRON	RM-22

REC3007



For: Mitsubishi 40A/24V Brushless IR/EF Alternators
 Used On: Mitsubishi Industrial
 Dim: 85mm Mtg. Length, M5 x 0.8 Batt. Term.
 Note: With diode trio. With P-terminal.
 Features: 6-30A diodes

TRANSPO	IMR8578
MITSUBISHI	A860T29370 ME701030 A4T58289
	A4T58686 A4T58689 A4T58699 A4T58786 A4T58799
	A4T58986 A4T58989 A4T58999 A4T59086 A4T59199
	A4T59786 A4T66486 A4T75586 A6T55189
	ME060076 ME077138 ME077404 ME077574
	ME087566 ME087630 ME087643 ME090198
	ME090592 ME091535 ME15014

RECTIFIER

REC3008



For: Mitsubishi 65-90A IR/IF Alternators
 Used On: (1994-87)
 Dodge,Eagle,Mitsubishi,Plymouth
 Dim: 100mm Mtg. Length
 Note: With diode trio
 Features: 8-30A diodes

TRANSPO IMR10042
 CARGO 132793
 MITSUBISHI A860T23070 A860T28070 MD602227
 MD611564 MD611768 A003T02193 A003T03392
 A003T03393 A003T03493 A003T06591 A003T08293
 MANDO AB175020 AB175025
 Lester 13238 13249 13257 13271 13289 13290
 MOBILETRON RM-40


REC3012



For: Mitsubishi 90-100A IR/IF Alternators
 Used On: (2001-92) Ford,Mazda
 Dim: 100mm Mtg. Length,M5 x 0.8 Batt.
 Term.,Knurled
 Note: With diode trio
 Features: 8-30A diodes

TRANSPO IMR10064
 CARGO 135882
 Ford F32Z10304B F32Z10346B KL1118300D
 Mazda K80118W60 N3A118W60 K80118300
 Mitsubishi A860T38670 A860T40270 A3T08491
 A3T08591
 Lester 13446 13460
 MOBILETRON RM-46

REC3012



6-30A diodes
 Dim: 65mm Mtg. Length
 Note: With diode trio

TRANSPO:IMR6548
 Mobiletron:RM-04HV
 Mitsubishi:A860T16770,A860T27970,MD611254,A860
 T13770
 MANDO:3EA0475,3EA0558
 HYUNDAI:3736721200,3736721320,31127PM3004
 HUCO: 139274

REC3013



6-25A diodes,copper heat sinks
 Dim: 80mm Mtg. Length
 Note: With diode trio

TRANSPO IMR8011
 MOBILETRON RM-85
 CARGO 131543
 WAI 31-8390
 Mitsubishi A860T08470
 Nissan 23124-W5811

REC3014



6-30A diodes
 For: Mitsubishi 75A IR/IF Alternators
 Dim: 85mm Mtg. Length,M6 x 1.0 Batt. Term.
 Note: With diode trio. 20mm stator lead insulator
 height.
 Similar to IMR8546 except IMR8546 has 16mm
 stator lead
 insulator height.

TRANSPO:IMR8544 IMR8546
 MOBILETRON :RM-31
 UNIPPOINT : REC-587
 CARGO:135041
 MAZDA: F285-18-W60,F825-18-W60,JE15-18-W60
 MITSUBISHI :A860T31370,A860T34070,MD611585
 MANDO: A600C3201

REC3015



8-30A diodes
 Dim: 85mm Mtg. Length,M6 x 1.0 Batt. Term.
 Note: With diode trio

TRANSPO:IMR8574
 Mobiletron:RM-34HV
 Hyundai :37367-35021
 Mitsubishi :A860T23270,MD611586
 MANDO:A600C0101

REC3016



Diodes: 8-30 Ampere
 Mounting Length: 85 mm
 M8 Battery Post
 With Trio

TRANSPO IMR8594
 MOBILETRON NEW RM-59, RM-59HV
 CARGO 137849
 MITSUBISHI
 A860T42670,A860T42770,A860X42770,A860X67170,
 MD618734,MD618752
 Unipoint : REC-598

REC3017



6-50A diodes,copper heat sink
 Dim: 100mm Mtg. Length
 Note: With diode trio

TRANSPO IMR10011
 Mobiletron Electronics RM-75
 MAZDA 413024510A,413024560,E30124510A
 Mitsubishi
 A860T04170,A860T05270,A860T07370,A860T07770,
 MD607385,MD607529
 Nissan 23124Q4610,23124B9810
 MAGNETI MARELLI 940038246

RECTIFIER

REC3018



Dim: 100mm Mtg. Length, M6 x 1.0 Batt. Term.
 Note: With diode trio
 Features: 8-30A diodes

TRANSP0:IMR10040
 CARGO:135252
 MOBILETRON:RM-41
 Unipoint: REC-5712
 MANDO:A600C0211
 FORD:E9PZ-10304-B,E9PZ10304B
 Mitsubishi:A860T31170,A600C10301,A860T35270

REC3019



Dim: 100mm Mtg. Length
 Note: With diode trio
 Features: 8-30A diodes

TRANSP0:IMR10042
 MOBILETRON: RM-40, RM-40HV, MFRX02862
 Unipoint :REC-505
 USI :73-60001
 MITSUBISHI:A860T23070,A860T28070,A860T35270,
 MD602227,MD611564,MD611768

REC3020



8-30A diodes
 Dim: 100mm Mtg. Length, M8 x 1.25 Batt. Term.
 Note: With diode trio

TRANSP0:IMR10060
 CARGO:135900
 MOBILETRON: RM-48
 MITSUBISHI:A860T33970
 CQ:CQ1080527
 RS:1106-056RS
 WAI:31-8358

REC3021



Dim: 100mm Mtg. Length, M8 x 1.25 Batt. Term.
 Note: With heavy duty diode trio.
 Features: 6-30A diodes

TRANSP0 IMR10096
 Mobiletron RM-170, RM-170HV
 MITSUBISHI A860X52570, ME701439, ME701569

REC3022



Diodes: 6-30Ampere
 Mounting Length: 100mm
 With M8x59.5mm Battery Post
 With Trio, With Capacitor

MOBILETRON RM-116
 MITSUBISHI
 A860X47070, A860X64870, ME701353, ME701716
 CARGO 139111

REC4001



For: Delco European CS130D Series IR/IF
 Alternators
 Used On: (2001-98) Isuzu
 Dim: M8 x 1.25 Batt. Term.
 Note: With diode trio.
 Features: 6-40A press-fit avalanche diodes
 3A trio assembly Aluminum positive heat sink
 Copper negative heat sink

TRANSP0 DER2000
 CARGO 136595
 DELCO 10475034 1205464 589714 3493814 3493823
 3493847 3493947 3493955 10479914 10479923
 10479947 10479955 6204000 6204003 6204004
 OPEL 1205464 6204002 6204006 6204007 6204008
 Isuzu 8104799230
 MOBILETRON RD-04B

REC4002



For: Delco 11SI Series 70-95A IR/IF Alternators
 Used On: Case, Cummins
 Replaces: (stamped 220206)
 Dim: M8 x 1.25 Batt. Term.
 Features: 6-60A press-fit avalanche diodes (24-29V)
 3A heavy duty trio diodes

TRANSP0 DR2206 DR2206HD
 Delco 220206 19020204 19020207 19020208
 Case 87038475
 Cummins 3972730
 Lester 8720 8721 8722

REC4003



For: Delco DR44G Series IR/IF Alternators
 Used On: (2007-05)
 Cadillac, Chevrolet, GMC, Hummer
 Diodes: 6-60A Avalanche
 With M6x46.5 Battery Post
 DR3580HD
 Features: 80A press-fit avalanche diodes (24-29V)

TRANSP0 DR3580 DR3580HD
 Delco 10392759 15200109 15200268 15263858
 Lester 8292 8302
 MOBILETRON RD-40HA

RECTIFIER

REC4004



For: Delco CSI21,CSI30 Series IR/EF Alternators
 Note: For heavy duty version use DR4000HD.
 Features: 40A press-fit avalanche diodes,OE validated Welded diode terminations
 Hi-temperature lead frame
 Patented Ram-Air aluminum heat sink

Replaces
 TRANSP0 DR4000 DR4000HD
 CARGO 131880
 DELCO 1989658 10472597 10470730 10457690
 10457236 10456401 10456401 10430484 10456300
 10456301 10456302 10456303 10456312 10463001
 10463002 10463003 10463004 10463005 10463006
 VALEO A565526A
 MOBILETRON RD-95HD RD-95A


REC4005



For: Delco CSI30D Series IR/IF Alternators
 Used On: (2005-93)
 Acura,Buick,Chevrolet,GMC,Honda,Oldsmobile,Pontiac
 Dim: M8 x 1.25 Batt. Term.
 Features: 40A press-fit avalanche diodes
 DR4200HD
 Features: 50A press-fit avalanche diodes,OE

Replaces
 TRANSP0 DR4200 DR4200HD
 DELCO 10475758 10492837 1047578 10463407
 10463443 10463630 10463654 10463966 10464075
 10464407 10464409 10464414 10464423 10464424
 10464427 10464431 10464432 10464437 10464457
 10464462 10470119 10479981 10479984 10480017
 10480043 10480052 10480071
 MOBILETRON RD-97A RD-97B RD-97HV

REC4006



For: Delco 10SI,20SI,30SI/TR Series IR/EF Alternators
 Features: 6-25A button diodes
 Heat sink tunnel for additional air flow to cool diode trio
 DR5042
 Features: 6-50A button diodes

Replaces
 TRANSP0 DR5040 DR5042
 CARGO 130673
 DELCO 1852209 1875627 1891055 1984638 D3915
 1971987 1100109 1100110 1100111 1100113 1100115
 1100116
 MOBILETRON RD-09H RD-09

REC4007



For: Delco Korea / Daewoo 60A/24V IR/EF Alternators
 Used On: Samsung Loaders,Caterpillar,Daewoo (South America,Asia)
 Note: With diode trio
 Features: 25A diodes

Replaces
 TRANSP0 DR5165
 CARGO 230983
 DAEWOO 589714 219072 219081
 DELCO 10475039
 SAMSUNG 102203500 102203510
 Lester 12749


REC4008



For: Delco Korea / Daewoo 85A IR/IF Alternators
 Used On: Daewoo
 Note: With diode trio
 Features: 35A diodes,extra mounting hole

Replaces
 TRANSP0 DR5166
 CARGO 230983
 DAEWOO 276000 267000 96224431 96224432
 Lester 8005 8006
 MOBILETRON RD-16

REC4009



For: Delco 21SI,CSI44 Series IR/EF Alternators
 Replaces: Delco 1989774,10471170,D3931
 Features: 3-Positive jumbo button diodes 3-Negative jumbo button avalanche diodes Wide-fin heat sinks
 DR5175PF
 Features: 3-60A

Replaces
 TRANSP0 DR5175 DR5175PF
 CARGO 131881
 DELCO 1989774 10471170 D3931 10459023 10459027
 10459039 10459055 10459082 1117884
 1117889 1117895
 Lester 7564 7666 7680 7805-11 7805-5 7806-2 7812-11
 7901-2 8014 8014 8018 8031 8098
 MOBILETRON RD-06A

REC4010



For: Delco 21SI,22SI,23SI,CSI44 Series IR/EF Alternators
 Features: 6-jumbo button avalanche diodes
 Saw-fin heat sinks
 DR5177PF
 Features: 6-60A press-fit avalanche diodes
 Crimp-weld diode connections,heavy copper conductors Saw-fin heat sinks

Replaces
 TRANSP0 DR5177
 CARGO 231062
 DELCO 10470609 D3992 10456319 10456336
 10459028 10459038 10459040 10459047 10459050
 10459052 10459053 10459054 10463026 10463027
 10463063 10463065 10463070 10463071 10463076
 10463096 10463108 10463119 10463120 10463121
 MOBILETRON RD-06

REC4011



For: Delco Korea / Daewoo 7SI Series 65A IR/IF Alternators
 Used On: Mercury Marine
 Note: With heavy duty diode trio
 Features: 6-50A press-fit avalanche diodes (24-29V)

Replaces
 TRANSP0 DR9410
 Daewoo 266000 219232
 Delco 19020601 19020612
 Mercury Marine 862031 862031T 863077T
 Lester 8460 8461
 MOBILETRON RD-32

RECTIFIER

REC4012



For: Delco Korea / Daewoo 7SI Series 70A IR/IF Alternators
 Used On: Crusader Marine, Hyster, Indmar Marine, Mercury Marine, Pleasurecraft Marine
 Note: With heavy duty diode trio. With P-terminal.
 Features: 6-50A press-fit avalanche diodes

TRANSPO DR9411
 Delco 19020604 19020608 19020609 19020614 19020615
 Mercury Marine 862030T
 Lester 8460 8465 8466

REC4013



For: Delco European CS130D Series IR/IF Alternators
 Used On: Opel (Europe)
 Dim: M8 x 1.25 Batt. Term.
 Note: Without diode trio.
 Features: 6-40A press-fit avalanche diodes

TRANSPO DER2010
 CARGO 231762
 DELCO 10493596 3472020 3472820 3478687 90543910 UD12AB
 OPEL 6205432 6204072
 MOBILETRON RD-29

REC4014



Dim: M6 x 1.0 Batt. Term. w/ Threaded Spacing Collar
 60A press-fit avalanche diodes (24-29V)
 For: Delco DR44G Series IR/IF Alternators
 Components: 32-1060100 Diodes (+)

Transpo: DR3581, DR3583
 Mobiletron: RD-40H
 Delco: 10503581, 10510904
 Replaces:
 Delco: 10392759, 15200109, 15200268, 15263858
 Lester #: 8292, 8302
 WAI Ref. Nos: 1-2555-21DR, 1-2556-21DR

REC4015



6-50A button diodes, bidirectional fins
 Note: For heavy duty version w/ 70 amp diodes, use DR5056

TRANSPO DR5054
 Delco 1987061, D3986, 1984454, D3924
 Mobiletron RD-13HV
 Unipoint REC-117
 CARGO 131874


REC4016



Features: 9-25A button diodes (6-positive & 3-negative)
 Note: For heavy duty version w/ 50 amp diodes, use DR5172

TRANSPO DR5170
 Delco 1985801, D3985
 Mobiletron RD-15, RD-15H
 Unipoint REC-119

REC5001



For: Denso 45A ER/EF Alternators
 Used On: (1981-80) Honda
 Dim: 100mm OD
 M5 x 0.8 Mtg. Bolts
 M6 x 1.0 x 34mm Batt. Term.
 Features: 6-30A diodes

TRANSPO INR400
 CARGO 135884
 KUBOTA 01219971123
 NIPPONDENSO 0216001340 021000840 0210008400 021000841 0210008410 021000904 0210009040 021000905 0210009050 021000910 0210009100
 Lester 14158 14617 14850
 MOBILETRON RN-23

REC5002



For: Denso 70-110A IR/IF Alternators w/ 118mm OD Stator
 Used On: (2002-89)
 Acura, Chevrolet, Geo, Honda, Isuzu, Lexus, Toyota
 Dim: 103mm OD, M6 x 1.0 x 43mm Batt. Term.
 Features: 8-40A press-fit diodes, welded diode terminations

TRANSPO INR402 INR402P
 CARGO 133672
 Denso 0215803660 0215803830 0215804030 0215804080 0215804480 0215804510, 0215804630 0215804760 100211802 100211803 100211805
 GM 94847129
 HONDA 31100PAAA01
 MOBILETRON RN-03






REC5003



For: Denso 70-100A IR/IF Alternators
 Used On: (1996-89)
 Acura, Honda, Lexus, Toyota
 Dim: 103mm OD, M6 x 1.0 x 43mm Batt. Term.
 Features: 8-40A press-fit diodes, welded diode terminations

TRANSPO INR731 INR731P
 CARGO 133672
 Denso 0215803830 0215804030 0215804080 1002118050 1002118710
 Honda 31127PT2003 31100P14A01 31100P30023 31100PT2003 31100PVA01 31100PT3A51
 Toyota 2735750040 2735762040 2735774050
 MOBILETRON RN-03

RECTIFIER

	FEATURES	Replaces
<p>REC5004</p> 	<p>For: Denso 80A IR/IF Alternators Used On: (2008-00) Pontiac,Suzuki,Toyota Dim: 103mm OD,M6 x 1.0 Batt. Term. Note: With mtg. hole for ground strap. Features: 6-40A press-fit avalanche diodes (20-24V) Copper heat sinks</p>	<p>TRANSPONR406P Denso 0215805560 0215806510 102211190 104210812 Toyota 2735722050 2735722200 270600D110 GM 88969480 88969482 Suzuki 3140059J00 Lester 11086 11203 13878 13879 13958 MOBILETRON RN-36</p>
<p>REC5005</p> 	<p>For: Denso 120-160A ER/IF Alternators Used On: (2005-01) Chrysler,Dodge,Jeep Dim: 117mm OD,M8 x 1.25 x 34mm Batt. Term. Features: 12-40A press-fit diodes (non-avalanche),OE validated Copper heat sinks</p>	<p>TRANSPONR421 Denso 0215805891 0215805901 421000001 421000002 421000004 421000006 421000010 421000030 4210000301 Lester 11063 13870 13871 13912 13913 MOBILETRON RN-29</p>
<p>REC5006</p> 	<p>For: Denso 130A IR/IF Alternators Used On: (2005-03) Toyota Dim: 117mm OD,M6 x 1.0 x 28mm Batt. Term. Features: 12-50A press-fit avalanche diodes,OE validated Copper heat sinks</p>	<p>TRANSPONR422 CARGO 237607 Denso 0215806520 104210338 Toyota 270600F040 Lester 13994 MOBILETRON RN-34</p>
<p>REC5007</p> 	<p>For: Denso 130A IR/IF Alternators Used On: (2008-03) Toyota Dim: 117mm OD,M6 x 1.0 Batt. Term. Features: 12-50A press-fit avalanche diodes (20-24V) Aluminum heat sinks</p>	<p>TRANSPONR427 CARGO 237607 Denso 0215807310 104210347 104210420 Toyota 270600P020 2706031020 Lester 11139 13984 MOBILETRON RN-34</p>
<p>REC5008</p> 	<p>For: Denso 105A IR/IF Alternators Used On: (2006-03) Acura,Honda Dim: 117mm OD,M6 x 1.0 Batt. Term. Note: Delta stator applications Features: 6-50A press-fit avalanche diodes (20-24V) Aluminum heat sinks</p>	<p>TRANSPONR429 CARGO 237648 Denso 0215806490 104210-329 Honda 31127RAAA010M 31100-RAA-A01 31100-RAA-A03 31100-RAA-A04 31100-RAA-A05 Lester 13980 MOBILETRON RN-48</p>
<p>REC5009</p> 	<p>For: Denso 100A IR/IF Alternators Used On: (2009-04) Lexus,Pontiac,Scion,Toyota Dim: 117mm OD,M6 x 1.0 Batt. Term. Note: Delta stator applications. Features: 6-50A press-fit avalanche diodes (20-24V) Aluminum heat sinks</p>	<p>TRANSPONR430 CARGO 238063 Denso 0215806610 104210208 Toyota 2735730070 270600F080 GM 88975511 Lester 11033 11034 11088 11136 11138 11153 11195 11201 11324 11350 MOBILETRON RN-46</p>
<p>REC5010</p> 	<p>For: Denso 150A IR/IF Alternators Used On: Ford,Mazda,Volvo (Europe) Dim: 117mm OD,M8 x 1.25 Batt. Term. Features: 12-50A press-fit avalanche diodes (20-24V) Aluminum heat sinks</p>	<p>TRANSPONR437 CARGO 237607 Denso 0156309M07675 104210352 Ford 3M5T10300YB 3M5T10300YC 3M5T10300YD Volvo 36000599 8603183 Lester 23821 MOBILETRON RN-39</p>
<p>REC5011</p> 	<p>Diodes:6-50A Avalanche Press-Fit Diameter OD:113mm With M6*33mm Battery Post With Aluminum Heat sinks</p>	<p>TRANSPONR438 INR6300 Denso 1042109000 1042109050 0215809220 1042109010 Toyota 270600C020 270600H090 MOBILETRON RN-45</p>

RECTIFIER

REC5012



For: Denso 35A IR/IF Alternators w/ 100mm OD Stator
 Used On: Toyota Lift Truck
 Dim: 83mm OD, M6 x 1.0 x 44mm Batt. Term.
 Features: 8-40A press-fit diodes, welded diode terminations

TRANSPO INR718 INR718P
 CARGO 137872
 NIPPONDENSO 0215803110 100211454 1002114540 1002114550
 Toyota 2735772120 2706078003 2706087504
 ISHIHAWAJIMA 185046220
 Lester 12187
 MOBILETRON RN-18

REC5013



INR720
 For: Denso 60-80A IR/IF Alternators w/ 118mm OD Stator
 Used On: (1998-83) Acura, Geo, Honda, Isuzu
 Dim: 100mm OD, M6 x 1.0 x 43mm Batt. Term.
 Features: 8-40A diodes
 INR720P
 Features: 8-40A, welded diode terminations

TRANSPO INR720 INR720P
 CARGO 132082
 31127PD20140 31127PD2004 31127PD2014
 8941606380 940038277 0215802160 0215802230
 0215802620 0215803690 2706072010 2735763020
 2735711100 2735716160 2735763060
 Lester 12205 13229
 MOBILETRON RN-13

REC5014



For: Denso 100-120A IR/IF Alternators w/ 130mm OD Stator
 Used On: (2005-90) Acura, Lexus, Mazda, Toyota
 Dim: 113mm OD, M8 x 1.25 x 48mm Batt. Term.
 Features: 8-40A press-fit diodes, welded diode terminations

TRANSPO INR733 INR733P
 Denso 0215804610 0215805040 1002116410
 1002116440 101211707 100211611
 Toyota 2735774170 2706050080
 Lester 13384 13385 13389 13553 13668 13688 13714
 MOBILETRON RN-11

REC5015



For: Denso 120-136A ER/IF Alternators w/ 130mm OD Stator
 Used On: (2001-98) Chrysler, Dodge, Jeep
 Dim: 113mm OD, M6 x 1.0 x 43mm Batt. Term.
 Note: With mtg. hole for 46-82300 ground strap.
 Features: 8-50A diodes

TRANSPO INR735
 Denso 0215805220 121000423 121000425 121000440
 Chrysler 4609999 56041324
 Lester 13763 13790
 MOBILETRON RN-08

REC5016



For: Denso 120-136A ER/IF Alternators w/ 130mm OD Stator
 Used On: (2001-88) Chrysler, Dodge, Jeep, Plymouth
 Dim: 113mm OD, M6 x 1.0 x 25mm Batt. Term.
 Features: 8-40A press-fit diodes, welded diode terminations

TRANSPO INR734 INR734P
 ISUZU 8812180330
 Denso 0215804820 0215805260 1012117960
 1022114050 1210004000 1210004040 1210004041
 1210004080 1210004150 1210004151 1210004090
 1210004010 1210004050 1210004060
 CHRYSLER 5233599 5233608 5233660 5234651
 MOBILETRON RN-02

REC5017



For: Denso 110-120A ER/IF Alternators w/ 130mm OD Stator
 Used On: (1996-88) Chrysler, Dodge, Plymouth
 Dim: 113mm OD, M6 x 1.0 x 25mm Batt. Term.
 Features: 8-40A press-fit diodes, welded diode terminations

TRANSPO INR728 INR728P
 CARGO 135416
 ISUZU 8812180330
 Denso 0215804020 121000400 1210004000 121000401
 1210004010 121000403 1210004030
 121000404 1210004040 121000405 1210004050
 CHRYSLER 5233599 5233608 5233660 5234651
 MOBILETRON RN-02

REC5018



For: Denso 110A IR/IF, Pungsung 130A IR/IF Alternators
 Used On: (2009-91) Acura, Honda, Hyundai, Kia
 Dim: 113mm OD, M8 x 1.25 x 33mm Batt. Term.
 Features: 8-50A diodes

TRANSPO INR736
 CARGO 136741 233246
 HONDA 31127PY30030 31127BYE003 31127PY3003
 31127PY3013 31100PY3003
 DENSO 0215804250 0215804590 100211617
 1002116170
 Pungsung 021319330
 MOBILETRON RN-10

REC5019



Used on: Denso 120A IR/IF Alternators
 Specs: 6-50A press-fit avalanche diodes (20-24V);
 Copper heat sinks; Weld connection on diode lead

TRANSPO INR742P
 Denso 0215804940 101211755 101211763 102211050
 102211052 102211086
 Volvo 8251655 86016995 9472908
 Lester 13758 13845 13909 13925

RECTIFIER

FEATURES **Replaces**

REC5020



8-35 Amp Diodes
114mm OD
M6 Battery Post

DENSO
0215901890,0215901900,0215901910,0215901950
CARGO 132657,132655
Mobiletron RN-41
Unipoint #:REC-616,REC-615H

REC5021



Dim: 117mm OD,M8 x 1.25 Batt. Term.
Features: 7-50A press-fit avalanche diodes (20-24V)
Aluminum heat sinks

TRANSPO INR431
Mobiletron RN-37
CARGO 237613
Denso
1042103511,1042103512,1042103513,1042103630,1042103761,1042103762

REC5022



Diodes :6-50 A Avalanche Press-Fit
Diameter OD : 113mm
With M8x46mm Battery Post
With Aluminum Heat sinks

Mobiletron: RN-64
TRANSPO:INR438-1
NIPPONDENSO:021580-9210

REC5023



Dim: 100mm OD,M6 x 1.0 x 43mm Batt. Term.
Note: With mtg. hole for 46-82300 ground strap.
Similar to INR5028,except INR5028 w/ 8-diodes.
6-40A diodes

TRANSPO INR502
Mobiletron RN-38
Denso 0215804990
Toyota 2735767100

REC5024



Dim: 90mm OD,M6 x 1.0 x 44mm Batt. Term.
8-40A diodes

TRANSPO INR724
Mobiletron RN-15
CARGO 132540
Denso 0215803130,0215804340
Toyota 2735711170

REC5025



8-40A press-fit diodes
Dim: 103mm OD,M6 x 1.0 x 25mm Batt. Term.
Welded diode terminations,copper heat sinks
Note: Without mtg. hole for ground strap. Similar to INR403P except INR403P w/ mtg. hole for ground strap.

TRANSPO INR729
MOBILETRON RN-01
CARGO 135417
NIPPONDENSO 021580-3640,025180-4660,021580-4670,025180-4840,021580-3680

REC5026



8-40A press-fit diodes,welded diode terminations
Dim: 113mm OD,M8 x 1.25 x 48mm Batt. Term.
Note: With mtg. hole for 46-82300 ground strap.
Similar to INR735 except INR735 has M6 x 1.0 battery terminal.

TRANSPO:INR732,INR733,INR733P
MOBILETRON:RN-11
CARGO:137874
UNIPOINT:REC-614
DENSO:021580-3990,021580-4040,021580-4100,021580-4110,021580-4430,021580-4610,021580-4690,021580-5040

REC5027



Diodes: 8-50 Ampere
Diameter OD: 113mm
With M8 Battery Post
With Ground Screw Hole

MOBILETRON:RN-49
DENSO: 021580-4890,0215804890
LESTER:13410,13687,13791,13547

RECTIFIER


REC5028



12-50A press-fit avalanche diodes (20-24V)
Aluminum heat sinks
Dim: 117mm OD,M8 x 1.25 Batt. Term.
Used For:Denso 130A IR/IF Alternators

TRANSPONR433
MOBILETRON RN-47
Denso 03-144-08K-18-
629,1042103170,1042103240,4210000210,4210000222
,4210000223,4210000225,4210000230,4210000380
CARGO 235589

REC5029



Dimensions:117mm OD; M8 x 1.25 Batt. Term
12-50A press-fit avalanche diodes (20-24V)
Aluminum heat sinks

Transpo:INR434
Regitar:RN-53
Denso:104210-4240,104210-4241,104210-
5960,TN104210-5960,421000-0470,421000-
0540,421000-0541,421000-0542,421000-0590,421000-
0591

REC5030



12-50A press-fit avalanche diodes (20-24V)
Copper heat sinks
Dim: 117mm OD,M8 x 1.25 Batt. Term.
(stamped 683,728)
Fit for transpo voltage regulator IN6329

TRANSPONR436
MOBILETRON:RN-54
NIPPONDENSO:021580-6830,104210-2160

REC5031



Dimensions:117mm OD.
M8 *1.25 Batt. Term.
12-50A press-fit avalanche diodes (20-24V).
Aluminum heat sinks.

TRANSPONR432
MOBILETRON: RN-56
DENSO:104210-3732,104210-3911

REC5032



Dim: 117mm OD,M8 x 1.25 x 42mm Batt. Term.
Features: 12-40A press-fit diodes
(non-avalanche),OE validated
Copper heat sinks

TRANSPONR420
Mobiletron RN-30
DENSO 021580-5911,021580-5931

REC6001



For: Paris Rhone / Valeo 50-90A ER/EF Alternators
Used On: (1989-88) Eagle
Dim: 115mm OD
Note: Without diode trio,w/ capacitor,w/ single AC
stator tap
Features: 6-50A press-fit diodes

TRANSPONR435
CARGO 131228
LUCAS 21225386 UBB232
MAGNETI MARELLI 940038301
VALEO A103543A A180593A NC145 593084
Volvo 33431263
Paris Rhone 101743 102527 103543 105380 180593
MOBILETRON RP-01

REC6002



For: Paris Rhone / Valeo IR/EF Alternators
Used On: Deutz,Volvo-Penta Marine,Volvo White-
GMC
Dim: 115mm OD
Note: With diode trio,w/ W-terminal,w/ capacitor
Features: 6-50A press-fit diodes

TRANSPONR435
CARGO 131701
LUCAS 21225389 UBB235 UBB255
MAGNETI MARELLI 940038305
VALEO A523726A NC135 NC730 102556 103551
181155
Volvo 872383
MOBILETRON RP-02

REC6003



Diodes: 3-60 A Avalanche (20-24V)
With M8x30mm Battery Post
Without Trio

MOBILETRON :RP-43,RP-64
TRANSPONR435
VALEO
20030412,20030919,20050726,2600172,2604417
Application in Alternators :
HYUNDAI:37300-22650,3730022650,37300-
38400,37367-22650,37300-37405,37300-38400

RECTIFIER

REC6004



Dim: 115mm OD
 Note: With diode trio, w/capacitor
 6-40A press-fit diodes

TRANSP0:IPR713,IPR713HD
 MOBILETRON:RP-05H
 VALEO:101713
 CARGO:133687
 CQ:CQ1080023
 HUCO:139662
 LUCAS:21225394,UBB234
 MAGNETI MARELLI:940038304

REC7001



For: Mando IR/IF Alternators
 Used On: Kia Tico (non-USA)
 Dim: 88mm OD
 Note: With heavy duty diode trio.
 Features: 8-25A diodes

TRANSP0 IYR751
 TICO 31621A78B00000
 Hyundai 3730032510
 Mando AR175AA
 Lester 14436

REC7002



DIODES:8-35AMP,
 ALUMINIUM HEAT SINK,
 WITH TRIO, WITH CAPACITOR,
 M6mm battery post,
 FOR USE ON:
 Deawoo DAMAS TOWNER

3162A80D00000
 264000
 SUIT FOR REGULATOR 32500A80D00-000

REC7003



Diodes:6-35A Diameter:100mm With M6-30mm
 USDE FOR:Skoda Felicia 70A

CARGO 134977
 Woodauto VRG47120
 004003215B 443930134731 115901505 443113516830
 443113516831 443113516833 443113516836
 443113516850 443113516851 443113516856
 443113516852 0135240 0135241 0140830 0140831
 443930135240 443113516660
 01352400135241443930135240

REC7004



For: Marelli 85-100A IR/IF Alternators
 Used On: (1995-91) Land Rover; Allis-Chalmers, Ford Tractor
 Dim: 104mm OD, M6 x 1.0 Batt. Term.
 Note: With diode trio.
 Features: 6-30A diodes

TRANSP0 IXR542
 CARGO 136458
 FIAT 9946071
 MAGNETI MARELLI 00084574 83610231
 083610231010 54209741 054022437010
 054022459010 054022469010 054022470010
 Rover STC232 YLE10099 YLE10100
 MOBILETRON RI-16H

REC7005



For: Marelli IR/IF Alternators
 Used On: Fiat (Europe)
 Dim: 111mm OD, M8 x 1.25 Batt. Term.
 Features: 6-50A press-fit avalanche diodes (20-24V)

TRANSP0 IXR633
 CARGO 136423 139214
 MAGNETI MARELLI 063623301010 063623501010
 63623301 63623501 RDD35 063320200010
 063320203010 063320204010 063320219010
 063320227010 063320238010
 Lester 0984 21216 21292 21327 21329 21425 22573
 MOBILETRON RI-14H


REC7006



For: Marelli IR/IF Alternators
 Used On: Fiat, Land Rover
 Dim: 111mm OD, M8 x 1.25 Batt. Term.
 Features: 8-50A press-fit avalanche diodes

TRANSP0 IXR634
 CARGO 138800
 Marelli 63623701 63624901 63321287 A1151 A1271M
 63321240 63341240
 Rover AMR2938
 Lester 13726
 MOBILETRON RI-19H









REC7007



For: Marelli 30-55A Alternators
 Used On: Alfa Romeo, Autobianchi, Fiat, Fiatallis, Iveco, Lamborghini, Lancia, Lister-Petter, SEAT, Simit, Unic Motore
 Dim: M6 x 1.0 Batt. Term., 17.5mm Thk. Heat Sink
 Note: With diode trio and lead
 Features: 6-50A diodes

TRANSP0 IXR692
 CARGO 131391
 LUCAS 21222124 UBB812
 MAGNETI MARELLI 63621501 74877471 74878691
 PRD4A RDD15
 VL-DUCCELLIER 593054
 FIAT 5999868 5999869 7533853 7541822
 MOBILETRON RI-01 RI-02


RECTIFIER

	FEATURES	Replaces
<p>REC7008</p> 	<p>For: Marelli Alternators Used On: Fiat,Lancia,Maserati,SEAT,Unic Motore Dim: M6 x 1.0 Batt. Term.,19.5mm Thk. Heat Sink Note: With diode trio and lead Components: 32-735 Button Diode Features: 6-50A diodes</p>	<p>TRANSPO IXR693 CARGO 131505 FIAT 4808510 4808513 4808517 4808518 7541401 7542145 7548004 7552382 21222125 UBB813 MAGNETI MARELLI 63320013 63320015 63320016 63321021 63321022 63321023 63321025 RDD16 VL-DUCELLIER 593055 MOBILETRON RI-02H RI-02</p>
<p>REC7009</p> 	<p>For: Mando 90A IR/IF Alternators Used On: (2003-00) Hyundai Dim: 90mm Mtg. Length M8 x 1.25 Batt. Term. Features: 6-50A press-fit avalanche diodes Crimp-weld diode terminations Heavy duty trio & capacitor</p>	<p>TRANSPO IYR9028 CARGO 234653 Hyundai 3737022600 3730022600 Mando AB180128 Lester 13839 MOBILETRON RM-132</p>
<p>REC7010</p> 	<p>For: Mainland China JFZ1826F & JFZ1826G Alternators Diodes:6-35A press-fit diodes (27V) Dim: 118mm OD,M6 Batt. Term. Note:With diode trio(3-2A). Used On: DAEWOO,Hafei racing car 1.3L</p>	<p>JFZ1826F JFZ1826G</p>
<p>REC7011</p> 	<p>Diodes:6-50A 27V Output cuR&Rent:90A Stud bolt:m8 Diameter: Φ 128 Auxiliary diode:0 For:9 Diodes ALTERNATOR FOR USE ON: Peijing Hyundai,Cerato,VERNA,ELANTRA</p>	<p>JFZ1929C</p>
<p>REC7012</p> 	<p>M6 Battery Post 8-50A Avalanche Diodes w/diode trio</p>	<p>CARGO 231472 ISKRA 16903507,16.903.507 Mobiletron RK-01 Used on ALTERNATORS: ISKRA 11201675,AAK5118</p>
<p>REC7013</p> 	<p>8-50 Amp Diodes 50A/300V press-fit diodes, Dim: 133 mm Dia. Components: 22-213 S.R.E. Frame</p>	<p>TRANSPO FR3003 MOBILETRON RF-06 CARGO 139668 FORD F6LU-10300CA,F5OZ-10300FA,F6OU-10300AA,F6ZU-10300BB,F6DU-10300BB SAS COMPONENTS 10210 WAI 31-210</p>
<p>REC7014</p> 	<p>133mm Heat Sink OD 40A/300V press-fit diodes</p>	<p>TRANSPO:FR2013 Mobiletron:MFRX01236,MFRX01237,RF-04 USI 73-20003 Ford:F6HU-10300-AA,XC3U-10300-DB,XC3U-10300-DC,1L5U-10300-BA,1L5U-10300-BB,1L5Z-10346-BA,1L5Z-10346-BARM,1L5Z-10346-DA,1U2U-10346-AA,1U2Z-10346-AA,1U2Z-10346-AARM</p>
<p>REC7015</p> 	<p>For: Lucas 16ACR,18ACR Series 28-43A ER/EF,IR/EFA Alternators Dim: M5 x 0.8 x 13mm Mtg. Post Note: For applications where the voltage regulator senses at the alternator Features: 9-25A diodes</p>	<p>TRANSPO ILR166 Mobiletron RL-08HV FORD 69EB10304AA,D4NN10304A LUCAS 83166,83334,83520,83842,83844,84443,UBB109,UBB110</p>

RECTIFIER

	FEATURES	Replaces
--	----------	----------

REC7016



Lucas A127 Series 55-70A IR/EF Alternators
 Dim: 115mm OD
 M5 x 0.8 x 30mm Mtg. Post
 M6 x 1.0 x 42mm Batt. Term.
 Note: For heavy duty version use ILR566HD
 Components: 84202 Diode Trio
 Features: 6-25A/200V diodes

TRANSP0 ILR566 ILR566HD
 Mobiletron RL-01H
 FORD E7NN10304AA
 LUCAS
 84201,84422,84454,84455,UBB133,UBB135,UBB141

REC7017



Dim: 115mm OD
 M5 x 0.8 x 44mm Mtg. Post
 M6 x 1.0 x 51mm Batt. Term.
 Note: For heavy duty version use ILR570HD
 Components: 84202 Diode Trio
 Features: 6-25A/200V diodes

TRANSP0 ILR570,ILR570HD
 MOBILETRON RL-06,RL-06H
 CARGO 132718
 FORD 864F10304AA
 HUCO 139635
 LUCAS 000084456010,84456,84486,UBB140
 UNIPOINT REC-834

REC7018



Dim: 115mm OD
 M4 x 0.7 x 19mm D+ Term. (Trio)
 M5 x 0.8 x 46mm Auxiliary Term.
 M6 x 1.0 x 39mm Batt. Term.
 Note: With diode trio.
 Components: 84202 Diode Trio
 Features: 6-25A/200V diodes

TRANSP0 ILR572
 Mobiletron RL-21H
 FORD 87BB10304CA
 LUCAS 84572,UBB145

REC7019



Dim: 115mm OD, M6 x 1.0 Batt. Post
 Features: 6-25A/200V diodes

TRANSP0 ILR551
 Mobiletron RL-04H
 FORD 81AB10304BA
 LUCAS 83567,83623,84720 ,UBB116,UBB127

REC7020



Dim: 115mm OD
 M5 x 0.8 x 20mm D+ Term. (Trio)
 M5 x 0.8 x 44mm Auxiliary Term.
 M6 x 1.0 x 51mm Batt. Term.
 Components: 84202 Diode Trio
 Features: 6-25A/200V diodes

TRANSP0 ILR576
 Mobiletron RL-10H
 LUCAS 84976
 MAGNETI MARELLI 63328506


REC7021



Dim: 115mm OD
 M5 x 0.8 x 32mm Mtg. Post
 M6 x 1.0 x 28mm Batt. Term.
 Note: For heavy duty version use ILR569HD
 Features: 6-25A/200V diodes

TRANSP0 ILR569,ILR569HD
 Mobiletron RL-22H
 LUCAS 84574,UBB138
 NISSAN 23230Q9000
 ROVER BAU5816
 VALEO A559893A

REC7022



Dim: 17.5mm Thk. Heat Sink
 Note: With diode trio.
 Features: 6-50A diodes

TRANSP0 IXR691
 Mobiletron RI-01H
 Ducellier 593053
 Fiat 9934595,9934958,9957720
 Marelli
 64826011,64826022,64826040,64877471,64878691,74
 878691,74986301,85560001