



宏裕手套

# HONGYU GLOVES

PROFESSIONAL MANUFACTURER

张家港宏裕乳胶手套有限公司

ZHANGJIAGANG HONGYU RUBBER PRODUCTS CO., LTD.

江苏辰宇进出口有限公司

JIANGSU CHENGYU IMPORT AND EXPORT CO., LTD.

Address: Fenghuang Town, Zhangjiagang City, Jiangsu Province, China.

E-mail: [sales@hongyuglove.com](mailto:sales@hongyuglove.com) [sales1@hongyuglove.com](mailto:sales1@hongyuglove.com)

[sales2@hongyuglove.com](mailto:sales2@hongyuglove.com) [sales3@hongyuglove.com](mailto:sales3@hongyuglove.com)

Tel: 0086-512-5842-2008 Fax: 0086-512-5842-2800

Web: [www.hongyuglove.com](http://www.hongyuglove.com) [www.hongyuglove.cn](http://www.hongyuglove.cn)

ZHANGJIAGANG HONGYU RUBBER PRODUCTS CO., LTD.

JIANGSU CHENGYU IMPORT AND EXPORT CO., LTD.





## About us OUR FACTORY FOCUS ON QUALITY

Zhangjiagang hongyu rubber products co.,ltd was originally established in January 1,1982.

In October 2001,it established a joint venture with Shen wei(USA) Inc.

As one of the key professional factories in producing latex products in China, the company has accumulated the history of producing over 20 years.

The company is located in Fenghuang twon , southwest to beautiful Zhangjiagang city.

It is near shanghai.

Covering a land of 30,000m2,the company possesses 6 production assembly lines.

It is complete with checking and assessing facilities.

It has lots of staff members.

In recent years, in the process of development, it focuses on different kinds of quality rubber glove design, development, production and services, introducing in systematic management mode and integrates fully external resources with internal resources especially in technical innovation to pursue stable development of the company.

The company has own domestic brands, these registered brands include Violet, Heart of Aloe, Friendship, Small Cotton- padded Jacket and Dengshi.

Among them, Heart of Aloe household gloves are added natural aloe liquid and are the practical patent in China and world patent in USA and Germany.

In addition, other products of the

company include: rubber products such as nitrile household gloves, nitrile industrial gloves, neoprene industrial gloves and working protection gloves.

Many products of the company pass the assessment of EU food grade, Japan food grade and USA food grade.

The company has obtained Quality Management System Certificate, Product Quality Certificate and BSCI Social Compliance Certificate successively.


The philosophy and quality guideline adopted by the company are "Hongyu- Surpassing continuously, Quality- satisfying customers".



## Hongyu Gloves

01	01 Working Protection Glove Production Line
02	02 Household Glove Production Line
03	03 Drying Workshop
04	04 Inspection & Packing Workshop
05	05 Analysis and Detection Laboratory
06	06 Analysis and Detection Laboratory



## INNOVATION MAKES THE ACHIEVEMENT OF YOUR FUTURE





# Achievement of qualification

- SGS Nitrile Protective Gloves EN374, EN388, EN420 product quality certification
- SGS German AP(2004)4 and 93/11/EEC food grade standard testing
- Household Glove CE Certificate
- TUV ISO 9001:2015 management system certification
- ECM Industrial Neoprene Rubber Glove Industrial Nitrile Rubber Glove CE Certificate
- SGS Directive 89/686/EEC Certificate







**COMPANY PHILOSOPHY**  
PROFESSION, QUALITY, INNOVATION

**CONTENTS**

<b>01</b>	About Us	01
	Hongyu Gloves	02
	Achievement of Qualification	03
<b>07</b>	12" Unlined Gloves Series	07
	12" Dipped-lined Glove Series	08
	12" Flocklined Gloves Series	09
	12" Skin Protection Gloves Series	13
	12" Low Protein Gloves	14
	14" & 15" Long Cuff Gloves Series	14
	16" Latex Gloves With Long Cuff Series	16
	12" & 13" Food Grade Gloves Series	18
	13" Latex Industrial Gloves Series	20
<b>22</b>	Nitrile protective Gloves Series	22
	12" Sweat-absorbent Gloves Series	26
	13" Neoprene Flocklined Gloves Series	27
	Pearly Luster Gloves Series	28
<b>30</b>	Latex Coated Gloves	30
	Nitrile Coated Gloves	32





## 12" Unlined Gloves Series

ASTM D4679-02

Physical property	Tensile Strength (MPa)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



101	LUN-20g
NAME	Yellow Unlined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 20±3g/Pair
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPa)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450



102	LUN-30g (A) / 50g (A.B.C) / 60g (A.D) / 13mil (E) / 17mil (A)
NAME	Natural Unlined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 30±3g/Pair M# 50±4g/Pair M# 60±4g/Pair
PALM THICKNESS	≥13mil ≥17mil
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPa)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450



103	LUN-16mil
NAME	Bicolor Fingered Unlined Household Latex Glove
MATERIAL	Natural Latex
PALM THICKNESS	16±1mil
SIZE	7 / 8 / 9

Physical property	Tensile Strength (MPa)	Ultimate Elongation (%)
Before Aging	≥20	≥700
After Accelerated Aging	≥15	≥550

\*This product can be customized flocking gloves.

## 12" Dipped-lined Gloves Series

ASTM D4679-02

Physical property	Tensile Strength (MPa)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375




201	LDP-30g (A,B)
NAME	Pink Dipped-lined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 30±3g/Pair
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPa)	Ultimate Elongation (%)
Before Aging	≥10	≥500
After Accelerated Aging	≥7.5	≥375



202	LDP-35g (A,B)
NAME	Orange Dipped-lined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 35±3g/Pair
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPa)	Ultimate Elongation (%)
Before Aging	≥10	≥500
After Accelerated Aging	≥7.5	≥375



203	LDP-40g
NAME	Yellow Dipped-lined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 40±3g/Pair
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPa)	Ultimate Elongation (%)
Before Aging	≥10	≥500
After Accelerated Aging	≥7.5	≥375







# 12" Flocklined Gloves Series

Enclosed cotton comfortable and breathable

ASTM D4679-02

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



## 301 LFL-40g (A,B,C,D)

NAME Blue Flocklined Household Latex Glove  
 MATERIAL Natural Latex  
 WEIGHT M# 40±3g/Pair  
 SIZE S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥10	≥500
After Accelerated Aging	≥7.5	≥375



## 302 LFL-45g

NAME Yellow Flocklined Household Latex Glove  
 MATERIAL Natural Latex  
 WEIGHT M# 45±3g/Pair  
 SIZE S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥10	≥500
After Accelerated Aging	≥7.5	≥375



# 12" Flocklined Gloves Series

Enclosed cotton comfortable and breathable

ASTM D4679-02

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



## 303 LFL-50g (A,B,C,D,E,F) / 13mil (B)

NAME Pink Flocklined Household Latex Glove  
 MATERIAL Natural Latex  
 WEIGHT M# 50±4g/Pair PALM THICKNESS: 13±1mil  
 SIZE S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450



## 304 LFL-60g (A,B,C,D,E,F,G,H,I)

NAME Orange Flocklined Household Latex Glove  
 MATERIAL Natural Latex  
 WEIGHT M# 60±4g/Pair  
 SIZE S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450







# 12" Flocklined Gloves Series

Enclosed cotton comfortable and breathable

ASTM D4679-02

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



305	LFL-60g (A.B.C.D.E.F.G)
NAME	Bicolor flocklined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 60±4g/Pair
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450



# 12" Flocklined Gloves Series

Enclosed cotton comfortable and breathable

ASTM D4679-02

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



307	LFL-16mil
NAME	Yellow Flocklined Household Latex Glove
MATERIAL	Natural Latex
PALM THICKNESS	16±1mil
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥15	≥600
After Accelerated Aging	≥12	≥500



306	LFL-70g / 80g
NAME	Purple Flocklined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 70g±5g/Pair / M# 80g±5g/Pair
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450



308	LFL-22mil / 90g
NAME	Blue-yellow Bicolor Flocklined Household Latex Glove
MATERIAL	Natural Latex
PALM THICKNESS	22±1mil
WEIGHT	L# 90±5g/Pair
SIZE	7 / 8 / 9 / 10 / 11

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450





## 12" Skin Protection Gloves Series

ASTM D4679-02

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



401	LFL-50A
NAME	Apple Green Flocklined Household Latex Glove With Aloe
MATERIAL	Natural Latex
WEIGHT	M# 50±4g/Pair
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥14	≥600
After Accelerated Aging	≥11	≥500

Add aloe vera to protect and moisturize your hands

## 12" Low Protein Gloves

ASTM D4679-02


Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



501	LFL-45g (A,B)
NAME	Grass Green Flocklined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 45±4g/Pair
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450

Water extractable protein below 50ug/g. Prevent the skin allergy



## 14" & 15" Long Cuff Gloves Series



402	LFL-60A (A,B)
NAME	Grass Green Flocklined Household Latex Glove With Aloe
MATERIAL	Natural Latex
WEIGHT	M# 60±4g/Pair
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥14	≥600
After Accelerated Aging	≥11	≥500

Add aloe vera to protect and moisturize your hands



601	LFL-80g 14"
NAME	Pink Flocklined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 80±5g/Pair
SIZE	S / M / L

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥700
After Accelerated Aging	≥15	≥550



403	LFL-60V (A,B,C)
NAME	Purple Flocklined Household Latex Glove With Vitamin E
MATERIAL	Natural Latex
WEIGHT	M# 60±4g/Pair
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥500

Add Vitamin E Serum



602	LFL-100g 15" (A,B)/18 mil 15" (A)/23 mil 15" (A)
NAME	Grass Green Flocklined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 100±6g/Pair
PALM THICKNESS	18 mil±1 mil 23 mil±1 mil
SIZE	S / M / L

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥700
After Accelerated Aging	≥15	≥550





## 14" & 15" Long Cuff Gloves Series

ASTM D4679-02

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



### 603 LUN-100g 15"

NAME	Natural Unlined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 100±6g/Pair
SIZE	S / M / L

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥700
After Accelerated Aging	≥15	≥550



### 604 LFL-80g 14"

NAME	Red Flocklined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 80±5g/Pair
SIZE	S / M / L

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥15	≥650
After Accelerated Aging	≥12	≥500



### 605 LFL-90g 14"

NAME	Rose pink+Light Purple Bicolor Flockined Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	M# 90±5g/Pair
SIZE	S / M / L

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥700
After Accelerated Aging	≥15	≥550

Characteristic: Anti-microbial glove

## 16" Latex Gloves With Long Cuff Series

ASTM D4679-02

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



### 701 LLC60

NAME	Yellow Flocklined Household Latex Glove With Long Cuff
MATERIAL	Natural Latex (Cuff material: Oxford or PU leather)
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450

Remark: The cuff pattern can be chosen by customer.



### 702 LLC60

NAME	Purple Flocklined Household Latex Glove With Long Cuff
MATERIAL	Natural Latex (Cuff material: Oxford or PU leather)
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450

Remark: The cuff pattern can be chosen by customer.





## 16" Latex Gloves With Long Cuff Series

ASTM D4679-02

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450

Remark: The cuff pattern can be chosen by customer.



Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450

Remark: The cuff pattern can be chosen by customer.

## 12" & 13" Food Grade Gloves Series

ASTM D4679-02

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375




Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥700
After Accelerated Aging	≥15	≥550

Food Grade Standard: FDA 21 CFR 177 . 2600



Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥700
After Accelerated Aging	≥15	≥550

Food Grade Standard  
FDA 21 CFR 177 . 2600(A) AP(2004) 4 and 93/11 / EEC(B)





## 12" & 13" Food Grade Gloves Series

ASTM D4679-02

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



803	NFL-15mil 13"
NAME	Blue-green Food Grade Flocklined Nitrile Industrial Glove
MATERIAL	Nitrile
PALM THICKNESS	15±1mil
SIZE	7 / 8 / 9 / 10 / 11

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥14	≥500
After Accelerated Aging	≥11	≥400

Food Grade Standard: AP(2004) 4 and 93 / 11 / EEC



804	EFL-21mil \ 25mil \ 28mil 13"
NAME	Black Food Grade Flocklined Neoprene Industrial Glove
MATERIAL	Neoprene, Natural Latex
PALM THICKNESS	21±1mil 25±1mil 28±1mil
SIZE	7 / 8 / 9 / 10 / 11

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥10	≥500
After Accelerated Aging	≥9	≥450

Food Grade Standard: FDA 21 CFR 177 . 2600

## 13" Latex Industrial Gloves Series

ASTM D4679-02

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



901	LFL-28mil 13"
NAME	Orange Flocklined Latex Industrial Glove
MATERIAL	Natural Latex
PALM THICKNESS	28±1mil
SIZE	7 / 8 / 9 / 10 / 11

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥15	≥650
After Accelerated Aging	≥12	≥500



902	LDP-110g 13"
NAME	Orange Dipped-lined Latex Industrial Glove
MATERIAL	Natural Latex
WEIGHT	10# 110±6g/Pair
SIZE	7 / 8 / 9 / 10 / 11

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥10	≥500
After Accelerated Aging	≥7.5	≥375





## 13" Latex Industrial Gloves Series

ASTM D4679-02

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	10	500
After Accelerated Aging	7.5	375



### 903 LFL-15mil 13"

NAME	Red Flocklined Latex Glove
MATERIAL	Natural Latex
PALM THICKNESS	15±1mil
SIZE	7 / 8 / 9 / 10 / 11

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥12	≥600
After Accelerated Aging	≥9	≥450



### 904 LFL-16mil 13"

NAME	Green Flocklined Anti-microbial Latex Glove
MATERIAL	Natural Latex
PALM THICKNESS	≥ 16mil
SIZE	7 / 8 / 9

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥15	≥650
After Accelerated Aging	≥12	≥500

Characteristic: Anti-microbial

## Nitrile protective Gloves Series



### 1001 NUN-11mil 12"

NAME	Blue Unlined Nitrile Household Glove
MATERIAL	Nitrile
PALM THICKNESS	11±1 mil
SIZE	S / M / L / XL

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥500
After Accelerated Aging	≥18	≥400



### 1002 NUN-11mil 13" \ 15mil 13" \ 18mil 13"

NAME	Green Unlined Nitrile Industrial Glove
MATERIAL	Nitrile
PALM THICKNESS	11±1 mil
	15±1 mil
	18±1 mil
SIZE	7 / 8 / 9 / 10 / 11

Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥500
After Accelerated Aging	≥18	≥400

EN374-3 Determination of resistance to permeation by chemicals: JKL  
EN388 Protective gloves against mechanical risks: 4101



### 1003 NFL-11mil 13" \ 15mil 13" \ 18mil 13"

NAME	Green Flocklined Nitrile Industrial Glove
MATERIAL	Nitrile
PALM THICKNESS	11±1mil
	15±1 mil
	18±1 mil
SIZE	7 / 8 / 9 / 10 / 11


Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥14	≥500
After Accelerated Aging	≥11	≥400

EN374-3 Determination of resistance to permeation by chemicals: JKL  
EN388 Protective gloves against mechanical risks: 4101





## Nitrile protective Gloves Series



<b>1004</b>	<b>NFL-15 mil 13"</b>	
NAME	Blue-green Flocklined Nitrile Industrial Glove	
MATERIAL	Nitrile	
PALM THICKNESS	15±1 mil	
SIZE	7 / 8 / 9 / 10 / 11	
Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥14	≥500
After Accelerated Aging	≥11	≥400


EN374-3 Determination of resistance to permeation by chemicals: JKL  
EN388 Protective gloves against mechanical risks: 4101




<b>1005</b>	<b>NFL-8 mil 12" (A,B,C)</b>	
NAME	Yellow Flocklined Nitrile Household Glove	
MATERIAL	Nitrile	
PALM THICKNESS	8±1 mil	
SIZE	S / M / L / XL	
Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥14	≥500
After Accelerated Aging	≥11	≥400




## Nitrile protective Gloves Series



<b>1006</b>	<b>NUN-40g-1 12" (A,B,C,D)</b>	
NAME	Grass Green Unlined Nitrile Industrial Glove	
MATERIAL	Nitrile	
WEIGHT	8# 40±3g/Pair	
SIZE	7 / 8 / 9	
Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥450
After Accelerated Aging	≥18	≥400



<b>1007</b>	<b>NUN-40g-2 12" (A,B,C,D)</b>	
NAME	Rose red Unlined Nitrile Household Glove	
MATERIAL	Nitrile	
WEIGHT	M# 40±3g/Pair	
SIZE	S / M / L / XL	
Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥450
After Accelerated Aging	≥18	≥400





## Nitrile protective Gloves Series








<b>1008</b>	<b>NUN-9g 9" (A,B,C,D)</b>	
NAME	Orange Unlined Nitrile Household Glove	
MATERIAL	Nitrile	
WEIGHT	9" M# 9±1g/Piece	
SIZE	S / M / L	
Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥450
After Accelerated Aging	≥18	≥400

**\*Both sides with diamond pattern  
Don't distinguish right hand and left hand**

A B C D







<b>1009</b>	<b>NUN-13g 12" (A,B,C,D)</b>	
NAME	Grass Green Unlined Nitrile Household Glove	
MATERIAL	Nitrile	
WEIGHT	12" M# 13±1g/Piece	
SIZE	S / M / L	
Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥450
After Accelerated Aging	≥18	≥400

**\*Both sides with diamond pattern  
Don't distinguish right hand and left hand**

A B C D



## 12" Sweat-absorbent Gloves Series

<b>1101</b>	<b>LFG-80g 12" (A,B)</b>
NAME	Yellow Flocking Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	L# 80±5g/Pair
SIZE	M / L

**Characteristic: Sweat-absorbent, prevent allergies.**

A B

<b>1102</b>	<b>LFG-120g 12"</b>
NAME	Red Flocking Household Latex Glove
MATERIAL	Natural Latex
WEIGHT	L# 120±5g/Pair
SIZE	M / L

**Characteristic: Sweat-absorbent, prevent allergies.**





## 13" Neoprene Flocklined Gloves Series



<b>1201</b>	<b>EFL-18 mil / 21mil / 28mil</b>
NAME	Blue-yellow Neoprene+Latex Industrial Glove
MATERIAL	Neoprene, Natural Latex
PALM THICKNESS	18±1 mil 21±1 mil 28±1 mil
SIZE	7 / 8 / 9 / 10 / 11
<b>CHARACTERISTIC</b>	<b>Without any DBP、BBP、DEHP、DINP、DNOP、DIDP inside</b>
Physical property	Tensile Strength (MPA) Ultimate Elongation (%)
Before Aging	≥10 ≥550
After Accelerated Aging	≥9 ≥450



<b>1202</b>	<b>EFL-21 mil \ 25mil \ 28mil</b>
NAME	Black Neoprene Industrial Glove
MATERIAL	Neoprene, Natural Latex
PALM THICKNESS	21±1 mil 25±1 mil 28±1 mil
SIZE	7 / 8 / 9 / 10 / 11
<b>CHARACTERISTIC</b>	<b>Without any DBP、BBP、DEHP、DINP、DNOP、DIDP inside</b>
Physical property	Tensile Strength (MPA) Ultimate Elongation (%)
Before Aging	≥10 ≥550
After Accelerated Aging	≥9 ≥450

## Pearly Luster Gloves Series




<b>1301</b>	<b>LFLZ-50g (A,B)</b>
NAME	Purple Pearly Luster Household Glove
MATERIAL	Natural Latex
WEIGHT	M# 50±4g/Pair
SIZE	S / M / L / XL
Physical property	Tensile Strength (MPA) Ultimate Elongation (%)
Before Aging	≥12 ≥600
After Accelerated Aging	≥9 ≥450




<b>1302</b>	<b>NUN-9g (A,B)</b>
NAME	Purple Pearly Luster Household Glove
MATERIAL	Natural Latex
WEIGHT	M# 9±1g/Piece
SIZE	S / M / L
Physical property	Tensile Strength (MPA) Ultimate Elongation (%)
Before Aging	≥20 ≥700
After Accelerated Aging	≥15 ≥550

**\*Both sides with diamond pattern  
Don't distinguish right hand and left hand**





<b>1303</b>	<b>NUN-13g (A,B)</b>
NAME	Purple Pearly Luster Household Glove
MATERIAL	Natural Latex
WEIGHT	M# 13±1g/Piece
SIZE	S / M / L
Physical property	Tensile Strength (MPA) Ultimate Elongation (%)
Before Aging	≥20 ≥700
After Accelerated Aging	≥15 ≥550

**\*Both sides with diamond pattern  
Don't distinguish right hand and left hand**







## Pearly Luster Gloves Series

<b>1304</b>	<b>NUN-9g (A,B)</b>	
NAME	Pink Pearly Luster Household Glove	
MATERIAL	Nitrile	
WEIGHT	M# 9±1g/Piece	
SIZE	S / M / L	
Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥450
After Accelerated Aging	≥18	≥400

**\*Both sides with diamond pattern  
Don't distinguish right hand and left hand**

A B





<b>1305</b>	<b>NUN-13g (A,B)</b>	
NAME	Pink Pearly Luster Household Glove	
MATERIAL	Nitrile	
WEIGHT	M# 13±1g/Piece	
SIZE	S / M / L	
Physical property	Tensile Strength (MPA)	Ultimate Elongation (%)
Before Aging	≥20	≥450
After Accelerated Aging	≥18	≥400

**\*Both sides with diamond pattern  
Don't distinguish right hand and left hand**


A B

## Latex Coated Gloves



<b>1401</b>	<b>LC-10T (Polyester / cotton)</b>
NAME	10G Red Polyester /cotton Knitted Gloves With Black Crinkled Latex Coating On Front Palm/Fingers
MATERIAL	Natural Latex
SIZE	8 / 9 / 10 / 11

**\*Can be customized as customer' s request.**



<b>1402</b>	<b>LC-13T (Terylene)</b>
NAME	13G Red Terylene Knitted Gloves With Black Crinkled Latex Coating On Front Palm/Fingers
MATERIAL	Natural Latex
SIZE	8 / 9 / 10 / 11
EN388	3 1 1 3

**\*Can be customized as customer' s request.**



## Latex Coated Gloves



<b>1403</b>	<b>LC-13N (Nylon)</b>
NAME	13G Black Nylon Knitted Gloves With Black Crinkled Latex Coating On Front Palm/Fingers
MATERIAL	Natural Latex
SIZE	7 / 8 / 9 / 10 / 11
EN388	3 1 1 3

\*Can be customized as customer' s request.



<b>1404</b>	<b>LF-13T (Terylene)</b>
NAME	13G Brown Terylene Knitted Gloves With Foaming Brown Latex Coating On Front Palm/Fingers
MATERIAL	Natural Latex
SIZE	7 / 8 / 9 / 10 / 11

\*Can be customized as customer' s request.



<b>1405</b>	<b>LF-13N (Nylon)</b>
NAME	13G Green Nylon Knitted Gloves With Foaming Gray Latex Coating On Front Palm/Fingers
MATERIAL	Natural Latex
SIZE	7 / 8 / 9 / 10 / 11

\*Can be customized as customer' s request.

## Nitrile Coated gloves



<b>1501</b>	<b>NC-13T (Terylene)</b>
NAME	13G Black Terylene Knitted Gloves With Black Nitrile Coating On Front Palm/Fingers
MATERIAL	Nitrile
SIZE	7 / 8 / 9 / 10 / 11
EN388	4 1 1 2

\*Can be customized as customer' s request.



<b>1502</b>	<b>NC-13TC (Terylene) (A,B,C)</b>
NAME	13G Color Terylene Knitted Gloves With Transparent Nitrile Coating On Front Palm/Fingers
MATERIAL	Nitrile
SIZE	7 / 8 / 9 / 10 / 11

\*Can be customized as customer' s request.





## Nitrile Coated Gloves



<b>1503</b>	<b>NC-13N (Nylon)</b>
NAME	13G White Nylon Knitted Gloves With Blue Nitrile Coating On Front Palm/Fingers
MATERIAL	Nitrile
SIZE	7 / 8 / 9 / 10 / 11
EN388	4 1 1 2

\*Can be customized as customer' s request.



<b>1504</b>	<b>NF-13TC (Terylene) (A.B.C.D.E.F)</b>
NAME	13g White Terylene Knitted Gloves Coated Green Color Nitrile Foaming On Palm
MATERIAL	Nitrile
SIZE	7 / 8 / 9
EN388	3 1 1 2



\*This product can be customized flocking gloves.


## Nitrile Coated Gloves



<b>1505</b>	<b>NF-13T (Terylene)</b>
NAME	13G Yellow Terylene Knitted Gloves With Foaming Nacarat Nitrile Coating On Front Palm/Fingers
MATERIAL	Nitrile
SIZE	7 / 8 / 9 / 10 / 11
COLOR	Can be customized as customer' s request.
EN388	4 1 1 3



<b>1506</b>	<b>NF-13TY (High-elastic polyester)</b>
NAME	13G Gray High-elastic Polyester Knitted Embossing Gloves With Foaming Black Nitrile Coating On Front Palm/Fingers
MATERIAL	Nitrile
SIZE	7 / 8 / 9 / 10 / 11
EN388	4 1 1 3



<b>1507</b>	<b>NF-13N (Nylon)</b>
NAME	13G White Nylon Knitted Gloves With Foaming Black Nitrile Coating On Front Palm/Fingers
MATERIAL	Nitrile
SIZE	7 / 8 / 9 / 10 / 11
EN388	4 1 1 3

