

Haining Jinneng Water Heater Co., Ltd

ADD: No. 6, Yuanqu Road, Huangwan Town, Haining City, Zhejiang Province, China

Email: 66solar@china-new-energy.com Web: www.jn-solar.en.alibaba.com

Contact: Dillon 0086-13758075035

Compact Pressurized Solar Water Heater:

Model	Tube QTY PCS	Heat Pipe Spec. MM	Capacity Liters	Loading Quantity Sets/(40HQ)	FOB Shanghai	
					Model A	Model B
JNCP10	10	14*6	100	210	\$154.40	\$161.70
JNCP12	12	14*6	120	175	\$173.50	\$182.30
JNCP15	15	14*6	150	140	\$202.90	\$211.70
JNCP18	18	14*6	180	116	\$232.30	\$241.20
JNCP20	20	14*6	200	105	\$252.90	\$264.70
JNCP24	24	14*6	240	85	\$308.80	\$320.60
JNCP30	30	14*6	300	67	\$367.60	\$385.30
JNCP36	36	14*6	360	55	\$448.50	\$467.80



Model A Galvanized Steel Outer Tank and Frame	Model B Stainless Steel Outer Tank and Frame
---	--



Specification:

Inner Tank	Imported stainless steel 304 food grade, 1.2mm thick, argon welding.
Outer Tank	Galvanized steel 0.4mm thick or Stainless steel 201 0.4mm thick.
Insulation layer	55mm thick high density polyurthane foam.
Vacuum Tube	Three layer 58x1800mm, absorb efficiency 94% to 97%.
Heat Pipe	14*0.6mm thick with heat transfer oil
Tank Working Pressure	4 bar, maximum testing pressure 12 bar
Frame	Galvanized steel or Stainless steel 201, 1.2-1.5mm thick,
Frame Angle	Angle from 20 to 45 degrees
Tank Diameter	Inner tank 360mm, Outer tank 470mm

Trade Terms:

Warranty	6 Years
Free Spare Parts	2% for tubes, silicon rings , rubber rings and tube cap
Delivery Time	Delivery time within 10 days after receiving deposit
Payment Term	TT/LC
Other free services	Free installation manual in english,put logo on tank, cartons, and tubes

Alternative Accessories Price:

Air Suction Valve 1.53 USD/PC	PT Valve 6.1 USD/PC	MG Rod 2.8 USD/PC
		

Checking Valve 2.3 USD /PC

