



第五代 >>

1000 0.7M³ AUTOMATIC FEEDING MIXER

第五代自上料搅拌车升级铲斗下翻功能，真正实现一机多用装载功能，同时刹车钳加大提高刹车性能并配备高压洗车使设备保持干净，加大了水箱提高了产量.....

至此第五代产品真正实现装载功能、搅拌功能、运输功能、洗车等一机多用功能

The 5th generation upgraded the bucket down function from the loading mixer to truly realize the multi-purpose loading function of the machine. At the same time, the brake caliper increased the braking performance and equipped with high-pressure car washing to keep the equipment clean, and increased the water tank to increase the output.

At this point, the 5th generation of products truly realizes the multi-purpose function of loading, stirring, transportation, car washing, etc.



主要技术参数 The main technical parameters

型号	Model	0.7m ³
整机尺寸(mm)	Machine size (mm)	3800*1680*2500
轴距(mm)	Wheelbase (mm)	2100
整机质量(Kg)	Total weight(Kg)	3500
发动机	Engine	FAW 490 supercharged
功率(Kw)	Power (Kw)	37
变速箱	Gearbox	240—体Integral
驱动桥	Drive axle	50 Axle
轮胎	Tires	20.5-16
铲斗容量(m ³)	Bucket capacity (m ³)	0.15
滚筒容量(m ³)	Roller capacity (m ³)	≥0.7
减速比	Reduction ratio	1:10
转速	Rotating speed	≥15圈/分钟 laps/minute
减速器	Reducer	Domestic

选装配置表：
Optional configuration:




1. 水泥料斗
1. cement hopper,



2. 空调
2. air conditioning,



3. 液压电子秤
3. Hydraulic electronic balance



4. 自动黄油机
4. Automatic butter machine

- 自上料搅拌车，每天工作最少省3个人工，不用搅拌机每天省电100度，不用混凝土运输车，不用装载机上料！
Self feed mixer, which can save 3 labour and 100 degrees of electricity every day, because it don't need mixer, concrete truck and loading machine.

·质量第一 信誉至上·



第五代 >>

1500 1.5M³ AUTOMATIC FEEDING MIXER

第5代自上料搅拌车升级铲斗下翻功能，真正实现一机多用装载功能，同时刹车钳加大提高刹车性能并配备高压洗车使设备保持干净，加大了水箱提高了产量.....

至此第5代产品真正实现装载功能、搅拌功能、运输功能、洗车等一机多用功能

The 5th generation upgraded the bucket down function from the loading mixer to truly realize the multi-purpose loading function of the machine. At the same time, the brake caliper increased the braking performance and equipped with high-pressure car washing to keep the equipment clean, and increased the water tank to increase the output.

At this point, the 5th generation of products truly realizes the multi-purpose function of loading, stirring, transportation, car washing, etc.



- 自上料搅拌车，每天工作最少省3个人工，不用搅拌机每天省电100度，不用混凝土运输车，不用装载机上料！
Self feed mixer, which can save 3 labour and 100 degrees of electricity every day, because it don't need mixer, concrete truck and loading machine.



主要技术参数 The main technical parameters

型号	Model	1.5m ³
整机尺寸(mm)	Machine size (mm)	4750*2200*2850
轴距(mm)	Wheelbase (mm)	2180
整机质量(Kg)	Total weight(Kg)	4500
发动机	Engine	YunNei 490 Supercharged
功率(Kw)	Power (Kw)	55
变速箱	Gearbox	265一体Integral
驱动桥	Drive axle	1.8T轮边减速桥 wheel side deceleration Bridge
轮胎	Tires	20.5-16
铲斗容量(m ³)	Bucket capacity (m ³)	0.35
滚筒容量(m ³)	Roller capacity (m ³)	≥0.9
减速比	Reduction ratio	1:24
转速	Rotating speed	≥15圈/分钟 laps / minute
减速器	Reducer	国产Made in China

选装配置表：
Optional configuration:



1.水泥料斗
1. cement hopper,



2.空调
2. air conditioning,



3.液压电子秤
3Hydraulic electronic balance



4.自动黄油机
4. Automatic butter machine



第五代 >> 2500 2M³ AUTOMATIC FEEDING MIXER

第五代自上料搅拌车升级铲斗下翻功能，真正实现一机多用装载功能，同时刹车钳加大提高刹车性能并配备高压洗车使设备保持干净，加大了水箱提高了产量.....
至此第五代产品真正实现装载功能、搅拌功能、运输功能、洗车等一机多用功能

The 5th generation upgraded the bucket down function from the loading mixer to truly realize the multi-purpose loading function of the machine. At the same time, the brake caliper increased the braking performance and equipped with high-pressure car washing to keep the equipment clean, and increased the water tank to increase the output.
At this point, the 5th generation of products truly realizes the multi-purpose function of loading, stirring, transportation, car washing, etc.

主要技术参数 The main technical parameters

型号	Model	2m ³
整机尺寸 (mm)	Machine size (mm)	5100*2350*2850
轴距 (mm)	Wheelbase (mm)	2300
整机质量 (Kg)	The whole machine quality (Kg)	6200
发动机	Engine	YuChai 4100 Supercharged
功率 (Kw)	Power (Kw)	73
变速箱	Gearbox	265一体 Integral
驱动桥	Drive axle	1.8T轮边减速桥 wheel side deceleration Bridge
轮胎	Tires	20.5-16
铲斗容量 (m ³)	Bucket capacity (m ³)	0.4
滚筒容量 (m ³)	Roller capacity (m ³)	≥1.3
减速比	Reduction ratio	1:24
转速	Rotating speed	≥15圈/分钟 laps / minute
减速器	reducer	国产 Made in China

选装配置表:
Optional configuration:



1. 双向驾驶 2. 水泥料斗 3. 空调 4. 高压洗车 5. 液压电子秤 6. 自动黄油机
1. The cab is Two-way 2. cement hopper, 3. air conditioning, 4. High pressure car wash 5. Hydraulic electronic balance 6. Automatic butter machine



自上料搅拌车，每天工作最少省3个人工，不用搅拌机每天省电100度，不用混凝土运输车，不用装载机上车！
Self feed mixer, which can save 3 labour and 100 degrees of electricity every day, because it don't need mixer, concrete truck and loading machine.



驾驶室操作台可旋转，前后双向驾驶更方便
The cab operating table can be rotated, and the mixer can drive bi-directionally It is more convenient.



可前倾式卸料功能，使卸料更彻底，速度更快
The dumping function can make the unloading more thorough and faster.



自带外吸水泵，加水更加方便快捷
It is more convenient and quicker to add water with the self-suction pump.





第五代 >> 3200 2.5M³ AUTOMATIC FEEDING MIXER

第五代自上料搅拌车升级铲斗下翻功能，真正实现一机多用装载功能，同时刹车钳加大提高刹车性能并配备高压洗车使设备保持干净，加大了水箱提高了产量.....

至此第五代产品真正实现装载功能、搅拌功能、运输功能、洗车等一机多用功能

The 5th generation upgraded the bucket down function from the loading mixer to truly realize the multi-purpose loading function of the machine. At the same time, the brake caliper increased the braking performance and equipped with high-pressure car washing to keep the equipment clean, and increased the water tank to increase the output.

At this point, the 5th generation of products truly realizes the multi-purpose function of loading, stirring, transportation, car washing, etc.

主要技术参数 The main technical parameters

型号	Model	2.5m ³
整机尺寸 (mm)	Machine size (mm)	5300*2350*2950
轴距 (mm)	Wheelbase (mm)	2300
整机质量 (Kg)	The whole machine quality (Kg)	7500
发动机	Engine	YuChai 4102 Supercharged
功率 (Kw)	Power (Kw)	78
变速箱	Gearbox	280分体 Separated type
驱动桥	Drive axle	2.0T轮边减速桥 wheel side deceleration Bridge
轮胎	Tires	16/70-R22.5
铲斗容量 (m ³)	Bucket capacity (m ³)	0.5
滚筒容量 (m ³)	Roller capacity (m ³)	≥1.8
减速比	Reduction ratio	1:24
转速	Rotating speed	≥15圈/分钟 laps /minute
减速器	reducer	国产 Made in China

选装配置表: Optional configuration:



1. 双向驾驶
1. The cab is Two-way



2. 水泥料斗
2. cement hopper,



3. 空调
3. air conditioning,



4. 高压洗车
4. High pressure car wash



5. 液压电子秤
5. Hydraulic electronic balance



6. 自动黄油机
6. Automatic butter machine



7. 双轮
7. Double tire



自上料搅拌车，每天工作最少省3个人工，不用搅拌机每天省电100度，不用混凝土运输车，不用装载机上料！
Self feed mixer, which can save 3 labour and 100 degrees of electricity every day, because it don't need mixer, concrete truck and loading machine.



驾驶室操作台可旋转，前后双向驾驶更方便
The cab operating table can be rotated, and the mixer can drive bi-directionally It is more convenient.



可前倾式卸料功能，使卸料更彻底，速度更快
The dumping function can make the unloading more thorough and faster.



自带外吸水泵，加水更加方便快捷
It is more convenient and quicker to add water with the self-suction pump.





第五代 >> 4000 3.5M³ AUTOMATIC FEEDING MIXER

第5代自上料搅拌车升级铲斗下翻功能，真正实现一机多用装载功能，同时刹车钳加大提高刹车性能并配备高压洗车使设备保持干净，加大了水箱提高了产量.....

至此第5代产品真正实现装载功能、搅拌功能、运输功能、洗车等一机多用功能

The 5th generation upgraded the bucket down function from the loading mixer to truly realize the multi-purpose loading function of the machine. At the same time, the brake caliper increased the braking performance and equipped with high-pressure car washing to keep the equipment clean, and increased the water tank to increase the output.

At this point, the 5th generation of products truly realizes the multi-purpose function of loading, stirring, transportation, car washing, etc.



车型可选：**驾驶室左前方**与动臂滚筒同时左右旋转，**驾驶室左后方**可前后双向驾驶
The vehicle can be selected: the cab is in the front-left : the moving arm drum and the cab can be rotated at the same time the cab is in the left rear : the mixer can drive bi-directionally.



水泥料斗，利用水泥料斗减少上水泥时间
Cement hopper, using cement hopper to reduce cement time.



驾驶室操作台可旋转，前后双向驾驶更方便
The cab operating table can be rotated, and the mixer can drive bi-directionally. It is more convenient.



可前倾式卸料功能 使卸料更彻底，速度更快
The dumping function can make the unloading more thorough and faster.



先导操纵灵活方便，**触摸屏定量加水**使搅拌更均匀，更符合标准
The pilot manipulation is flexible and convenient, and the touch screen can add water to make the mixing more uniform and more consistent with the standard.

The cab operating table can be rotated, and the mixer can drive bi-directionally. It is more convenient.

The dumping function can make the unloading more thorough and faster.

The pilot manipulation is flexible and convenient, and the touch screen can add water to make the mixing more uniform and more consistent with the standard.

主要技术参数 The main technical parameters

型号	Model	3.5m ³ (双向驾驶) The cab is Two-way
整机尺寸 (mm)	Machine size (mm)	6000*2600*3200
轴距 (mm)	Wheelbase (mm)	3200
整机质量 (Kg)	The whole machine quality (Kg)	9000
发动机	Engine	YuChai 4105 Supercharged
功率 (Kw)	Power (Kw)	85
变速箱	Gearbox	280分体 Separated type
驱动桥	Drive axle	2.5T轮边减速桥 wheel side deceleration Bridge
轮胎	Tires	16/70-R 22.5 双轮胎 Double tire
铲斗容量 (m ³)	Bucket capacity (m ³)	0.65
滚筒容量 (m ³)	Roller capacity (m ³)	≥3
减速比	Reduction ratio	1:28
转速	Rotating speed	≥15圈/分钟 laps / minute
减速器	reducer	(国产Domestic)

选装配置表：
Optional configuration:



1. 水泥料斗
1. cement hopper,



2. 空调
2. air conditioning,



3. 高压洗车
3. High pressure car wash



4. 液压电子秤
4. Hydraulic electronic balance



5. 自动黄油机
5. Automatic butter machine





第五代 >>
6500 4.5M³
AUTOMATIC FEEDING MIXER

第五代自上料搅拌车升级铲斗下翻功能，真正实现一机多用装载功能，同时刹车钳加大提高刹车性能并配备高压洗车使设备保持干净，加大了水箱提高了产量.....

至此第五代产品真正实现装载功能、搅拌功能、运输功能、洗车等一机多用功能

The 5th generation upgraded the bucket down function from the loading mixer to truly realize the multi-purpose loading function of the machine. At the same time, the brake caliper increased the braking performance and equipped with high-pressure car washing to keep the equipment clean, and increased the water tank to increase the output.

At this point, the 5th generation of products truly realizes the multi-purpose function of loading, stirring, transportation, car washing, etc.

主要技术参数 The main technical parameters

型号	Model	4.5m ³ (双向驾驶室) The cab is Two-way
整机尺寸 (mm)	Machine size (mm)	6400*2600*3450
轴距 (mm)	Wheelbase (mm)	3200
整机质量 (Kg)	The whole machine quality (Kg)	11000
发动机	Engine	YuChai 4105 Supercharged Eur III
功率 (Kw)	Power (Kw)	110
变速箱	Gearbox	315分体 Separated type
驱动桥	Drive axle	3.0T轮边减速桥 wheel side deceleration Bridge
轮胎	Tires	16/70-R22.5 双轮胎 Double tire
铲斗容量 (m ³)	Bucket capacity (m ³)	0.65
滚筒容量 (m ³)	Roller capacity (m ³)	≥3.8
减速比	Reduction ratio	1:140
转速	Rotating speed	≥15圈/分钟 laps / minute
减速器	reducer	HL6F-B2700 (国产Domestic)

选装配置表:
Optional configuration:



1.水泥料斗
1. cement hopper,



2.空调
2. air conditioning,



3.高压洗车
3. High pressure car wash



4.液压电子秤
4. Hydraulic electronic balance



5.自动黄油机
5. Automatic butter machine



铲斗下翻功能，实现装载功能，真正实现一机多用功能
The bucket is turned down to achieve the loading function. Realize a multi-purpose function



驾驶室操作台可旋转，前后双向驾驶更方便

The cab operating table can be rotated, and the mixer can drive bi-directionally. It is more convenient.



车型可选：驾驶室左前方与动臂滚筒同时左右旋转，驾驶室左后方可前后双向驾驶
The vehicle can be selected: the cab is in the front-left: the moving arm drum and the cab can be rotated at the same time the cab is in the left rear: the mixer can drive bi-directionally.



可前倾式卸料功能 使卸料更彻底，速度更快

The dumping function can make the unloading more thorough and faster.



先导操纵灵活方便，触摸屏定量加水使搅拌更均匀，更符合标准

The pilot manipulation is flexible and convenient, and the touch screen can add water to make the mixing more uniform and more consistent with the standard.





第五代 >>
7500 5.5M³
AUTOMATIC FEEDING MIXER

第5代自上料搅拌车升级铲斗下翻功能，真正实现一机多用装载功能，同时刹车钳加大提高刹车性能并配备高压洗车使设备保持干净，加大了水箱提高了产量.....

至此第5代产品真正实现装载功能、搅拌功能、运输功能、洗车等一机多用功能

The 5th generation upgraded the bucket down function from the loading mixer to truly realize the multi-purpose loading function of the machine. At the same time, the brake caliper increased the braking performance and equipped with high-pressure car washing to keep the equipment clean, and increased the water tank to increase the output.

At this point, the 5th generation of products truly realizes the multi-purpose function of loading, stirring, transportation, car washing, etc.

主要技术参数 The main technical parameters

型号	Model	5.5m ³
整机尺寸 (mm)	Machine size (mm)	6900*2950*3600
轴距 (mm)	Wheelbase (mm)	3200
整机质量 (Kg)	The whole machine quality (Kg)	12500
发动机	Engine	Weichai Deuze 6105 Supercharged
功率 (Kw)	Power (Kw)	92
变速箱	Gearbox	315分体 division
驱动桥	Drive axle	前桥30S湿式车桥/后桥30 front bridge 30S wet axle / rear axle 30
轮胎	Tires	前4/后2 16/70-R22.5 Front4/ back2
铲斗容量 (m ³)	Bucket capacity (m ³)	0.7
滚筒容量 (m ³)	Roller capacity (m ³)	≥4.5
减速比	Reduction ratio	1:140
转速	Rotating speed	≥15圈/分钟 laps / minute
减速器	reducer	HL6F-B2700 (国产Domestic)

选装配置表:
Optional configuration:



1. 水泥料斗
1. cement hopper,



2. 空调
2. air conditioning,



3. 高压洗车
3. High pressure car wash



4. 液压电子秤
4. Hydraulic electronic balance



5. 自动黄油机
5. Automatic butter machine



新款7500自上料搅拌车，每天工作最少省3个人工，不用搅拌机每天省电100度，不用混凝土运输车，不用装载机上料！
Self feed mixer, which can save 3 labour and 100 degrees of electricity every day, because it don't need mixer, concrete truck and loading machine.



先导操纵灵活方便，**触摸屏定量加水**使搅拌更均匀，更符合标准
The pilot manipulation is flexible and convenient, and the touch screen can add water to make the mixing more uniform and more consistent with the standard.



高性能电子扇散热器，不宜高温
High performance electronic fan radiator, which is not suitable for high temperature



前驱双排高压轮胎承重更大，更安全
Forerunner double row high pressure tires are more weight-bearing and safer

