

**YINGKOU SHENGDA MACHINE CO.,LTD.**

**BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com

Email:[shengdaqb@163.com](mailto:shengdaqb@163.com)

Tel:+86-417-2259909 Moblie:+86-13840736626

Address: Xishi Industrial zone, Yingkou, Liaoning, China.115000

[www.yksdq.com](http://www.yksdq.com)

## WHEEL BALANCER

**Price USD \$335.00**

<b>Technical data:</b>	<b>OJ-922</b>
Cyclc time	8sec.
Maximum Wheel Weight	65Kg
Motor power	180W/250W
Power supply	110v/220v,50Hz/60Hz
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	10"-24" (265-615mm)
Rim width	1.5"-20" (40-510mm)
Net weight	97Kg
Noise	<70dB
Ambient	0-40degree
Gross weight	130Kg
Dimension	840mm*550mm*1150mm
FCL	52pcs/20" 106pcs/40"



**Price USD \$330.00**

<b>Technical data:</b>	<b>OJ-921</b>
Cyclc time	8sec.
Maximum Wheel Weight	65Kg
Motor power	180W/250W
Power supply	110v/220v,50Hz/60Hz
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	10"-24" (265-615mm)
Rim width	1.5"-20" (40-510mm)
Net weight with cover	125Kg
Noise	<70dB
Ambient	0-40℃
Net weight without cover	97Kg
© Cubic Meter:	980mm*770mm*1010mm
FCL	36 pcs/20" 72pcs/40"



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:[shengdaqb@163.com](mailto:shengdaqb@163.com) Tel:+86-417-2259909 Moblie:+86-13840736626

Address: Xishi Industrial zone, Yingkou, Liaoning, China.115000 [www.yksdq.com](http://www.yksdq.com)

**Price USD \$358.00**

<b>Technical data:</b>	<b>OJ-923</b>
Cycle time	8sec.
Maximum Wheel Weight	65Kg
Motor power	180W/250W
Power supply	110v/220v,50Hz/60Hz
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	10"-24" (265-615mm)
Rim width	1.5"-20" (40-510mm)
Net weight	90Kg
Noise	<70dB
Ambient	0-40°C
Gross weight	120Kg
Dimension	750mm*600mm*1000mm
© Cubic Meter:	1.02cbm
FCL	54pcs/20" 108pcs/40"



**Price USD \$388.00**

<b>Technical data:</b>	<b>OJ-924</b>
Cycle time	8sec.
Maximum Wheel Weight	70Kg
Motor power	180W/250W
Power supply	110v/220v,50Hz/60Hz
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	10"-24" (265-615mm)
Rim width	1.5"-20" (40-510mm)
Net weight	95Kg
Noise	<70dB
Ambient	0-40°C
Gross weight	120Kg
Dimension	1150mm*780mm*1000mm
© Cubic Meter:	1.02cbm
FCL	54pcs/20" 108pcs/40"



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com

Email:[shengdaqb@163.com](mailto:shengdaqb@163.com)

Tel:+86-417-2259909 Moblie:+86-13840736626

Address: Xishi Industrial zone, Yingkou, Liaoning, China.115000

[www.yksdq.com](http://www.yksdq.com)

**Price USD \$365.00**

<b>Technical data:</b>	<b>OJ-925</b>
Cyclc time	8sec.
Maximum Wheel Weight	65Kg
Motor power	180W/300W
Power supply	110v/220v,50Hz/60H
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	10"-24" (265-615mm)
Rim width	1.5"-20" (40-510mm)
Net weight with cover	105Kg
Noise	<70dB
Ambient	0-40℃
Gross weight	137Kg
Dimension	1155mm*780mm*1150mm
© Cubic Meter:	1.31cbm
FCL	42pcs/20" 84pcs/40"



**Price USD \$385.00**

<b>Technical data:</b>	<b>OJ-925B</b>
Cyclc time	8sec.
Maximum Wheel Weight	65Kg
Motor power	180W/300W
Power supply	110v/220v,50Hz/60H
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	10"-24" (265-615mm)
Rim width	1.5"-20" (40-510mm)
Net weight with cover	105Kg
Noise	<70dB
Ambient	0-40℃
Gross weight	137Kg
Dimension	1155mm*780mm*1150mm
© Cubic Meter:	1.31cbm
FCL	42pcs/20" 84pcs/40"



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com Email:[shengdaqb@163.com](mailto:shengdaqb@163.com) Tel:+86-417-2259909 Moblie:+86-13840736626

Address: Xishi Industrial zone, Yingkou, Liaoning, China.115000 [www.yksdq.com](http://www.yksdq.com)

**Price USD \$405.00**

<b>Technical data:</b>	<b>OJ-926</b>
Cycle time	8sec.
Maximum Wheel Weight	65Kg
Motor power	250W
Power supply	110v/220v,v50Hz/60Hz
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	10"-24" (265-615mm)
Rim width	1.5"-20" (40-510mm)
Net weight with cover	105Kg
Noise	<70dB
Ambient	0-40℃
Gross weight	137Kg
Dimension	1150mm*1100mm*1100mm
© Cubic Meter:	1.39cbm
FCL	34pcs/20" 72pcs/40"



**Price USD \$395.00**

<b>Technical data:</b>	<b>OJ-926B</b>
Cycle time	8sec.
Maximum Wheel Weight	65Kg
Motor power	250W
Power supply	110v/220v,v50Hz/60Hz
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	10"-24" (265-615mm)
Rim width	1.5"-20" (40-510mm)
Net weight with cover	105Kg
Noise	<70dB
Ambient	0-40℃
Gross weight	137Kg
Dimension	1150mm*1100mm*1100mm
© Cubic Meter:	1.39cbm
FCL	34pcs/20" 72pcs/40"



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com

Email:[shengdaqb@163.com](mailto:shengdaqb@163.com)

Tel:+86-417-2259909 Moblie:+86-13840736626

Address: Xishi Industrial zone, Yingkou, Liaoning, China.115000

[www.yksdq.com](http://www.yksdq.com)

**Price USD \$860.00**

Technical data:	OJ-927 Automatic
Cycle time	8sec.
Maximum Wheel Weight	65Kg
Motor power	180W/300W
Power supply	110v/220v,50Hz/60Hz
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	12"-24" (265-615mm)
Rim width	1.5"-12"
Net weight	110Kg
Noise	<70dB
Ambient	0-40 Degree
Gross weight	175Kg
Dimension	1000mm*880mm*1150mm
Operate show	LED
FCL	34pcs/20" 72pcs/40"



**Price USD \$580.00**

Technical data:	OJ-928 Automatic
Cycle time	8sec.
Maximum Wheel Weight	65Kg
Motor power	180W/300W
Power supply	110v/220v,50Hz/60Hz
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	12"-24" (265-615mm)
Rim width	1.5"-12"
Net weight	110Kg
Noise	<70dB
Ambient	0-40 Degree
Gross weight	175Kg
Dimension	1000mm*880mm*1150mm
Operate show	LED
FCL	34pcs/20" 72pcs/40"



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com

Email:[shengdaqb@163.com](mailto:shengdaqb@163.com)

Tel:+86-417-2259909 Moblie:+86-13840736626

Address: Xishi Industrial zone, Yingkou, Liaoning, China.115000

[www.yksdq.com](http://www.yksdq.com)

**Price USD \$475.00**

Use light truck/bus wheel/car wheels.

Technical data:	OJ-929 big box
Cyclc time	8sec.
Maximum Wheel Weight	70Kg
Max diameter	1000mm
Motor power	180W/300W
Power supply	110v/220v,50Hz/60Hz
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	12"-24" (265-615mm)
Rim width	1.5"-12"
Net weight	130Kg
Noise	<70dB
Ambient	0-40 Degree
Gross weight	175Kg
Dimension	1000mm*880mm*1150mm
Operate show	LED
FCL	34pcs/20" 72pcs/40"



**Price USD \$805.00**

Technical data:	OJ-930
Cyclc time	8sec.
Maximum Wheel Weight	150Kg
Motor power	250W/400W
Power supply	110v/220v,50Hz/60Hz
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	10"-24" (265-615mm)
Rim width	1.5"-20" (40-510mm)
Net weight with cover	291Kg (640lbs)
Noise	<70dB
Work air pressure	8-10bar
Gross weight	358Kg
Dimension	1090mm*885mm*1460mm and915mm*520mm*1190mm
©Cubic Meter:	1.93cbm
FCL	10pcs/20" 22pcs/40"



**YINGKOU SHENGDA MACHINE CO.,LTD.**

**BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED**

**Wechat/WhatsApp:008613840736626**

Email:jim@yksdq.com

Email:[shengdaqb@163.com](mailto:shengdaqb@163.com)

Tel:+86-417-2259909 Moblie:+86-13840736626

Address: Xishi Industrial zone, Yingkou, Liaoning, China.115000

[www.yksdq.com](http://www.yksdq.com)

**Price USD \$858.00**

Technical data:	OJ930-1 LED
Cyclc time	8sec.
Maximum Wheel Weight	150Kg
Motor power	250W/400W
Power supply	110v/220v,50Hz/60Hz
Balancing speed	≤200rpm
Balancing precision	±1g
Rim diameter	10"-26"
Rim width	1.5"-20" (40-510mm)
Net weight with cover	291Kg (640lbs)
Noise	<70dB
Work air pressure	8-10bar
Gross weight	358Kg
Dimension	1090mm*885mm*1160mm 915mm*520mm*1190mm
©Cubic Meter:	1.69cbm
FCL	15pcs/20"

