
















New Model	Pictures	Specifications and Features (CE/FCC/RoHS approved)	QTY	FOB Shenzhen Unit Price (USD)	QTY	FOB Shenzhen Unit Price (USD)	Remark
<b>New!</b> CK-1		<ol style="list-style-type: none"> <li>Sensitivity: -58±2dB</li> <li>Impedance: 2.2KΩ</li> <li>Operation voltage: DC4.5V</li> <li>Frequency Response: 100Hz-10KH</li> <li>S/N ratio: ≤50dB</li> <li>Cable Length: 1.5m</li> <li>Polar pattern: Omni-directional</li> <li>Product Size: 90*90*270mm</li> <li>Mic Size: 6.0*5.0mm</li> </ol>	1k	<b>US\$6.69</b>	3k	<b>US\$6.50</b>	<b>RGB light</b>
<b>New!</b> K3-1		<p>Size: 120*90*200mm</p> <ol style="list-style-type: none"> <li>Sensitivity: -58±2dB</li> <li>Impedance: 2.2KΩ</li> <li>Operation voltage: DC4.5V</li> <li>Frequency Response: 100Hz-10KH</li> <li>S/N ratio: ≤50dB</li> <li>Cable Length: 1.5m</li> <li>Polar pattern: Omni-directional</li> </ol>	1k	<b>US\$12.80</b>	3k	<b>US\$12.60</b>	USB microphone
<b>New!</b> BK-1		<ol style="list-style-type: none"> <li>Sensitivity: -58±2dB</li> <li>Impedance: 2.2KΩ</li> <li>Operation voltage: DC4.5V</li> <li>Frequency Response: 100Hz-10KH</li> <li>S/N ratio: ≤50dB</li> <li>Cable Length: 1.5m</li> <li>Polar pattern: Omni-directional</li> <li>Product Size: 82*75.5mm</li> <li>Color: black, white, blue, pink, red</li> </ol>	1k	<b>US\$3.99</b>	3k	<b>US\$3.98</b>	USB microphone
<b>New!</b> GK-1		<ol style="list-style-type: none"> <li>Sensitivity: -58±2dB</li> <li>Impedance: 2.2KΩ</li> <li>Operation voltage: DC4.5V</li> <li>Frequency Response: 100Hz-10KH</li> <li>S/N ratio: ≤50dB</li> <li>Cable Length: 1.5m</li> <li>Polar pattern: Omni-directional</li> <li>Product Size: 117*108*200mm</li> <li>Mic Size: 9.7*6.7mm</li> </ol>	1k	<b>US\$7.49</b>	3k	<b>US\$7.35</b>	USB microphone
UK-1		<ol style="list-style-type: none"> <li>Sensitivity: -58±2dB</li> <li>Impedance: 2.2KΩ</li> <li>Operation voltage: DC4.5V</li> <li>Frequency Response: 70Hz-10KH</li> <li>S/N ratio: ≤50dB</li> <li>Cable Length: 1.5m</li> <li>Polar pattern: Omni-directional</li> <li>Product Size: 120*120*225mm</li> <li>Mic Size: 6.0*5.0mm</li> </ol>	1k	<b>US\$5.50</b>	3k	<b>US\$5.38</b>	
VK-1		<ol style="list-style-type: none"> <li>Dimension: 130*38mm / φ75mm</li> <li>Material: Metal</li> <li>Voltage: DC5V</li> <li>Output power:</li> <li>Frequency Response: 20-1600Hz</li> <li>MIC sensitivity: -32±3dB</li> <li>Polar pattern: Omni-directional</li> <li>Color: golden, silver</li> </ol>	1k	<b>US\$9.98</b>	3k	<b>US\$9.78</b>	360°rotation, with magnet

K3	 	<p>Size: 120*90*200mm  Sensitivity: -58±2dB  Impedance: 2.2KΩ  Operation voltage: DC4.5V  Frequency Response: 100Hz-10KHz  S/N ratio: ≤50dB  Cable Length: 1.5m  Polar pattern: Omni-directional</p>	1k	US\$9.80	3k	US\$9.68	
BK	 	<ol style="list-style-type: none"> <li>Sensitivity: -58±2dB</li> <li>Impedance: 2.2KΩ</li> <li>Operation voltage: DC4.5V</li> <li>Frequency Response: 100Hz-10KHz</li> <li>S/N ratio: ≤50dB</li> <li>Cable Length: 1.5m</li> <li>Polar pattern: Omni-directional</li> <li>Product Size: 82*75.5mm</li> <li>Color: black, white, blue, pink, red</li> </ol>	1k	US\$2.65	3k	US\$2.50	
GK	 	<ol style="list-style-type: none"> <li>Sensitivity: -58±2dB</li> <li>Impedance: 2.2KΩ</li> <li>Operation voltage: DC4.5V</li> <li>Frequency Response: 100Hz-10KHz</li> <li>S/N ratio: ≤50dB</li> <li>Cable Length: 1.5m</li> <li>Polar pattern: Omni-directional</li> <li>Product Size: 117*108*200mm</li> <li>Mic Size: 9.7*6.7mm</li> </ol>	1k	US\$4.79	3k	US\$4.65	
UK	 	<ol style="list-style-type: none"> <li>Sensitivity: -58±2dB</li> <li>Impedance: 2.2KΩ</li> <li>Operation voltage: DC4.5V</li> <li>Frequency Response: 70Hz-10KHz</li> <li>S/N ratio: ≤50dB</li> <li>Cable Length: 1.5m</li> <li>Polar pattern: Omni-directional</li> <li>Product Size: 120*120*225mm</li> <li>Mic Size: 6.0*5.0mm</li> </ol>	1k	US\$2.95	3k	US\$2.85	
VK		<ol style="list-style-type: none"> <li>Dimension: 130*38mm / φ75mm</li> <li>Material: Metal</li> <li>Voltage: DC5V</li> <li>Output power:</li> <li>Frequency Response: 20-1600Hz</li> <li>MIC sensitivity: -32±3dB</li> <li>Polar pattern: Omni-directional</li> <li>Color: golden, silver</li> </ol>	1k	US\$7.99	3k	US\$7.79	
K1	 	<p><b>Best Seller</b></p> <ol style="list-style-type: none"> <li>Sensitivity: -58±2dB</li> <li>Impedance: 2.2KΩ</li> <li>Operation voltage: DC4.5V</li> <li>Frequency Response: 100Hz-10KHz</li> <li>S/N ratio: ≤50dB</li> <li>Cable Length: 1.5m</li> <li>Polar pattern: Omni-directional</li> <li>Type of Packing: gift box, 117*142*245mm</li> </ol> <p>Carton size: 59.8*50.3*58.5cm 40pcs/ctn</p>	1k	US\$4.99	3k	US\$4.85	USB microphone
K1	 	<ol style="list-style-type: none"> <li>Sensitivity: -58±2dB</li> <li>Impedance: 2.2KΩ</li> <li>Operation voltage: DC4.5V</li> <li>Frequency Response: 100Hz-10KHz</li> <li>S/N ratio: ≤50dB</li> <li>Cable Length: 1.5m</li> <li>Polar pattern: Omni-directional</li> <li>Type of Packing: gift box, 117*142*245mm</li> </ol> <p>Carton size: 59.8*50.3*58.5cm 40pcs/ctn</p>	1k	US\$2.70	3k	US\$2.55	

ik		<p>1. Dimention: 77*17mm  2. Mic Size: 6.5*5.0mm  3. Voltage: 1.5V-2.2V  4. Impedance: 2.2KΩ  5. Frequency Response: 20-1600Hz  6. Max sound pressure≥126db 1KZ  7. S/N ratio: &gt; 60dB  8.Polar pattern: Omni-directional  9. Color: golden, pink, white,etc</p>	1k	US\$2.19	3k	US\$1.99	mobile microphone
MK		<p>1. Dimention: 80*18mm  2. Mic Size: 6.0*5.0mm  3. Voltage: DC 4.5V  4. Impedance: 2.2KΩ  5. Frequency Response: 70Hz - 10KHZ  6. Sensitivity: -58 ± 2dB  7. S/N ratio: ≤50dB  8.Polar pattern: Omni-directional</p>	1k	US\$4.20	3k	US\$4.00	mobile microphone
K4		<p>1. Dimention: 123*36*38mm  2. Material: Metal  3. Voltage: DC5V  4. Output power: 10mw  5. Battery: 1500mAh  6. Frequency Response: 28Hz-20KHz  7. MIC sensitivity: -42±2dB  8.Polar pattern: Omni-directional  9. Color: golden, silver</p>	1k	US\$17.80	3k	US\$17.30	
H1		<p>Material: ABS  Color: Red, Green  USB Port: 4  Interface Type: USB2.0, suitable for USB1.1/1.0  Transfer speed: 480Mbps  Weight: 69g  Size: 75**75*23mm  Supported : LED light  Application :Computer,laptop,tablet pc, keyboard, mouse, DVD player,etc</p>	1k	US\$3.59	3k	US\$3.49	

**Remark:**  
1). Payment Terms: 30%T/T deposit in advance and 70%T/T balance before shipping. PayPal also accepted (For order amounts below USD\$1000 only).  
2). Lead Time: Usually it is 3-5 days for in stock lots and 15-20 days for OEM.  
3). Samples are available upon further requests.  
4). All the above specifications, pictures and prices are subject to change without piror notice.  
5). All the above price are based on Coolcold standard package.