

YINGKOU SHENGDA MACHINE CO.,LTD.



BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED Wechat/WhatsApp:008613840736626

Email:jim@yksdqb.com Email:shengdaqb@163.com [Tel:+86-4172259909](tel:+86-4172259909) Moblie:+86-13840736626

Address:Xishi Industrial zone,Yingkou,Liaoning,China.115000 www.yksdqb.com

Motorcycle Tire Changer

Price USD \$435.00

Technical data:	OJ-821
Rim clamping from outside	6-21"
Max. wheel diameter:	960mm
Max. wheel width/turntable:	300mm(12")
Bead-remover cylinder (force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	8-10bar
	1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	200Kg
Noise	<70dB
Packing outside dimension:	970mm*755mm*1015mm
FCL	36pcs/20" 72pcs/40"



Price USD \$380.00

Technical data:	OJ-820
Rim clamping from outside	10"-19"
Rim clamping from inside	13"-21"
Max. wheel diameter:	960mm
Max. tire width	310mm
Bead-remover cylinder (force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	8-10bar
	1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	207Kg
Noise	<70dB
Packing outside dimension:	970mm*760mm*850mm
FCL	36pcs/20" 72pcs/40"



YINGKOU SHENGDA MACHINE CO.,LTD.



BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED Wechat/WhatsApp:008613840736626

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-4172259909](tel:+86-4172259909) Moblie:+86-13840736626

Address:Xishi Industrial zone,Yingkou,Liaoning,China.115000 www.yksdq.com

Price USD \$385.00

Technical data:	OJ-822M
Rim clamping from outside	10"-19"
Rim clamping from inside	12"-21"
Max. wheel diameter:	980mm
Max. wheel width/turntable:	310mm
Max. wheel width/bead- breaker:	310mm
Bead-remover cylinder (force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	8-10bar
	1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	207Kg
Noise	<70dB
Packing outside dimension:	1100mm*900mm*950mm
FCL	36pcs/20" 72pcs/40"



Price USD \$430.00

Technical data:	OJ-822S
Rim clamping from outside	10"-19"
Rim clamping from inside	12"-23"
Max. wheel diameter:	980mm
Max. wheel width/turntable:	310mm
Max. wheel width/bead- breaker:	310mm
Bead-remover cylinder (force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	8-10bar
	1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	207Kg
Noise	<70dB
Packing outside dimension:	980mm*760mm*950mm
FCL	36pcs/20" 72pcs/40"



YINGKOU SHENGDA MACHINE CO.,LTD.



BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED Wechat/WhatsApp:008613840736626

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-4172259909](tel:+86-4172259909) Moblie:+86-13840736626

Address:Xishi Industrial zone,Yingkou,Liaoning,China.115000 www.yksdq.com

Price USD \$455.00

Technical data:	OJ-822 big box
Rim clamping from outside	12"-22"
Rim clamping from inside	14"-24"
Max. wheel diameter:	1140mm
Max. wheel width/turntable:	360mm(16")
Max. wheel width/bead-breaker:	360mm
Bead-remover cylinder (force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	8-10bar
	1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	207Kg
Noise	<70dB
Packing outside dimension:	1100mm*900mm*950mm
FCL	24pcs/20" 50pcs/40"



Price USD \$455.00

Technical data:	OJ-824
Rim clamping from outside	10"-22"
Rim clamping from inside	14"-24"
Max. wheel diameter:	1140mm
Max. wheel width/turntable:	410mm(16")
Max. wheel width/bead-breaker:	360mm
Bead-remover cylinder (force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	8-10bar
	1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	228Kg
Noise	<70dB
Packing outside dimension:	1120mm*920mm*950mm
FCL	24pcs/20" 50pcs/40"



YINGKOU SHENGDA MACHINE CO.,LTD.



BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED Wechat/WhatsApp:008613840736626

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-4172259909](tel:+86-4172259909) Moblie:+86-13840736626

Address:Xishi Industrial zone,Yingkou,Liaoning,China.115000 www.yksdq.com

Price USD \$678.00

Technical data:	OJ-824A+210
Rim clamping from outside	10"-21"
Rim clamping from inside	14"-23"
Max. wheel diameter:	1040mm
Max. wheel width/turntable:	410mm(16")
Max. wheel width/bead-breaker:	360mm
Bead-remover cylinder (force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	8-10bar
	1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	228Kg
Noise	<70dB
Packing outside dimension:	1120mm*920mm*950mm
FCL	24pcs/20" 50pcs/40"



Price USD \$850.00

Technical data:	OJ-820+310+210
Rim clamping from outside	10"-22"
Rim clamping from inside	12"-24"
Max. wheel diameter:	1040mm
Max. wheel width	3-15"
Bead-remover cylinder (force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	8-10bar
	1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	207Kg
Noise	<70dB
Packing outside dimension:	1100mm*900mm*950mm
	1200*400*400mm
FCL	36pcs/20" 88pcs/40"HQ



YINGKOU SHENGDA MACHINE CO.,LTD.



BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED Wechat/WhatsApp:008613840736626

Email:jim@yksdqb.com Email:shengdaqb@163.com [Tel:+86-4172259909](tel:+86-4172259909) Moblie:+86-13840736626

Address:Xishi Industrial zone,Yingkou,Liaoning,China.115000 www.yksdqb.com

Car Tire Changer

price USD\$680.00

Technical data:	OJ-825
Rim clamping from outside	12"-22"
Rim clamping from inside	12"-24"
Max. wheel diameter:	1150mm(44")
Max. wheel width/turtable:	410mm(16")
Max. wheel width/bead-breaker:	360mm
Bead-remover cylinder (force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	110-415V 1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	260Kg
Noise	<70dB
Packing outside dimension:	1310*1000*1000mm
FCL	24pcs/20" 48pcs/40"



Price USD\$650.00

Technical data:	OJ-826
Rim clamping from outside	10"-22"
Rim clamping from inside	14"-24"
Max. wheel diameter:	1150mm(44")
Max. wheel width/turtable:	356mm(14")
Bead-remover cylinder (force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	220V/380V 1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	280Kg
Noise	<70dB
Packing outside dimension:	1140*830*1055mm
FCL	28pcs/20" 56pcs/40"



YINGKOU SHENGDA MACHINE CO.,LTD.



BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED Wechat/WhatsApp:008613840736626

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-4172259909](tel:+86-4172259909) Moblie:+86-13840736626

Address:Xishi Industrial zone,Yingkou,Liaoning,China.115000 www.yksdq.com

Car Tire Changer with Helper

price USD \$795.00

Technical data:	OJ-825+220
Rim clamping from outside	10"-22"
Rim clamping from inside	12"-24"
Max. wheel diameter:	1140mm (44")
Max. wheel width/turntable	410mm
Max. wheel width/bead-breaker:	360mm
Bead-remover cylinder (force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	110-415V 1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	336Kg
Noise	<70dB
Packing outside dimension:	1180*1010*1000m 900*500*600mm
FCL	28pcs/20" 56pcs/40"



Automatic Car Tire Changer

with Helper With Quick Inflation tank

Price \$890.00

Technical data:	OJ-825+230
Rim clamping from outside	10"-22"
Rim clamping from inside	14"-24"
Max. wheel diameter:	1100mm (44")
Max. wheel width/turntable	410mm
Max. width/bead- breaker:	360mm
Bead-remover cylinder	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	110-415V 1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	336Kg
Noise	<70dB
Packing outside dimension:	1180*1010*1000mm 1200*400*400mm
FCL	24pcs/20" 50pcs/40"



YINGKOU SHENGDA MACHINE CO.,LTD.



BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED Wechat/WhatsApp:008613840736626

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-4172259909](tel:+86-4172259909) Moblie:+86-13840736626

Address:Xishi Industrial zone,Yingkou,Liaoning,China.115000 www.yksdq.com

Price USD \$1,280.00 Automatic Car Tire Changer with two heads of helper

Technical data:	OJ828+230
Rim clamping from outside	12-24"
Rim clamping from inside	14-26"
Max. wheel diameter:	1150mm
Max. wheel width/turntable	410mm
Bead-remover cylinder(force at 10 bar)	2500Kg
Power supply	110-415V
	1ph / 3ph
Net weight:	385Kg
Packing outside dimension:	1140*830*1055mm
	1000*350*350mm
FCL	24unit/20"



Price USD \$1,050.00

Technical data:	OJ-827
Rim Diameter	9—28"
Max. wheel diameter:	900mm
Max. wheel width/turntable	410mm
Max. wheel width/bead-breaker:	360mm
Bead-remover cylinder(force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	110-415V
	1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	350Kg
Packing size:	1200*850*1850mm



YINGKOU SHENGDA MACHINE CO.,LTD.



BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED Wechat/WhatsApp:008613840736626

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-4172259909](tel:+86-4172259909) Moblie:+86-13840736626

Address:Xishi Industrial zone,Yingkou,Liaoning,China.115000 www.yksdq.com

Automatic With Double Helpers. Use for Light Truck, Suv, Bus, Car tyres.

Price USD \$1,780.00

Technical data:	OJ-870
Rim Diameter	10—28"
Max. wheel diameter:	1150mm
Max. wheel width/turntable	3-5"
Bead-remover cylinder(force at 10 bar)	2500Kg
Operating pressure	8-10bar(145Psi)
Power supply	110-415V 1ph / 3ph
Motor power	0.75-1.1Kw
Net weight:	350Kg
Packing size:	1450*1150*1850mm



TRUCK TIRE CHANGER

price USD \$1,880.00

Technical data:	OJ-260
	Semi-Automatic
Handles wheels from	14"-26"
Max. wheel diameter	1600mm(62")
Max. wheel width	780mm(31")
Max. wheel weight	1500Kg
Motor power	2.2Kw
Hydraulic pump motor	1.5Kw
Power supply	380V-415V
Operation pressure	130bar
Net weight	590Kg
Packing outside dimension	2045*1685*960mm
Noise	<70dB
oil cylinders	3pcs
FCL	6pcs/20" 14pcs/40"



YINGKOU SHENGDA MACHINE CO.,LTD.



BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED Wechat/WhatsApp:008613840736626

Email:jim@yksdqb.com Email:shengdaqb@163.com [Tel:+86-4172259909](tel:+86-4172259909) Moblie:+86-13840736626

Address:Xishi Industrial zone,Yingkou,Liaoning,China.115000 www.yksdqb.com

Price USD \$3,488.00

Technical data:	OJ-420
	Full-Automatic
Applicable Rim	14"-42"
Max. wheel diameter	2200mm
Max. wheel width	1060mm
Max. wheel weight	1650kg
Motor power	2.2/2.8Kw,2-speed Motor with CW and CCW
Hydraulic pump motor	1.5Kw
Power supply	380V-415V
Operation pressure	0-130bar
Net weight	800Kg
Packing Size	2130*1930*1050mm
FCL	6pcs/20" 12pcs/40"



TRUCK TIRE CHANGE

Price USD\$3,390.00

Technical data:	OJ-560
	Semi-Automatic
Applicable Rim	14"-56"
Max. wheel diameter	2300mm
Max. wheel width	1060mm
Max. wheel weight	1600kg
Motor power	2.2ke,2-speed Motor with CW and CCW
Hydraulic pump motor	1.5Kw
Power supply	380V
Operation pressure	0-130bar
Net weight	1200Kg
Packing outside dimension	2310*2000*1180mm
FCL	6pcs/20" 12pcs/40"



YINGKOU SHENGDA MACHINE CO.,LTD.

BRANCH COMPANY: OUJIE MACHINE CO.,LIMITED Wechat/WhatsApp:008613840736626

Email:jim@yksdq.com Email:shengdaqb@163.com [Tel:+86-4172259909](tel:+86-4172259909) Moblie:+86-13840736626

Address:Xishi Industrial zone,Yingkou,Liaoning,China.115000 www.yksdq.com



Automatic Truck Tire Changer

Price USD\$4,150.00

Standard Features:	OJ-560A
Rim Clamp	14-56"
Max Wheel Diameter:	2500mm
Max Wheel Width	1200mm
Max Wheel Weight	2000Kg
Operating Pressure	0-16MPA
Power Supply	380v 3ph
Motor Power	2.4/3.0Kw
Net Weight:	1200Kg
Packing Size	2300*2130*1150mm
FCL	4pcs/20" 10pcs/40"

